

MMSE & Neuropsychological Battery		Status				All
		Normal	MCI	QCI	Dementia	
		169	131	33	141	474
MMSE: administration of MMSE (Q1a)						
- ADC/clinic	N	169	128	30	129	456
	%	100.00%	97.70%	90.90%	91.48%	96.20%
- Home	N	--	1	1	7	9
	%	--	0.76%	3.03%	4.96%	1.89%
- Other (in person)	N	--	2	2	5	9
	%	--	1.52%	6.06%	3.54%	1.89%
MMSE: language of MMSE administration (Q1a1)						
- English	N	166	130	33	133	462
	%	98.22%	99.23%	100.00%	94.32%	97.46%
- Spanish	N	2	1	--	6	9
	%	1.18%	0.76%	--	4.25%	1.89%
- Other	N	1	--	--	2	3
	%	0.59%	--	--	1.41%	0.63%
MMSE: orientation subscale score: time (Q1b1)		Min	4.00	0.00	4.00	0.00
		Mean	4.96	4.56	4.94	2.29
		Std	0.19	0.82	0.24	1.85
		Max	5.00	5.00	5.00	5.00
MMSE: orientation subscale score: place (Q1b2)		Min	4.00	0.00	3.00	0.00
		Mean	4.96	4.63	4.91	3.23
		Std	0.20	0.80	0.38	1.51
		Max	5.00	5.00	5.00	5.00
MMSE: intersecting pentagon subscale score (Q1c)		Min	0.00	0.00	0.00	0.00
		Mean	0.98	0.91	0.96	0.61
		Std	0.14	0.28	0.21	0.49
		Max	1.00	1.00	1.00	1.00
MMSE: total MMSE score (Q1d)		Min	25.00	5.00	24.00	0.00
		Mean	29.35	26.62	28.42	18.60
		Std	0.93	3.75	1.56	6.73
		Max	30.00	30.00	30.00	30.00

MMSE & Neuropsychological Battery		Status				All
		Normal	MCI	QCI	Dementia	
		169	131	33	141	474
Remainder was administered (Q2)						
- ADC/clinic	N	169	128	30	129	456
	%	100.00%	97.70%	90.90%	91.48%	96.20%
- Home	N	--	1	1	7	9
	%	--	0.76%	3.03%	4.96%	1.89%
- Other (in person)	N	--	2	2	5	9
	%	--	1.52%	6.06%	3.54%	1.89%
Language of test administration (Q2a)						
- English	N	166	129	33	132	460
	%	98.22%	98.47%	100.00%	93.61%	97.04%
- Spanish	N	2	1	--	7	10
	%	1.18%	0.76%	--	4.96%	2.10%
- Other	N	1	1	--	2	4
	%	0.59%	0.76%	--	1.41%	0.84%
Logical memory: total score from previous administration (Q3a1)		Min	--	--	--	--
		Mean	--	--	--	--
		Std	--	--	--	--
		Max	--	--	--	--
Logical memory: total number of story units recalled (Q3b)		Min	5.00	0.00	6.00	0.00
		Mean	17.88	10.42	14.85	4.97
		Std	3.35	5.03	3.78	6.67
		Max	24.00	22.00	21.00	24.00

MMSE & Neuropsychological Battery		Status				All
		Normal	MCI	QCI	Dementia	
		174	131	33	221	559
Digit span forward: # trials correct prior to 2 consecutive errors (Q4a)	Min	2.00	3.00	4.00	1.00	1.00
	Mean	7.86	7.48	7.67	6.14	7.26
	Std	2.23	2.05	2.01	2.15	2.25
	Max	12.00	12.00	12.00	12.00	12.00
Digit span forward: length (Q4b)	Min	3.00	4.00	4.00	3.00	3.00
	Mean	6.38	6.20	6.24	5.45	6.06
	Std	1.20	1.14	1.09	1.19	1.23
	Max	8.00	8.00	8.00	8.00	8.00
Digit span backward: # trials correct prior to 2 consecutive errors (Q5a)	Min	3.00	3.00	2.00	0.00	0.00
	Mean	7.09	6.29	7.12	4.45	6.14
	Std	2.09	1.91	2.23	1.88	2.27
	Max	12.00	12.00	11.00	10.00	12.00
Digit span backward: length (Q5b)	Min	3.00	3.00	2.00	0.00	0.00
	Mean	4.98	4.55	5.06	3.57	4.47
	Std	1.13	1.03	1.32	1.11	1.25
	Max	7.00	7.00	7.00	7.00	7.00
Category fluency: animals (Q6a)	Min	7.00	3.00	8.00	0.00	0.00
	Mean	20.70	14.66	17.91	8.92	15.56
	Std	5.39	4.75	4.81	4.96	6.92
	Max	36.00	32.00	30.00	24.00	36.00
Category fluency: vegetables (Q6b)	Min	5.00	2.00	6.00	0.00	0.00
	Mean	15.30	9.88	12.76	6.03	11.06
	Std	4.80	3.61	3.18	4.07	5.61
	Max	33.00	20.00	20.00	21.00	33.00

MMSE & Neuropsychological Battery		Status				All
		Normal	MCI	QCI	Dementia	
		174	131	33	221	559
Trail making test: # of seconds to complete - part A (Q7a)	Min	11.00	17.00	17.00	22.00	11.00
	Mean	29.13	43.72	35.06	75.43	45.24
	Std	9.78	22.24	13.25	39.64	30.16
	Max	76.00	150.00	67.00	150.00	150.00
Trail making test: # of commission errors - part A (Q7a1)	Min	0.00	0.00	0.00	0.00	0.00
	Mean	0.13	0.18	0.18	0.29	0.19
	Std	0.43	0.43	0.59	0.74	0.54
	Max	2.00	2.00	2.00	4.00	4.00
Trail making test: # of correct lines - part A (Q7a2)	Min	0.00	21.00	24.00	2.00	0.00
	Mean	23.83	23.96	24.00	22.88	23.63
	Std	1.96	0.30	0.00	3.56	2.24
	Max	24.00	24.00	24.00	24.00	24.00
Trail making test: # of seconds to complete - part B (Q7b)	Min	28.00	43.00	45.00	46.00	28.00
	Mean	81.15	140.57	105.92	213.72	122.64
	Std	37.11	62.47	49.44	83.05	72.85
	Max	235.00	300.00	214.00	300.00	300.00
Trail making test: # of commission errors - part B (Q7b1)	Min	0.00	0.00	0.00	0.00	0.00
	Mean	0.54	0.97	0.67	1.65	0.86
	Std	1.01	1.12	0.97	1.56	1.21
	Max	7.00	5.00	4.00	6.00	7.00
Trail making test: # of correct lines - part B (Q7b2)	Min	22.00	19.00	22.00	0.00	0.00
	Mean	23.98	23.86	23.90	20.90	23.45
	Std	0.18	0.70	0.44	5.66	2.54
	Max	24.00	24.00	24.00	24.00	24.00

MMSE & Neuropsychological Battery		Status				All
		Normal	MCI	QCI	Dementia	
		169	131	33	141	474
WAIS-R digit symbol: # of correct in 90 seconds (Q8a)	Min	18.00	2.00	24.00	3.00	2.00
	Mean	53.70	38.91	45.86	28.07	43.11
	Std	11.81	12.26	12.97	11.31	15.56
	Max	84.00	77.00	78.00	58.00	84.00
Logical memory IIA: # of story units recalled (Q9a)	Min	0.00	0.00	3.00	0.00	0.00
	Mean	16.57	7.33	12.88	1.77	9.83
	Std	3.88	5.80	4.74	2.99	7.47
	Max	24.00	19.00	22.00	16.00	24.00
Logical memory IIA: time elapsed since logical memory IA (Q9b)	Min	20.00	0.00	20.00	20.00	0.00
	Mean	30.19	30.05	30.12	30.27	30.16
	Std	2.43	3.27	2.67	1.81	2.58
	Max	45.00	35.00	38.00	36.00	45.00
Boston naming test: total score (Q10a)	Min	9.00	1.00	11.00	0.00	0.00
	Mean	27.24	23.74	26.50	19.14	23.96
	Std	3.86	6.06	3.76	7.49	6.56
	Max	30.00	30.00	30.00	30.00	30.00
Overall appraisal: cognitive status (Q11)						
- Unable to render opinion	N	--	--	1	1	2
	%	--	--	3.03%	0.70%	0.42%
- Better than normal of age	N	56	--	2	--	58
	%	33.13%	--	6.06%	--	12.23%
- Normal of age	N	91	17	12	--	120
	%	53.84%	12.97%	36.36%	--	25.31%
- 1 or 2 abnormal scores	N	22	88	15	7	132
	%	13.01%	67.17%	45.45%	4.96%	27.84%
- 3 or more abnormal scores	N	--	26	3	133	162
	%	--	19.84%	9.09%	94.32%	34.17%