

Neuropsychiatric Inventory Questionnaire		Status					All
		.	Normal	MCI	QCI	Dementia	
		23	193	66	53	118	453
<b>NPI informant (Q1)</b>							
	N	6	2	1	--	21	30
	%	26.08%	1.03%	1.51%	--	17.79%	6.62%
- Spouse	N	14	106	44	25	55	244
	%	60.86%	54.92%	66.66%	47.16%	46.61%	53.86%
- Child	N	1	36	11	13	24	85
	%	4.34%	18.65%	16.66%	24.52%	20.33%	18.76%
- Other	N	2	49	10	15	17	93
	%	8.69%	25.38%	15.15%	28.30%	14.40%	20.52%
- 9	N	--	--	--	--	1	1
	%	--	--	--	--	0.84%	0.22%

Neuropsychiatric Inventory Questionnaire		Status					All
		.	Normal	MCI	QCI	Dementia	
		23	193	66	53	118	453
<b>Delusions - yes/no (Q2A)</b>							
	N	6	2	1	--	21	30
	%	26.08%	1.03%	1.51%	--	17.79%	6.62%
- No	N	12	190	65	51	83	401
	%	52.17%	98.44%	98.48%	96.22%	70.33%	88.52%
- Yes	N	4	1	--	1	11	17
	%	17.39%	0.51%	--	1.88%	9.32%	3.75%
- Unknown	N	1	--	--	1	3	5
	%	4.34%	--	--	1.88%	2.54%	1.10%

Neuropsychiatric Inventory Questionnaire		Status					All
		.	Normal	MCI	QCI	Dementia	
		23	193	66	53	118	453
<b>Delusions - severity (Q2B)</b>							
	N	19	192	66	52	107	436
	%	82.60%	99.48%	100.00%	98.11%	90.67%	96.24%

(Continued)

Neuropsychiatric Inventory Questionnaire		Status					All
		.	Normal	MCI	QCI	Dementia	
<b>Delusions - severity (Q2B)</b> - Mild	N	2	1	--	--	7	10
	%	8.69%	0.51%	--	--	5.93%	2.20%
- Moderate	N	2	--	--	1	4	7
	%	8.69%	--	--	1.88%	3.38%	1.54%

Neuropsychiatric Inventory Questionnaire		Status					All
		.	Normal	MCI	QCI	Dementia	
		23	193	66	53	118	453
<b>Hallucinations - yes/no (Q3A)</b>							
	N	6	2	1	--	21	30
	%	26.08%	1.03%	1.51%	--	17.79%	6.62%
- No	N	11	191	65	50	83	400
	%	47.82%	98.96%	98.48%	94.33%	70.33%	88.30%
- Yes	N	6	--	--	1	13	20
	%	26.08%	--	--	1.88%	11.01%	4.41%
- Unknown	N	--	--	--	2	1	3
	%	--	--	--	3.77%	0.84%	0.66%

Neuropsychiatric Inventory Questionnaire		Status					All
		.	Normal	MCI	QCI	Dementia	
		23	193	66	53	118	453
<b>Hallucinations - severity (Q3B)</b>							
	N	17	193	66	52	105	433
	%	73.91%	100.00%	100.00%	98.11%	88.98%	95.58%
- Mild	N	5	--	--	--	9	14
	%	21.73%	--	--	--	7.62%	3.09%
- Moderate	N	1	--	--	1	4	6
	%	4.34%	--	--	1.88%	3.38%	1.32%

Neuropsychiatric Inventory Questionnaire		Status					All
		.	Normal	MCI	QCI	Dementia	
		23	193	66	53	118	453
<b>Agitation or aggression - yes/no (Q4A)</b>							
-	N	6	2	1	--	21	30
	%	26.08%	1.03%	1.51%	--	17.79%	6.62%
- No	N	8	188	56	48	63	363
	%	34.78%	97.40%	84.84%	90.56%	53.38%	80.13%
- Yes	N	9	3	9	4	34	59
	%	39.13%	1.55%	13.63%	7.54%	28.81%	13.02%
- Unknown	N	--	--	--	1	--	1
	%	--	--	--	1.88%	--	0.22%

Neuropsychiatric Inventory Questionnaire		Status					All
		.	Normal	MCI	QCI	Dementia	
		23	193	66	53	118	453
<b>Agitation or aggression - severity (Q4B)</b>							
-	N	14	190	57	49	84	394
	%	60.86%	98.44%	86.36%	92.45%	71.18%	86.97%
- Mild	N	5	1	6	3	22	37
	%	21.73%	0.51%	9.09%	5.66%	18.64%	8.16%
- Moderate	N	3	2	3	--	11	19
	%	13.04%	1.03%	4.54%	--	9.32%	4.19%
- Severe	N	1	--	--	1	1	3
	%	4.34%	--	--	1.88%	0.84%	0.66%

Neuropsychiatric Inventory Questionnaire		Status					All
		.	Normal	MCI	QCI	Dementia	
		23	193	66	53	118	453
<b>Depression or dysphoria - yes/no (Q5A)</b>							
	N	6	2	1	--	21	30
	%	26.08%	1.03%	1.51%	--	17.79%	6.62%
- No	N	8	175	49	44	71	347
	%	34.78%	90.67%	74.24%	83.01%	60.16%	76.60%
- Yes	N	6	16	16	7	22	67
	%	26.08%	8.29%	24.24%	13.20%	18.64%	14.79%
- Unknown	N	3	--	--	2	4	9
	%	13.04%	--	--	3.77%	3.38%	1.98%

Neuropsychiatric Inventory Questionnaire		Status					All
		.	Normal	MCI	QCI	Dementia	
		23	193	66	53	118	453
<b>Depression or dysphoria - severity (Q5B)</b>							
	N	17	177	50	46	96	386
	%	73.91%	91.70%	75.75%	86.79%	81.35%	85.20%
- Mild	N	5	13	8	3	18	47
	%	21.73%	6.73%	12.12%	5.66%	15.25%	10.37%
- Moderate	N	1	3	6	3	4	17
	%	4.34%	1.55%	9.09%	5.66%	3.38%	3.75%
- Severe	N	--	--	2	1	--	3
	%	--	--	3.03%	1.88%	--	0.66%

Neuropsychiatric Inventory Questionnaire		Status					All
		.	Normal	MCI	QCI	Dementia	
		23	193	66	53	118	453
<b>Anxiety - yes/no (Q6A)</b>							
	N	6	2	1	--	21	30
	%	26.08%	1.03%	1.51%	--	17.79%	6.62%
<b>- No</b>							
	N	7	188	58	47	73	373
	%	30.43%	97.40%	87.87%	88.67%	61.86%	82.33%
<b>- Yes</b>							
	N	9	3	7	5	21	45
	%	39.13%	1.55%	10.60%	9.43%	17.79%	9.93%
<b>- Unknown</b>							
	N	1	--	--	1	3	5
	%	4.34%	--	--	1.88%	2.54%	1.10%

Neuropsychiatric Inventory Questionnaire		Status					All
		.	Normal	MCI	QCI	Dementia	
		23	193	66	53	118	453
<b>Anxiety - severity (Q6B)</b>							
	N	14	190	59	48	97	408
	%	60.86%	98.44%	89.39%	90.56%	82.20%	90.06%
<b>- Mild</b>							
	N	5	1	5	2	15	28
	%	21.73%	0.51%	7.57%	3.77%	12.71%	6.18%
<b>- Moderate</b>							
	N	4	2	2	3	3	14
	%	17.39%	1.03%	3.03%	5.66%	2.54%	3.09%
<b>- Severe</b>							
	N	--	--	--	--	3	3
	%	--	--	--	--	2.54%	0.66%

Neuropsychiatric Inventory Questionnaire		Status					All
		.	Normal	MCI	QCI	Dementia	
		23	193	66	53	118	453
<b>Elation or euphoria - yes/no (Q7A)</b>							
	N	6	2	1	--	21	30
	%	26.08%	1.03%	1.51%	--	17.79%	6.62%
- No	N	15	191	64	52	94	416
	%	65.21%	98.96%	96.96%	98.11%	79.66%	91.83%
- Yes	N	2	--	1	--	2	5
	%	8.69%	--	1.51%	--	1.69%	1.10%
- Unknown	N	--	--	--	1	1	2
	%	--	--	--	1.88%	0.84%	0.44%

Neuropsychiatric Inventory Questionnaire		Status					All
		.	Normal	MCI	QCI	Dementia	
		23	193	66	53	118	453
<b>Elation or euphoria - severity (Q7A)</b>							
	N	21	193	65	53	116	448
	%	91.30%	100.00%	98.48%	100.00%	98.30%	98.89%
- Mild	N	2	--	--	--	2	4
	%	8.69%	--	--	--	1.69%	0.88%
- Moderate	N	--	--	1	--	--	1
	%	--	--	1.51%	--	--	0.22%

Neuropsychiatric Inventory Questionnaire		Status					All
		.	Normal	MCI	QCI	Dementia	
		23	193	66	53	118	453
<b>Apathy or indifference - yes/no (Q8A)</b>							
	N	6	2	1	--	21	30
	%	26.08%	1.03%	1.51%	--	17.79%	6.62%
- No	N	11	187	57	46	63	364
	%	47.82%	96.89%	86.36%	86.79%	53.38%	80.35%
- Yes	N	5	4	8	6	31	54
	%	21.73%	2.07%	12.12%	11.32%	26.27%	11.92%
- Unknown	N	1	--	--	1	3	5
	%	4.34%	--	--	1.88%	2.54%	1.10%

Neuropsychiatric Inventory Questionnaire		Status					All
		.	Normal	MCI	QCI	Dementia	
		23	193	66	53	118	453
<b>Apathy or indifference - severity (Q8B)</b>							
	N	18	189	58	47	87	399
	%	78.26%	97.92%	87.87%	88.67%	73.72%	88.07%
- Mild	N	1	3	5	3	12	24
	%	4.34%	1.55%	7.57%	5.66%	10.16%	5.29%
- Moderate	N	2	1	3	2	16	24
	%	8.69%	0.51%	4.54%	3.77%	13.55%	5.29%
- Severe	N	2	--	--	1	3	6
	%	8.69%	--	--	1.88%	2.54%	1.32%



Neuropsychiatric Inventory Questionnaire		Status					All
		.	Normal	MCI	QCI	Dementia	
		23	193	66	53	118	453
<b>Disinhibition - yes/no (Q9A)</b>							
-	N	6	2	1	--	21	30
	%	26.08%	1.03%	1.51%	--	17.79%	6.62%
- No	N	15	190	61	51	78	395
	%	65.21%	98.44%	92.42%	96.22%	66.10%	87.19%
- Yes	N	2	1	4	1	17	25
	%	8.69%	0.51%	6.06%	1.88%	14.40%	5.51%
- Unknown	N	--	--	--	1	2	3
	%	--	--	--	1.88%	1.69%	0.66%

Neuropsychiatric Inventory Questionnaire		Status					All
		.	Normal	MCI	QCI	Dementia	
		23	193	66	53	118	453
<b>Disinhibition - severity (Q9A)</b>							
-	N	21	192	62	52	101	428
	%	91.30%	99.48%	93.93%	98.11%	85.59%	94.48%
- Mild	N	1	1	2	1	17	22
	%	4.34%	0.51%	3.03%	1.88%	14.40%	4.85%
- Moderate	N	1	--	1	--	--	2
	%	4.34%	--	1.51%	--	--	0.44%
- Severe	N	--	--	1	--	--	1
	%	--	--	1.51%	--	--	0.22%

Neuropsychiatric Inventory Questionnaire		Status					All
		.	Normal	MCI	QCI	Dementia	
		23	193	66	53	118	453
<b>Irritability or lability - yes/no (Q10A)</b>							
	N	6	2	1	--	21	30
	%	26.08%	1.03%	1.51%	--	17.79%	6.62%
- No	N	9	181	50	45	75	360
	%	39.13%	93.78%	75.75%	84.90%	63.55%	79.47%
- Yes	N	7	10	15	7	22	61
	%	30.43%	5.18%	22.72%	13.20%	18.64%	13.46%
- Unknown	N	1	--	--	1	--	2
	%	4.34%	--	--	1.88%	--	0.44%

Neuropsychiatric Inventory Questionnaire		Status					All
		.	Normal	MCI	QCI	Dementia	
		23	193	66	53	118	453
<b>Irritability or lability - severity (Q10B)</b>							
	N	16	183	51	46	96	392
	%	69.56%	94.81%	77.27%	86.79%	81.35%	86.53%
- Mild	N	5	9	9	4	18	45
	%	21.73%	4.66%	13.63%	7.54%	15.25%	9.93%
- Moderate	N	1	1	4	2	4	12
	%	4.34%	0.51%	6.06%	3.77%	3.38%	2.64%
- Severe	N	1	--	2	1	--	4
	%	4.34%	--	3.03%	1.88%	--	0.88%

Neuropsychiatric Inventory Questionnaire		Status					All
		.	Normal	MCI	QCI	Dementia	
		23	193	66	53	118	453
<b>Motor disturbance - yes/no (Q11A)</b>							
	N	6	2	1	--	21	30
	%	26.08%	1.03%	1.51%	--	17.79%	6.62%
- No	N	9	189	65	52	76	391
	%	39.13%	97.92%	98.48%	98.11%	64.40%	86.31%
- Yes	N	7	1	--	--	21	29
	%	30.43%	0.51%	--	--	17.79%	6.40%
- Unknown	N	1	1	--	1	--	3
	%	4.34%	0.51%	--	1.88%	--	0.66%

Neuropsychiatric Inventory Questionnaire		Status					All
		.	Normal	MCI	QCI	Dementia	
		23	193	66	53	118	453
<b>Motor disturbance - severity (Q11B)</b>							
	N	16	192	66	53	97	424
	%	69.56%	99.48%	100.00%	100.00%	82.20%	93.59%
- Mild	N	4	1	--	--	12	17
	%	17.39%	0.51%	--	--	10.16%	3.75%
- Moderate	N	2	--	--	--	7	9
	%	8.69%	--	--	--	5.93%	1.98%
- Severe	N	1	--	--	--	2	3
	%	4.34%	--	--	--	1.69%	0.66%

Neuropsychiatric Inventory Questionnaire		Status					All
		.	Normal	MCI	QCI	Dementia	
		23	193	66	53	118	453
<b>Nighttime behaviors - yes/no (Q12A)</b>							
	N	6	2	1	--	21	30
	%	26.08%	1.03%	1.51%	--	17.79%	6.62%
- No	N	10	179	50	46	78	363
	%	43.47%	92.74%	75.75%	86.79%	66.10%	80.13%
- Yes	N	7	8	14	6	17	52
	%	30.43%	4.14%	21.21%	11.32%	14.40%	11.47%
- Unknown	N	--	4	1	1	2	8
	%	--	2.07%	1.51%	1.88%	1.69%	1.76%

Neuropsychiatric Inventory Questionnaire		Status					All
		.	Normal	MCI	QCI	Dementia	
		23	193	66	53	118	453
<b>Nighttime behaviors - severity (Q12B)</b>							
	N	16	185	52	47	101	401
	%	69.56%	95.85%	78.78%	88.67%	85.59%	88.52%
- Mild	N	--	6	8	4	9	27
	%	--	3.10%	12.12%	7.54%	7.62%	5.96%
- Moderate	N	6	2	5	2	8	23
	%	26.08%	1.03%	7.57%	3.77%	6.77%	5.07%
- Severe	N	1	--	1	--	--	2
	%	4.34%	--	1.51%	--	--	0.44%

Neuropsychiatric Inventory Questionnaire		Status					All
		.	Normal	MCI	QCI	Dementia	
		23	193	66	53	118	453
<b>Appetite and eating - yes/no (Q13A)</b>							
-	N	6	2	1	--	21	30
	%	26.08%	1.03%	1.51%	--	17.79%	6.62%
- No	N	9	186	57	50	74	376
	%	39.13%	96.37%	86.36%	94.33%	62.71%	83.00%
- Yes	N	6	3	5	2	23	39
	%	26.08%	1.55%	7.57%	3.77%	19.49%	8.60%
- Unknown	N	2	2	3	1	--	8
	%	8.69%	1.03%	4.54%	1.88%	--	1.76%

Neuropsychiatric Inventory Questionnaire		Status					All
		.	Normal	MCI	QCI	Dementia	
		23	193	66	53	118	453
<b>Appetite and eating - severity (Q13B)</b>							
-	N	17	190	61	51	95	414
	%	73.91%	98.44%	92.42%	96.22%	80.50%	91.39%
- Mild	N	3	3	2	--	8	16
	%	13.04%	1.55%	3.03%	--	6.77%	3.53%
- Moderate	N	1	--	3	1	14	19
	%	4.34%	--	4.54%	1.88%	11.86%	4.19%
- Severe	N	2	--	--	1	--	3
	%	8.69%	--	--	1.88%	--	0.66%
- Unknown	N	--	--	--	--	1	1
	%	--	--	--	--	0.84%	0.22%