

Functional Assessment Questionnaire		Status				
		.	Normal	MCI	QCI	Dementia
		23	193	66	53	118
Writing checks, paying bills, or balancing a checkbook (Q1)						
-	N	6	2	1	--	21
	%	26.08%	1.03%	1.51%	--	17.79%
- Normal	N	3	187	49	46	3
	%	13.04%	96.89%	74.24%	86.79%	2.54%
- Has difficulty but does by self	N	1	2	5	4	10
	%	4.34%	1.03%	7.57%	7.54%	8.47%
- Requires assistance	N	--	1	8	1	9
	%	--	0.51%	12.12%	1.88%	7.62%
- Dependent	N	13	--	1	--	73
	%	56.52%	--	1.51%	--	61.86%
- Never applicable	N	--	1	2	1	2
	%	--	0.51%	3.03%	1.88%	1.69%
- 9	N	--	--	--	1	--
	%	--	--	--	1.88%	--
Assembling tax records, business affairs, or other papers (Q2)						
-	N	6	2	1	--	21
	%	26.08%	1.03%	1.51%	--	17.79%
- Normal	N	1	178	38	44	3
	%	4.34%	92.22%	57.57%	83.01%	2.54%
- Has difficulty but does by self	N	1	2	12	4	6
	%	4.34%	1.03%	18.18%	7.54%	5.08%
- Requires assistance	N	2	2	6	2	4
	%	8.69%	1.03%	9.09%	3.77%	3.38%
- Dependent	N	13	--	3	1	80
	%	56.52%	--	4.54%	1.88%	67.79%
- Never applicable	N	--	9	6	1	4
	%	--	4.66%	9.09%	1.88%	3.38%
- 9	N	--	--	--	1	--
	%	--	--	--	1.88%	--

(Continued)

Note: When multiple observations are taken for a patient, only latest visit is accounted for in summary.

Functional Assessment Questionnaire		All
		453
Writing checks, paying bills, or balancing a checkbook (Q1)		
-	N	30
	%	6.62%
- Normal	N	288
	%	63.57%
- Has difficulty but does by self	N	22
	%	4.85%
- Requires assistance	N	19
	%	4.19%
- Dependent	N	87
	%	19.20%
- Never applicable	N	6
	%	1.32%
- 9	N	1
	%	0.22%
Assembling tax records, business affairs, or other papers (Q2)		
-	N	30
	%	6.62%
- Normal	N	264
	%	58.27%
- Has difficulty but does by self	N	25
	%	5.51%
- Requires assistance	N	16
	%	3.53%
- Dependent	N	97
	%	21.41%
- Never applicable	N	20
	%	4.41%
- 9	N	1
	%	0.22%

(Continued)

Functional Assessment Questionnaire		Status				
		.	Normal	MCI	QCI	Dementia
shopping alone (Q3)						
shopping alone (Q3)						
-	N	6	2	1	--	21
	%	26.08%	1.03%	1.51%	--	17.79%
- Normal	N	4	189	56	51	10
	%	17.39%	97.92%	84.84%	96.22%	8.47%
- Has difficulty but does by self	N	--	1	3	1	4
	%	--	0.51%	4.54%	1.88%	3.38%
- Requires assistance	N	1	--	2	--	19
	%	4.34%	--	3.03%	--	16.10%
- Dependent	N	12	--	1	--	62
	%	52.17%	--	1.51%	--	52.54%
- Never applicable	N	--	1	3	--	2
	%	--	0.51%	4.54%	--	1.69%
- 9	N	--	--	--	1	--
	%	--	--	--	1.88%	--

Functional Assessment Questionnaire		All
shopping alone (Q3)		453
shopping alone (Q3)		
-	N	30
	%	6.62%
- Normal	N	310
	%	68.43%
- Has difficulty but does by self	N	9
	%	1.98%
- Requires assistance	N	22
	%	4.85%
- Dependent	N	75
	%	16.55%
- Never applicable	N	6
	%	1.32%
- 9	N	1
	%	0.22%

Functional Assessment Questionnaire		Status				
		.	Normal	MCI	QCI	Dementia
		23	193	66	53	118
Playing a game or working on a hobby (Q4)						
- .	N	6	2	1	--	21
	%	26.08%	1.03%	1.51%	--	17.79%
- Normal	N	4	187	53	50	11
	%	17.39%	96.89%	80.30%	94.33%	9.32%
- Has difficulty but does by self	N	1	1	6	2	19
	%	4.34%	0.51%	9.09%	3.77%	16.10%
- Requires assistance	N	1	--	--	--	35
	%	4.34%	--	--	--	29.66%
- Dependent	N	11	--	--	--	31
	%	47.82%	--	--	--	26.27%
- Never applicable	N	--	3	6	--	1
	%	--	1.55%	9.09%	--	0.84%
- 9	N	--	--	--	1	--
	%	--	--	--	1.88%	--
heating water, making coffee, turning off stove (Q5)						
- .	N	6	2	1	--	21
	%	26.08%	1.03%	1.51%	--	17.79%
- Normal	N	4	190	61	50	27
	%	17.39%	98.44%	92.42%	94.33%	22.88%
- Has difficulty but does by self	N	--	--	3	2	16
	%	--	--	4.54%	3.77%	13.55%
- Requires assistance	N	1	--	--	--	11
	%	4.34%	--	--	--	9.32%
- Dependent	N	12	--	1	--	43
	%	52.17%	--	1.51%	--	36.44%
- Never applicable	N	--	1	--	--	--
	%	--	0.51%	--	--	--
- 9	N	--	--	--	1	--
	%	--	--	--	1.88%	--
preparing a balanced meal (Q6)						

(Continued)

Functional Assessment Questionnaire		All
		453
Playing a game or working on a hobby (Q4)		
-	N	30
	%	6.62%
- Normal	N	305
	%	67.32%
- Has difficulty but does by self	N	29
	%	6.40%
- Requires assistance	N	36
	%	7.94%
- Dependent	N	42
	%	9.27%
- Never applicable	N	10
	%	2.20%
- 9	N	1
	%	0.22%
heating water, making coffee, turning off stove (Q5)		
-	N	30
	%	6.62%
- Normal	N	332
	%	73.28%
- Has difficulty but does by self	N	21
	%	4.63%
- Requires assistance	N	12
	%	2.64%
- Dependent	N	56
	%	12.36%
- Never applicable	N	1
	%	0.22%
- 9	N	1
	%	0.22%
preparing a balanced meal (Q6)		

(Continued)

Functional Assessment Questionnaire		Status				
		.	Normal	MCI	QCI	Dementia
preparing a balanced meal (Q6)						
-	N	6	2	1	--	21
	%	26.08%	1.03%	1.51%	--	17.79%
- Normal	N	3	189	52	48	8
	%	13.04%	97.92%	78.78%	90.56%	6.77%
- Has difficulty but does by self	N	1	1	6	1	16
	%	4.34%	0.51%	9.09%	1.88%	13.55%
- Requires assistance	N	1	--	1	2	9
	%	4.34%	--	1.51%	3.77%	7.62%
- Dependent	N	12	--	1	--	59
	%	52.17%	--	1.51%	--	50.00%
- Never applicable	N	--	1	5	1	5
	%	--	0.51%	7.57%	1.88%	4.23%
- 9	N	--	--	--	1	--
	%	--	--	--	1.88%	--

Functional Assessment Questionnaire		All
preparing a balanced meal (Q6)		453
-	N	30
	%	6.62%
- Normal	N	300
	%	66.22%
- Has difficulty but does by self	N	25
	%	5.51%
- Requires assistance	N	13
	%	2.86%
- Dependent	N	72
	%	15.89%
- Never applicable	N	12
	%	2.64%
- 9	N	1
	%	0.22%

Functional Assessment Questionnaire		Status				
		.	Normal	MCI	QCI	Dementia
		23	193	66	53	118
keeping track of current events (Q7)						
-	N	6	2	1	--	21
	%	26.08%	1.03%	1.51%	--	17.79%
- Normal	N	2	190	55	50	9
	%	8.69%	98.44%	83.33%	94.33%	7.62%
- Has difficulty but does by self	N	3	--	9	2	16
	%	13.04%	--	13.63%	3.77%	13.55%
- Requires assistance	N	1	--	1	--	18
	%	4.34%	--	1.51%	--	15.25%
- Dependent	N	11	--	--	--	54
	%	47.82%	--	--	--	45.76%
- Never applicable	N	--	1	--	--	--
	%	--	0.51%	--	--	--
- 9	N	--	--	--	1	--
	%	--	--	--	1.88%	--
paying attention to and understanding TV, book, or magazine (Q8)						
-	N	6	2	1	--	21
	%	26.08%	1.03%	1.51%	--	17.79%
- Normal	N	3	189	57	50	15
	%	13.04%	97.92%	86.36%	94.33%	12.71%
- Has difficulty but does by self	N	2	1	6	1	20
	%	8.69%	0.51%	9.09%	1.88%	16.94%
- Requires assistance	N	5	--	1	--	24
	%	21.73%	--	1.51%	--	20.33%
- Dependent	N	7	--	--	--	37
	%	30.43%	--	--	--	31.35%
- Never applicable	N	--	1	1	1	1
	%	--	0.51%	1.51%	1.88%	0.84%
- 9	N	--	--	--	1	--
	%	--	--	--	1.88%	--

(Continued)

Note: When multiple observations are taken for a patient, only latest visit is accounted for in summary.

Functional Assessment Questionnaire		All
		453
keeping track of current events (Q7)		
-	N	30
	%	6.62%
- Normal	N	306
	%	67.54%
- Has difficulty but does by self	N	30
	%	6.62%
- Requires assistance	N	20
	%	4.41%
- Dependent	N	65
	%	14.34%
- Never applicable	N	1
	%	0.22%
- 9	N	1
	%	0.22%
paying attention to and understanding TV, book, or magazine (Q8)		
-	N	30
	%	6.62%
- Normal	N	314
	%	69.31%
- Has difficulty but does by self	N	30
	%	6.62%
- Requires assistance	N	30
	%	6.62%
- Dependent	N	44
	%	9.71%
- Never applicable	N	4
	%	0.88%
- 9	N	1
	%	0.22%

(Continued)

Functional Assessment Questionnaire		Status				
		.	Normal	MCI	QCI	Dementia
Remembering appointments, family events, or medications (Q9)						
Remembering appointments, family events, or medications (Q9)						
- .	N	6	2	1	--	21
	%	26.08%	1.03%	1.51%	--	17.79%
- Normal	N	3	187	41	46	6
	%	13.04%	96.89%	62.12%	86.79%	5.08%
- Has difficulty but does by self	N	1	2	19	4	12
	%	4.34%	1.03%	28.78%	7.54%	10.16%
- Requires assistance	N	1	--	4	1	14
	%	4.34%	--	6.06%	1.88%	11.86%
- Dependent	N	12	--	1	--	64
	%	52.17%	--	1.51%	--	54.23%
- Never applicable	N	--	2	--	1	1
	%	--	1.03%	--	1.88%	0.84%
- 9	N	--	--	--	1	--
	%	--	--	--	1.88%	--

Functional Assessment Questionnaire		All
Remembering appointments, family events, or medications (Q9)		453
Remembering appointments, family events, or medications (Q9)		
-	N	30
	%	6.62%
- Normal	N	283
	%	62.47%
- Has difficulty but does by self	N	38
	%	8.38%
- Requires assistance	N	20
	%	4.41%
- Dependent	N	77
	%	16.99%
- Never applicable	N	4
	%	0.88%
- 9	N	1
	%	0.22%

Functional Assessment Questionnaire		Status				
		.	Normal	MCI	QCI	Dementia
		23	193	66	53	118
Traveling, driving, or arranging to take public transportation (Q10)						
-	N	6	2	1	--	21
	%	26.08%	1.03%	1.51%	--	17.79%
- Normal	N	4	186	51	45	7
	%	17.39%	96.37%	77.27%	84.90%	5.93%
- Has difficulty but does by self	N	1	3	9	2	4
	%	4.34%	1.55%	13.63%	3.77%	3.38%
- Requires assistance	N	--	1	1	1	12
	%	--	0.51%	1.51%	1.88%	10.16%
- Dependent	N	12	--	2	2	74
	%	52.17%	--	3.03%	3.77%	62.71%
- Never applicable	N	--	1	2	2	--
	%	--	0.51%	3.03%	3.77%	--
- 9	N	--	--	--	1	--
	%	--	--	--	1.88%	--

Functional Assessment Questionnaire		All
		453
Traveling, driving, or arranging to take public transportation (Q10)		
-	N	30
	%	6.62%
- Normal	N	293
	%	64.67%
- Has difficulty but does by self	N	19
	%	4.19%
- Requires assistance	N	15
	%	3.31%
- Dependent	N	90
	%	19.86%
- Never applicable	N	5
	%	1.10%
- 9	N	1
	%	0.22%