

Subject Health History		Status					All
		.	Normal	MCI	QCI	Dementia	
		23	193	66	53	118	453
<b>Cardiovascular disease - heart attack/cardiac arrest (Q1a)</b>							
-	N	21	190	61	50	116	438
	%	91.30%	98.44%	92.42%	94.33%	98.30%	96.68%
- Recent/active	N	1	--	1	1	1	4
	%	4.34%	--	1.51%	1.88%	0.84%	0.88%
- Remote/inactive	N	1	3	4	2	1	11
	%	4.34%	1.55%	6.06%	3.77%	0.84%	2.42%

Subject Health History		Status					All
		.	Normal	MCI	QCI	Dementia	
		23	193	66	53	118	453
<b>Cardiovascular disease - atrial fibrillation (Q1b)</b>							
-	N	22	185	59	46	117	429
	%	95.65%	95.85%	89.39%	86.79%	99.15%	94.70%
- Recent/active	N	1	5	5	7	1	19
	%	4.34%	2.59%	7.57%	13.20%	0.84%	4.19%
- Remote/inactive	N	--	3	2	--	--	5
	%	--	1.55%	3.03%	--	--	1.10%

Subject Health History		Status					All
		.	Normal	MCI	QCI	Dementia	
		23	193	66	53	118	453
<b>Cardiovascular disease - angioplasty/endarterectomy/stent (Q1c)</b>							
-	N	22	188	60	49	114	433
	%	95.65%	97.40%	90.90%	92.45%	96.61%	95.58%
- Recent/active	N	1	1	1	3	2	8
	%	4.34%	0.51%	1.51%	5.66%	1.69%	1.76%
- Remote/inactive	N	--	4	5	1	2	12
	%	--	2.07%	7.57%	1.88%	1.69%	2.64%

Note: When multiple observations are taken for a patient, only latest visit is accounted for in in summary.

Subject Health History		Status					All
		.	Normal	MCI	QCI	Dementia	
		23	193	66	53	118	453
<b>Cardiovascular disease - cardiac bypass procedure (Q1d)</b>							
	N	23	191	62	52	115	443
	%	100.00%	98.96%	93.93%	98.11%	97.45%	97.79%
- Recent/active	N	--	--	1	--	--	1
	%	--	--	1.51%	--	--	0.22%
- Remote/inactive	N	--	2	3	1	3	9
	%	--	1.03%	4.54%	1.88%	2.54%	1.98%

Subject Health History		Status				
		.	Normal	MCI	QCI	Dementia
		23	193	66	53	118
<b>Cardiovascular disease - congestive heart failure (Q1f)</b>						
	N	23	193	65	53	117
	%	100.00%	100.00%	98.48%	100.00%	99.15%
- Recent/active	N	--	--	1	--	1
	%	--	--	1.51%	--	0.84%

Subject Health History		All
		453
<b>Cardiovascular disease - congestive heart failure (Q1f)</b>		
	N	451
	%	99.55%
- Recent/active	N	2
	%	0.44%

Subject Health History		Status					All
		.	Normal	MCI	QCI	Dementia	
		23	193	66	53	118	453
<b>Cardiovascular disease - other (Q1g)</b>							
	N	23	177	60	49	107	416
	%	100.00%	91.70%	90.90%	92.45%	90.67%	91.83%

(Continued)

Subject Health History		Status					All
		.	Normal	MCI	QCI	Dementia	
<b>Cardiovascular disease - other (Q1g)</b> - Recent/active	N	--	14	4	3	8	29
	%	--	7.25%	6.06%	5.66%	6.77%	6.40%
- Remote/inactive	N	--	2	2	1	3	8
	%	--	1.03%	3.03%	1.88%	2.54%	1.76%

Subject Health History		Status					All
		.	Normal	MCI	QCI	Dementia	
		23	193	66	53	118	453
<b>Cerebrovascular disease - stroke (Q2a)</b>							
	N	22	190	60	53	111	436
	%	95.65%	98.44%	90.90%	100.00%	94.06%	96.24%
- Recent/active	N	--	--	--	--	1	1
	%	--	--	--	--	0.84%	0.22%
- Remote/inactive	N	1	3	6	--	6	16
	%	4.34%	1.55%	9.09%	--	5.08%	3.53%

Subject Health History		Status					All
		.	Normal	MCI	QCI	Dementia	
		23	193	66	53	118	453
<b>Cerebrovascular disease - transient ischemic attack (Q2b)</b>							
	N	23	180	62	46	107	418
	%	100.00%	93.26%	93.93%	86.79%	90.67%	92.27%
- Recent/active	N	--	4	1	2	3	10
	%	--	2.07%	1.51%	3.77%	2.54%	2.20%
- Remote/inactive	N	--	6	2	3	4	15
	%	--	3.10%	3.03%	5.66%	3.38%	3.31%
- Unknown	N	--	3	1	2	4	10
	%	--	1.55%	1.51%	3.77%	3.38%	2.20%

Subject Health History		Status					All
		.	Normal	MCI	QCI	Dementia	
		23	193	66	53	118	453
<b>Parkinsonian features - year of diagnosis (Q3a)</b>							
	N	23	192	65	53	116	449
	%	100.00%	99.48%	98.48%	100.00%	98.30%	99.11%
- 2010	N	--	--	--	--	1	1
	%	--	--	--	--	0.84%	0.22%
- 2011	N	--	--	1	--	--	1
	%	--	--	1.51%	--	--	0.22%
- 2012	N	--	1	--	--	--	1
	%	--	0.51%	--	--	--	0.22%
- 2013	N	--	--	--	--	1	1
	%	--	--	--	--	0.84%	0.22%

Subject Health History		Status					All
		.	Normal	MCI	QCI	Dementia	
		23	193	66	53	118	453
<b>Parkinsonian features - other Parkinsonism disorder (Q3b)</b>							
	N	22	193	66	53	116	450
	%	95.65%	100.00%	100.00%	100.00%	98.30%	99.33%
- Recent/active	N	1	--	--	--	2	3
	%	4.34%	--	--	--	1.69%	0.66%

Subject Health History		Status					All
		.	Normal	MCI	QCI	Dementia	
		23	193	66	53	118	453
<b>Other neurologic conditions - seizures (Q4a)</b>							
	N	23	191	64	50	118	446
	%	100.00%	98.96%	96.96%	94.33%	100.00%	98.45%
- Recent/active	N	--	--	1	2	--	3
	%	--	--	1.51%	3.77%	--	0.66%
- Remote/inactive	N	--	2	--	--	--	2
	%	--	1.03%	--	--	--	0.44%
- Unknown	N	--	--	1	1	--	2
	%	--	--	1.51%	1.88%	--	0.44%

Subject Health History		Status					All
		.	Normal	MCI	QCI	Dementia	
		23	193	66	53	118	453
<b>Medical/metabolic conditions - hypertension (Q5a)</b>							
	N	19	128	35	27	87	296
	%	82.60%	66.32%	53.03%	50.94%	73.72%	65.34%
- Recent/active	N	4	57	26	21	29	137
	%	17.39%	29.53%	39.39%	39.62%	24.57%	30.24%
- Remote/inactive	N	--	7	5	2	2	16
	%	--	3.62%	7.57%	3.77%	1.69%	3.53%
- Unknown	N	--	1	--	3	--	4
	%	--	0.51%	--	5.66%	--	0.88%

Subject Health History		Status					All
		.	Normal	MCI	QCI	Dementia	
		23	193	66	53	118	453
<b>Medical/metabolic conditions - hypercholesterolemia (Q5b)</b>							
	N	20	110	35	22	79	266
	%	86.95%	56.99%	53.03%	41.50%	66.94%	58.71%
- Recent/active	N	3	79	27	27	33	169
	%	13.04%	40.93%	40.90%	50.94%	27.96%	37.30%
- Remote/inactive	N	--	4	4	4	5	17
	%	--	2.07%	6.06%	7.54%	4.23%	3.75%
- Unknown	N	--	--	--	--	1	1
	%	--	--	--	--	0.84%	0.22%

Subject Health History		Status					All
		.	Normal	MCI	QCI	Dementia	
		23	193	66	53	118	453
<b>Medical/metabolic conditions - diabetes (Q5c)</b>							
	N	23	174	59	46	110	412
	%	100.00%	90.15%	89.39%	86.79%	93.22%	90.94%
- Recent/active	N	--	19	5	6	8	38
	%	--	9.84%	7.57%	11.32%	6.77%	8.38%

(Continued)

Subject Health History		Status					All
		.	Normal	MCI	QCI	Dementia	
<b>Medical/metabolic conditions - diabetes (Q5c)</b> - Remote/inactive	N	--	--	1	--	--	1
	%	--	--	1.51%	--	--	0.22%
- Unknown	N	--	--	1	1	--	2
	%	--	--	1.51%	1.88%	--	0.44%



Subject Health History		Status					All
		.	Normal	MCI	QCI	Dementia	
		23	193	66	53	118	453
<b>Medical/metabolic conditions - B12 deficiency (Q5d)</b>							
	N	23	179	62	51	112	427
	%	100.00%	92.74%	93.93%	96.22%	94.91%	94.26%
- Recent/active	N	--	10	3	1	3	17
	%	--	5.18%	4.54%	1.88%	2.54%	3.75%
- Remote/inactive	N	--	3	1	1	3	8
	%	--	1.55%	1.51%	1.88%	2.54%	1.76%
- Unknown	N	--	1	--	--	--	1
	%	--	0.51%	--	--	--	0.22%

Subject Health History		Status					All
		.	Normal	MCI	QCI	Dementia	
		23	193	66	53	118	453
<b>Medical/metabolic conditions - thyroid disease (Q5e)</b>							
	N	23	144	50	39	103	359
	%	100.00%	74.61%	75.75%	73.58%	87.28%	79.24%
- Recent/active	N	--	42	15	13	14	84
	%	--	21.76%	22.72%	24.52%	11.86%	18.54%
- Remote/inactive	N	--	7	1	1	--	9
	%	--	3.62%	1.51%	1.88%	--	1.98%
- Unknown	N	--	--	--	--	1	1
	%	--	--	--	--	0.84%	0.22%

Subject Health History		Status					All
		.	Normal	MCI	QCI	Dementia	
		23	193	66	53	118	453
<b>Medical/metabolic conditions - incontinence urinary (Q5f)</b>							
	N	22	157	47	33	91	350
	%	95.65%	81.34%	71.21%	62.26%	77.11%	77.26%
- Recent/active	N	1	29	16	17	23	86
	%	4.34%	15.02%	24.24%	32.07%	19.49%	18.98%
- Remote/inactive	N	--	7	2	3	3	15
	%	--	3.62%	3.03%	5.66%	2.54%	3.31%
- Unknown	N	--	--	1	--	1	2
	%	--	--	1.51%	--	0.84%	0.44%

Subject Health History		Status					All
		.	Normal	MCI	QCI	Dementia	
		23	193	66	53	118	453
<b>Medical/metabolic conditions - incontinence bowel (Q 5g)</b>							
	N	23	187	62	50	107	429
	%	100.00%	96.89%	93.93%	94.33%	90.67%	94.70%
- Recent/active	N	--	5	3	2	8	18
	%	--	2.59%	4.54%	3.77%	6.77%	3.97%
- Remote/inactive	N	--	1	--	1	2	4
	%	--	0.51%	--	1.88%	1.69%	0.88%
- Unknown	N	--	--	1	--	1	2
	%	--	--	1.51%	--	0.84%	0.44%

Subject Health History		Status					All
		.	Normal	MCI	QCI	Dementia	
		23	193	66	53	118	453
<b>Depression - active within past 2 years (Q6a)</b>							
	N	19	159	41	37	98	354
	%	82.60%	82.38%	62.12%	69.81%	83.05%	78.14%
- Yes	N	4	34	25	15	19	97
	%	17.39%	17.61%	37.87%	28.30%	16.10%	21.41%
- Unknown	N	--	--	--	1	1	2
	%	--	--	--	1.88%	0.84%	0.44%

Subject Health History		Status					All
		.	Normal	MCI	QCI	Dementia	
		23	193	66	53	118	453
<b>Depression - other episodes prior to 2 years (Q6b)</b>							
	N	19	156	44	36	100	355
	%	82.60%	80.82%	66.66%	67.92%	84.74%	78.36%
- Yes	N	4	37	21	15	17	94
	%	17.39%	19.17%	31.81%	28.30%	14.40%	20.75%
- Unknown	N	--	--	1	2	1	4
	%	--	--	1.51%	3.77%	0.84%	0.88%

Subject Health History		Status					All
		.	Normal	MCI	QCI	Dementia	
		23	193	66	53	118	453
<b>Substance abuse - alcohol (Q7a1)</b>							
	N	23	187	63	51	116	440
	%	100.00%	96.89%	95.45%	96.22%	98.30%	97.13%
<b>- Remote/inactive</b>							
	N	--	6	2	2	1	11
	%	--	3.10%	3.03%	3.77%	0.84%	2.42%
<b>- Unknown</b>							
	N	--	--	1	--	1	2
	%	--	--	1.51%	--	0.84%	0.44%

Subject Health History		Status				
		.	Normal	MCI	QCI	Dementia
		23	193	66	53	118
<b>Cigarette smoking history - within last 30 days (Q7b1)</b>						
	N	23	193	65	53	118
	%	100.00%	100.00%	98.48%	100.00%	100.00%
<b>- Yes</b>						
	N	--	--	1	--	--
	%	--	--	1.51%	--	--

Subject Health History		All
		453
<b>Cigarette smoking history - within last 30 days (Q7b1)</b>		
	N	452
	%	99.77%
<b>- Yes</b>		
	N	1
	%	0.22%

Subject Health History		Status					All
		.	Normal	MCI	QCI	Dementia	
		23	193	66	53	118	453
<b>Cigarette smoking history - more than 100 cigarettes in life (Q7b2)</b>							
	N	20	131	37	36	96	320
	%	86.95%	67.87%	56.06%	67.92%	81.35%	70.64%
- Yes	N	3	60	29	16	19	127
	%	13.04%	31.08%	43.93%	30.18%	16.10%	28.03%
- Unknown	N	--	2	--	1	3	6
	%	--	1.03%	--	1.88%	2.54%	1.32%

Subject Health History		Status					All
		.	Normal	MCI	QCI	Dementia	
		23	193	66	53	118	453
<b>Cigarette smoking history - total years smoked (Q7b3)</b>	Min	5.00	1.00	2.00	1.00	1.00	1.00
	Mean	18.33	14.32	14.28	22.69	17.11	15.88
	Std	12.58	9.57	11.77	17.43	12.12	11.90
	Max	30.00	41.00	40.00	52.00	50.00	52.00

Subject Health History		Status					All
		.	Normal	MCI	QCI	Dementia	
		23	193	66	53	118	453
<b>Cigarette smoking history - average packs per day (Q7 b4)</b>							
	N	20	133	37	37	99	326
	%	86.95%	68.91%	56.06%	69.81%	83.89%	71.96%
- one cigarette to less than half pack	N	1	18	13	8	8	48
	%	4.34%	9.32%	19.69%	15.09%	6.77%	10.59%
- half pack to less than one pack	N	1	23	6	2	4	36
	%	4.34%	11.91%	9.09%	3.77%	3.38%	7.94%
- one pack to less than one and half pack	N	--	5	4	3	2	14
	%	--	2.59%	6.06%	5.66%	1.69%	3.09%
- one and half pack to less than two packs	N	1	5	2	2	3	13
	%	4.34%	2.59%	3.03%	3.77%	2.54%	2.86%
- two or more packs	N	--	6	3	--	--	9
	%	--	3.10%	4.54%	--	--	1.98%
- Unknown	N	--	3	1	1	2	7
	%	--	1.55%	1.51%	1.88%	1.69%	1.54%

Subject Health History		Status					All
		.	Normal	MCI	QCI	Dementia	
		23	193	66	53	118	453
<b>Cigarette smoking history - age quit smoking (Q7b5)</b>	Min	22.00	20.00	20.00	16.00	23.00	16.00
	Mean	42.67	36.19	36.86	41.25	37.67	37.36
	Std	22.12	10.81	12.01	15.60	11.12	12.04
	Max	66.00	66.00	66.00	68.00	66.00	68.00

Subject Health History		Status					All
		.	Normal	MCI	QCI	Dementia	
		23	193	66	53	118	453
<b>Other abused substances - impairment over 12-month (Q7c1)</b>							
	N	23	193	64	52	118	450
	%	100.00%	100.00%	96.96%	98.11%	100.00%	99.33%
- Recent/active	N	--	--	1	--	--	1
	%	--	--	1.51%	--	--	0.22%
- Remote/inactive	N	--	--	--	1	--	1
	%	--	--	--	1.88%	--	0.22%
- Unknown	N	--	--	1	--	--	1
	%	--	--	1.51%	--	--	0.22%

Subject Health History		Status					All
		.	Normal	MCI	QCI	Dementia	
		23	193	66	53	118	453
<b>Psychiatric disorders (Q7d)</b>							
	N	23	193	66	51	117	450
	%	100.00%	100.00%	100.00%	96.22%	99.15%	99.33%
- Recent/active	N	--	--	--	1	--	1
	%	--	--	--	1.88%	--	0.22%
- Remote/inactive	N	--	--	--	--	1	1
	%	--	--	--	--	0.84%	0.22%
- Unknown	N	--	--	--	1	--	1
	%	--	--	--	1.88%	--	0.22%

Note: When multiple observations are taken for a patient, only latest visit is accounted for in in summary.