

Cognitive Status & Dementia		Status					All
		.	Normal	MCI	QCI	Dementia	
		21	194	66	53	118	452
Alcohol related dementia (Q10)							
	N	3	--	--	--	--	3
	%	14.28%	--	--	--	--	0.66%
- Absent	N	18	190	64	50	109	431
	%	85.71%	97.93%	96.96%	94.33%	92.37%	95.35%
- Present	N	--	4	2	3	9	18
	%	--	2.06%	3.03%	5.66%	7.62%	3.98%
Progressive supranuclear palsy (Q14)							
	N	3	--	--	--	--	3
	%	14.28%	--	--	--	--	0.66%
- Absent	N	16	194	66	53	118	447
	%	76.19%	100.00%	100.00%	100.00%	100.00%	98.89%
- Present	N	2	--	--	--	--	2
	%	9.52%	--	--	--	--	0.44%

Note: When multiple observations are taken for a patient, only latest visit is accounted for in summary.

Cognitive Status & Dementia	.	Status				
		Normal	MCI	QCI	Dementia	
	21	194	66	53	118	
Corticobasal degeneration (Q15)						
	N	3	--	--	--	--
	%	14.28%	--	--	--	--
- Absent	N	18	194	66	53	116
	%	85.71%	100.00%	100.00%	100.00%	98.30%
- Present	N	--	--	--	--	2
	%	--	--	--	--	1.69%
Huntington's disease (Q16)						
	N	3	--	--	--	--
	%	14.28%	--	--	--	--
- Absent	N	18	194	66	53	118
	%	85.71%	100.00%	100.00%	100.00%	100.00%
Prion disease (Q17)						
	N	3	--	--	--	--
	%	14.28%	--	--	--	--
- Absent	N	18	194	66	53	117
	%	85.71%	100.00%	100.00%	100.00%	99.15%
- Present	N	--	--	--	--	1
	%	--	--	--	--	0.84%
Cognitive dysfunction from medications (Q18)						
	N	3	--	--	--	--
	%	14.28%	--	--	--	--
- Absent	N	16	188	59	49	113
	%	76.19%	96.90%	89.39%	92.45%	95.76%
- Present	N	2	6	7	4	5
	%	9.52%	3.09%	10.60%	7.54%	4.23%
Cognitive dysfunction from medical illnesses (Q19)						
	N	3	--	--	--	--
	%	14.28%	--	--	--	--
- Absent	N	16	149	46	36	99
	%	76.19%	76.80%	69.69%	67.92%	83.89%

(Continued)

Cognitive Status & Dementia		All
		452
Corticobasal degeneration (Q15)		
- .	N	3
	%	0.66%
- Absent	N	447
	%	98.89%
- Present	N	2
	%	0.44%
Huntington's disease (Q16)		
- .	N	3
	%	0.66%
- Absent	N	449
	%	99.33%
Prion disease (Q17)		
- .	N	3
	%	0.66%
- Absent	N	448
	%	99.11%
- Present	N	1
	%	0.22%
Cognitive dysfunction from medications (Q18)		
- .	N	3
	%	0.66%
- Absent	N	425
	%	94.02%
- Present	N	24
	%	5.30%
Cognitive dysfunction from medical illnesses (Q19)		
- .	N	3
	%	0.66%
- Absent	N	346
	%	76.54%

(Continued)

Cognitive Status & Dementia	Status					
	.	Normal	MCI	QCI	Dementia	
Cognitive dysfunction from medical illnesses (Q19)						
- Present	N	2	45	20	17	19
	%	9.52%	23.19%	30.30%	32.07%	16.10%
Depression (Q20)						
- .	N	3	--	--	--	--
	%	14.28%	--	--	--	--
- Absent	N	9	165	39	35	74
	%	42.85%	85.05%	59.09%	66.03%	62.71%
- Present	N	9	29	27	18	44
	%	42.85%	14.94%	40.90%	33.96%	37.28%

Note: When multiple observations are taken for a patient, only latest visit is accounted for in summary.

Cognitive Status & Dementia		All
Cognitive dysfunction from medical illnesses (Q19)		452
- Present	N	103
	%	22.78%
Depression (Q20)		
- .	N	3
	%	0.66%
- Absent	N	322
	%	71.23%
- Present	N	127
	%	28.09%

Cognitive Status & Dementia		Status					All
		.	Normal	MCI	QCI	Dementia	
		21	194	66	53	118	452
Down's syndrome (Q22)							
	N	3	--	--	--	--	3
	%	14.28%	--	--	--	--	0.66%
- Absent	N	18	194	66	53	118	449
	%	85.71%	100.00%	100.00%	100.00%	100.00%	99.33%
Parkinson's disease (Q23)							
	N	13	193	64	52	112	434
	%	61.90%	99.48%	96.96%	98.11%	94.91%	96.01%
- Absent	N	7	--	--	--	3	10
	%	33.33%	--	--	--	2.54%	2.21%
- Present	N	1	1	2	1	3	8
	%	4.76%	0.51%	3.03%	1.88%	2.54%	1.76%
Hydrocephalus (Q25)							
	N	3	--	--	--	--	3
	%	14.28%	--	--	--	--	0.66%
- Absent	N	18	194	66	53	115	446
	%	85.71%	100.00%	100.00%	100.00%	97.45%	98.67%
- Present	N	--	--	--	--	3	3
	%	--	--	--	--	2.54%	0.66%
Traumatic brain injury (Q26)							
	N	3	--	--	--	--	3
	%	14.28%	--	--	--	--	0.66%
- Absent	N	17	175	61	51	115	419
	%	80.95%	90.20%	92.42%	96.22%	97.45%	92.69%
- Present	N	1	19	5	2	3	30
	%	4.76%	9.79%	7.57%	3.77%	2.54%	6.63%
CNS neoplasm (Q27)							
	N	3	--	--	--	--	3
	%	14.28%	--	--	--	--	0.66%

(Continued)

Cognitive Status & Dementia		Status					All
		.	Normal	MCI	QCI	Dementia	
CNS neoplasm (Q27)							
- Absent	N	18	193	64	53	116	444
	%	85.71%	99.48%	96.96%	100.00%	98.30%	98.23%
- Present	N	--	1	2	--	2	5
	%	--	0.51%	3.03%	--	1.69%	1.10%

Note: When multiple observations are taken for a patient, only latest visit is accounted for in summary.