

Consensus Diagnosis (State)		Syndrome				
			No cognitive impairment	Questionable cognitive impairment	Dementia	OCI: amnesic disorder
		38	251	80	263	106
Alzheimer's disease (Q13a)						
..	N	38	251	80	--	--
	%	100.00%	100.00%	100.00%	--	--
- Very likely	N	--	--	--	199	77
	%	--	--	--	75.66%	72.64%
- Somewhat likely	N	--	--	--	26	11
	%	--	--	--	9.88%	10.37%
- No	N	--	--	--	38	18
	%	--	--	--	14.44%	16.98%
Cerebrovascular disease (Q13b)						
..	N	38	251	80	--	--
	%	100.00%	100.00%	100.00%	--	--
- Very likely	N	--	--	--	5	10
	%	--	--	--	1.90%	9.43%
- Somewhat likely	N	--	--	--	45	11
	%	--	--	--	17.11%	10.37%
- No	N	--	--	--	213	85
	%	--	--	--	80.98%	80.18%
Parkinson's disease (Q13c)						
..	N	38	251	80	--	--
	%	100.00%	100.00%	100.00%	--	--
- Very likely	N	--	--	--	2	3
	%	--	--	--	0.76%	2.83%
- Somewhat likely	N	--	--	--	3	--
	%	--	--	--	1.14%	--
- No	N	--	--	--	258	103
	%	--	--	--	98.09%	97.16%
Lewy body disease (Q13d)						
..	N	38	251	80	--	--

(Continued)

Consensus Diagnosis (State)		Syndrome		All
		OCI: MCI based on Petersen Criteria	OCI: other	
		5	11	754
Alzheimer's disease (Q13a)				
	N	1	--	370
	%	20.00%	--	49.07%
- Very likely	N	4	3	283
	%	80.00%	27.27%	37.53%
- Somewhat likely	N	--	5	42
	%	--	45.45%	5.57%
- No	N	--	3	59
	%	--	27.27%	7.82%
Cerebrovascular disease (Q13b)				
	N	1	--	370
	%	20.00%	--	49.07%
- Very likely	N	--	--	15
	%	--	--	1.98%
- Somewhat likely	N	--	5	61
	%	--	45.45%	8.09%
- No	N	4	6	308
	%	80.00%	54.54%	40.84%
Parkinson's disease (Q13c)				
	N	1	--	370
	%	20.00%	--	49.07%
- Very likely	N	--	--	5
	%	--	--	0.66%
- Somewhat likely	N	--	--	3
	%	--	--	0.39%
- No	N	4	11	376
	%	80.00%	100.00%	49.86%
Lewy body disease (Q13d)				
	N	1	--	370

(Continued)

Note: When multiple observations are taken for a patient, only latest visit is accounted for in summary.

Consensus Diagnosis (State)		Syndrome				
			No cognitive impairment	Questionable cognitive impairment	Dementia	OCI: amnesic disorder
Lewy body disease (Q13d)						
- .	%	100.00%	100.00%	100.00%	--	--
- Very likely	N	--	--	--	18	1
	%	--	--	--	6.84%	0.94%
- Somewhat likely	N	--	--	--	7	--
	%	--	--	--	2.66%	--
- No	N	--	--	--	238	105
	%	--	--	--	90.49%	99.05%

Consensus Diagnosis (State)		Syndrome		All
		OCI: MCI based on Petersen Criteria	OCI: other	
Lewy body disease (Q13d)		5	11	754
- .	%	20.00%	--	49.07%
- Very likely	N	--	--	19
	%	--	--	2.51%
- Somewhat likely	N	--	1	8
	%	--	9.09%	1.06%
- No	N	4	10	357
	%	80.00%	90.90%	47.34%

Consensus Diagnosis (State)		Syndrome			
			No cognitive impairment	Questionable cognitive impairment	Dementia
		38	251	80	263
Pick's disease or other frontal (Q13e)					
	N	38	251	80	--
	%	100.00%	100.00%	100.00%	--
- Very likely	N	--	--	--	19
	%	--	--	--	7.22%
- Somewhat likely	N	--	--	--	7
	%	--	--	--	2.66%
- No	N	--	--	--	237
	%	--	--	--	90.11%
NPH (Q13f)					
	N	38	251	80	--
	%	100.00%	100.00%	100.00%	--
Very likely	N	--	--	--	1
	%	--	--	--	0.38%
Somewhat likely	N	--	--	--	5
	%	--	--	--	1.90%
No	N	--	--	--	257
	%	--	--	--	97.71%
Progressive supranuclear palsy (Q13g)					
	N	38	251	80	--
	%	100.00%	100.00%	100.00%	--
- Very likely	N	--	--	--	3
	%	--	--	--	1.14%
- No	N	--	--	--	260
	%	--	--	--	98.85%
Depressive mood disorder (Q13h)					
	N	38	251	80	--
	%	100.00%	100.00%	100.00%	--
- Very likely	N	--	--	--	1

(Continued)

Consensus Diagnosis (State)		Syndrome			All
		OCI: amnesic disorder	OCI: MCI based on Petersen Criteria	OCI: other	
		106	5	11	754
Pick's disease or other frontal (Q13e)					
-	N	--	1	--	370
	%	--	20.00%	--	49.07%
- Very likely	N	3	--	--	22
	%	2.83%	--	--	2.91%
- Somewhat likely	N	--	--	--	7
	%	--	--	--	0.92%
- No	N	103	4	11	355
	%	97.16%	80.00%	100.00%	47.08%
NPH (Q13f)					
.	N	--	1	--	370
	%	--	20.00%	--	49.07%
Very likely	N	--	--	--	1
	%	--	--	--	0.13%
Somewhat likely	N	2	--	--	7
	%	1.88%	--	--	0.92%
No	N	104	4	11	376
	%	98.11%	80.00%	100.00%	49.86%
Progressive supranuclear palsy (Q13g)					
-	N	--	1	--	370
	%	--	20.00%	--	49.07%
- Very likely	N	--	--	--	3
	%	--	--	--	0.39%
- No	N	106	4	11	381
	%	100.00%	80.00%	100.00%	50.53%
Depressive mood disorder (Q13h)					
-	N	--	1	--	370
	%	--	20.00%	--	49.07%
- Very likely	N	2	--	1	4

(Continued)

Consensus Diagnosis (State)		Syndrome			
		.	No cognitive impairment	Questionable cognitive impairment	Dementia
Depressive mood disorder (Q13h)					
- Very likely	%	--	--	--	0.38%
- Somewhat likely	N	--	--	--	76
	%	--	--	--	28.89%
- No	N	--	--	--	186
	%	--	--	--	70.72%
Current alcohol use (Q13i)					
-	N	38	251	80	--
	%	100.00%	100.00%	100.00%	--
- Somewhat likely	N	--	--	--	5
	%	--	--	--	1.90%
- No	N	--	--	--	258
	%	--	--	--	98.09%

Consensus Diagnosis (State)		Syndrome			All
		OCI: amnesic disorder	OCI: MCI based on Petersen Criteria	OCI: other	
Depressive mood disorder (Q13h)		106	5	11	754
- Very likely	%	1.88%	--	9.09%	0.53%
- Somewhat likely	N	38	1	3	118
	%	35.84%	20.00%	27.27%	15.64%
- No	N	66	3	7	262
	%	62.26%	60.00%	63.63%	34.74%
Current alcohol use (Q13i)					
-	N	--	1	--	370
	%	--	20.00%	--	49.07%
- Somewhat likely	N	1	--	1	7
	%	0.94%	--	9.09%	0.92%
- No	N	105	4	10	377
	%	99.05%	80.00%	90.90%	50.00%

Consensus Diagnosis (State)		Syndrome						
			No cognitive impairment	Questionable cognitive impairment	Dementia	OCI: amnesic disorder	OCI: MCI based on Petersen Criteria	OCI: other
		38	251	80	263	106	5	11
Past alcohol use (Q13j)								
-	N	38	251	80	--	--	1	--
	%	100.00%	100.00%	100.00%	--	--	20.00%	--
- Very likely	N	--	--	--	1	--	--	--
	%	--	--	--	0.38%	--	--	--
- Somewhat likely	N	--	--	--	10	2	--	--
	%	--	--	--	3.80%	1.88%	--	--
- No	N	--	--	--	252	104	4	11
	%	--	--	--	95.81%	98.11%	80.00%	100.00%
Drug misuse or abuse (Q13k)								
-	N	38	251	80	--	--	1	--
	%	100.00%	100.00%	100.00%	--	--	20.00%	--
- No	N	--	--	--	263	106	4	11
	%	--	--	--	100.00%	100.00%	80.00%	100.00%
Medication (Q13l)								
-	N	38	251	80	--	--	1	--
	%	100.00%	100.00%	100.00%	--	--	20.00%	--
- Somewhat likely	N	--	--	--	5	7	--	--
	%	--	--	--	1.90%	6.60%	--	--
- No	N	--	--	--	258	99	4	11
	%	--	--	--	98.09%	93.39%	80.00%	100.00%
Metabolic disorder (Q13m)								
-	N	38	251	80	--	--	1	--
	%	100.00%	100.00%	100.00%	--	--	20.00%	--
- Somewhat likely	N	--	--	--	4	4	--	--
	%	--	--	--	1.52%	3.77%	--	--
- No	N	--	--	--	259	102	4	11
	%	--	--	--	98.47%	96.22%	80.00%	100.00%
Toxin (Q13n)								

(Continued)

Note: When multiple observations are taken for a patient, only latest visit is accounted for in summary.

Consensus Diagnosis (State)		All
		754
Past alcohol use (Q13j)		
- .	N	370
	%	49.07%
- Very likely	N	1
	%	0.13%
- Somewhat likely	N	12
	%	1.59%
- No	N	371
	%	49.20%
Drug misuse or abuse (Q13k)		
- .	N	370
	%	49.07%
- No	N	384
	%	50.92%
Medication (Q13l)		
- .	N	370
	%	49.07%
- Somewhat likely	N	12
	%	1.59%
- No	N	372
	%	49.33%
Metabolic disorder (Q13m)		
- .	N	370
	%	49.07%
- Somewhat likely	N	8
	%	1.06%
- No	N	376
	%	49.86%
Toxin (Q13n)		

(Continued)

Consensus Diagnosis (State)		Syndrome						
			No cognitive impairment	Questionable cognitive impairment	Dementia	OCI: amnesic disorder	OCI: MCI based on Petersen Criteria	OCI: other
Toxin (Q13n)								
-	N	38	251	80	--	--	1	--
	%	100.00%	100.00%	100.00%	--	--	20.00%	--
- Somewhat likely	N	--	--	--	1	--	--	--
	%	--	--	--	0.38%	--	--	--
- No	N	--	--	--	262	106	4	11
	%	--	--	--	99.61%	100.00%	80.00%	100.00%
Head trauma (Q13o)								
-	N	38	251	80	--	--	1	--
	%	100.00%	100.00%	100.00%	--	--	20.00%	--
- Very likely	N	--	--	--	--	1	--	--
	%	--	--	--	--	0.94%	--	--
- Somewhat likely	N	--	--	--	3	3	--	--
	%	--	--	--	1.14%	2.83%	--	--
- No	N	--	--	--	260	102	4	11
	%	--	--	--	98.85%	96.22%	80.00%	100.00%

Consensus Diagnosis (State)		All
Toxin (Q13n)		754
- .	N	370
	%	49.07%
- Somewhat likely	N	1
	%	0.13%
- No	N	383
	%	50.79%
Head trauma (Q13o)		
- .	N	370
	%	49.07%
- Very likely	N	1
	%	0.13%
- Somewhat likely	N	6
	%	0.79%
- No	N	377
	%	50.00%

Consensus Diagnosis (State)		Syndrome				
			No cognitive impairment	Questionable cognitive impairment	Dementia	OCI: amnesic disorder
		38	251	80	263	106
CNS infections including HIV (Q13p)						
- .	N	38	251	80	--	--
	%	100.00%	100.00%	100.00%	--	--
- No	N	--	--	--	263	106
	%	--	--	--	100.00%	100.00%
Non-CNS infections (Q13q)						
- .	N	38	251	80	--	--
	%	100.00%	100.00%	100.00%	--	--
- No	N	--	--	--	263	106
	%	--	--	--	100.00%	100.00%
Space-occupying lesion (Q13r)						
- .	N	38	251	80	--	--
	%	100.00%	100.00%	100.00%	--	--
- Very likely	N	--	--	--	--	1
	%	--	--	--	--	0.94%
- Somewhat likely	N	--	--	--	1	1
	%	--	--	--	0.38%	0.94%
- No	N	--	--	--	262	104
	%	--	--	--	99.61%	98.11%
Other (Q13s)						
- .	N	38	251	80	--	--
	%	100.00%	100.00%	100.00%	--	--
- Very likely	N	--	--	--	6	8
	%	--	--	--	2.28%	7.54%
- Somewhat likely	N	--	--	--	29	25
	%	--	--	--	11.02%	23.58%
- No	N	--	--	--	228	73
	%	--	--	--	86.69%	68.86%
Possible AD (Q14a)						

(Continued)

Consensus Diagnosis (State)		Syndrome		All
		OCI: MCI based on Petersen Criteria	OCI: other	
		5	11	754
CNS infections including HIV (Q13p)				
- .	N	1	--	370
	%	20.00%	--	49.07%
- No	N	4	11	384
	%	80.00%	100.00%	50.92%
Non-CNS infections (Q13q)				
- .	N	1	--	370
	%	20.00%	--	49.07%
- No	N	4	11	384
	%	80.00%	100.00%	50.92%
Space-occupying lesion (Q13r)				
- .	N	1	--	370
	%	20.00%	--	49.07%
- Very likely	N	--	1	2
	%	--	9.09%	0.26%
- Somewhat likely	N	--	--	2
	%	--	--	0.26%
- No	N	4	10	380
	%	80.00%	90.90%	50.39%
Other (Q13s)				
- .	N	1	--	370
	%	20.00%	--	49.07%
- Very likely	N	--	--	14
	%	--	--	1.85%
- Somewhat likely	N	--	1	55
	%	--	9.09%	7.29%
- No	N	4	10	315
	%	80.00%	90.90%	41.77%
Possible AD (Q14a)				

(Continued)

Consensus Diagnosis (State)		Syndrome				
		.	No cognitive impairment	Questionable cognitive impairment	Dementia	OCI: amnestic disorder
Possible AD (Q14a)						
-	N	38	251	80	--	106
	%	100.00%	100.00%	100.00%	--	100.00%
- No	N	--	--	--	211	--
	%	--	--	--	80.22%	--
- Yes	N	--	--	--	52	--
	%	--	--	--	19.77%	--

Consensus Diagnosis (State)		Syndrome		All
		OCI: MCI based on Petersen Criteria	OCI: other	
Possible AD (Q14a)		5	11	754
-	N	5	11	491
	%	100.00%	100.00%	65.11%
- No	N	--	--	211
	%	--	--	27.98%
- Yes	N	--	--	52
	%	--	--	6.89%

Consensus Diagnosis (State)		Syndrome				
			No cognitive impairment	Questionable cognitive impairment	Dementia	OCI: amnesic disorder
		38	251	80	263	106
Probable AD (Q14b)						
-	N	38	251	80	--	106
	%	100.00%	100.00%	100.00%	--	100.00%
- No	N	--	--	--	108	--
	%	--	--	--	41.06%	--
- Yes	N	--	--	--	155	--
	%	--	--	--	58.93%	--
Possible ischemic vascular dementia (Q14c)						
-	N	38	251	80	--	106
	%	100.00%	100.00%	100.00%	--	100.00%
- No	N	--	--	--	242	--
	%	--	--	--	92.01%	--
- Yes	N	--	--	--	21	--
	%	--	--	--	7.98%	--
Probable ischemic vascular dementia (Q14d)						
-	N	38	251	80	--	106
	%	100.00%	100.00%	100.00%	--	100.00%
- No	N	--	--	--	262	--
	%	--	--	--	99.61%	--
- Yes	N	--	--	--	1	--
	%	--	--	--	0.38%	--
Cerebrovascular disease not meeting ADDTC criteria for vascular dementia (Q14e)						
-	N	38	251	80	--	106
	%	100.00%	100.00%	100.00%	--	100.00%
- No	N	--	--	--	261	--
	%	--	--	--	99.23%	--
- Yes	N	--	--	--	2	--
	%	--	--	--	0.76%	--

(Continued)

Consensus Diagnosis (State)		Syndrome		All
		OCI: MCI based on Petersen Criteria	OCI: other	
		5	11	754
Probable AD (Q14b)				
-	N	5	11	491
	%	100.00%	100.00%	65.11%
- No	N	--	--	108
	%	--	--	14.32%
- Yes	N	--	--	155
	%	--	--	20.55%
Possible ischemic vascular dementia (Q14c)				
-	N	5	11	491
	%	100.00%	100.00%	65.11%
- No	N	--	--	242
	%	--	--	32.09%
- Yes	N	--	--	21
	%	--	--	2.78%
Probable ischemic vascular dementia (Q14d)				
-	N	5	11	491
	%	100.00%	100.00%	65.11%
- No	N	--	--	262
	%	--	--	34.74%
- Yes	N	--	--	1
	%	--	--	0.13%
Cerebrovascular disease not meeting ADDTC criteria for vascular dementia (Q14e)				
-	N	5	11	491
	%	100.00%	100.00%	65.11%
- No	N	--	--	261
	%	--	--	34.61%
- Yes	N	--	--	2
	%	--	--	0.26%

(Continued)

Consensus Diagnosis (State)		Syndrome				
			No cognitive impairment	Questionable cognitive impairment	Dementia	OCI: amnesic disorder
Parkinson's Disease (Q14f)						
Parkinson's Disease (Q14f)						
-	N	38	251	80	--	106
	%	100.00%	100.00%	100.00%	--	100.00%
- No	N	--	--	--	260	--
	%	--	--	--	98.85%	--
- Yes	N	--	--	--	3	--
	%	--	--	--	1.14%	--
Possible dementia with Lewy bodies (Q14g)						
-	N	38	251	80	--	106
	%	100.00%	100.00%	100.00%	--	100.00%
- No	N	--	--	--	257	--
	%	--	--	--	97.71%	--
- Yes	N	--	--	--	6	--
	%	--	--	--	2.28%	--

Consensus Diagnosis (State)		Syndrome		All
		OCI: MCI based on Petersen Criteria	OCI: other	
Parkinson's Disease (Q14f)		5	11	754
Parkinson's Disease (Q14f)				
-	N	5	11	491
	%	100.00%	100.00%	65.11%
- No	N	--	--	260
	%	--	--	34.48%
- Yes	N	--	--	3
	%	--	--	0.39%
Possible dementia with Lewy bodies (Q14g)				
-	N	5	11	491
	%	100.00%	100.00%	65.11%
- No	N	--	--	257
	%	--	--	34.08%
- Yes	N	--	--	6
	%	--	--	0.79%

Consensus Diagnosis (State)		Syndrome			
			No cognitive impairment	Questionable cognitive impairment	Dementia
		38	251	80	263
Probable dementia with Lewy bodies (Q14h)					
-	N	38	251	80	--
	%	100.00%	100.00%	100.00%	--
- No	N	--	--	--	245
	%	--	--	--	93.15%
- Yes	N	--	--	--	18
	%	--	--	--	6.84%
Frontal temporal lobe degeneration (Q14i)					
-	N	38	251	80	--
	%	100.00%	100.00%	100.00%	--
- No	N	--	--	--	243
	%	--	--	--	92.39%
- Yes	N	--	--	--	20
	%	--	--	--	7.60%
Normal pressure hydrocephalus (Q14j)					
-	N	38	251	80	--
	%	100.00%	100.00%	100.00%	--
- No	N	--	--	--	259
	%	--	--	--	98.47%
- Yes	N	--	--	--	4
	%	--	--	--	1.52%
Progressive supranuclear palsy (Q14k)					
-	N	38	251	80	--
	%	100.00%	100.00%	100.00%	--
- No	N	--	--	--	260
	%	--	--	--	98.85%
- Yes	N	--	--	--	3
	%	--	--	--	1.14%
Depressive mood disorder (Q14l)					

(Continued)

Consensus Diagnosis (State)		Syndrome			All
		OCI: amnesic disorder	OCI: MCI based on Petersen Criteria	OCI: other	
		106	5	11	754
Probable dementia with Lewy bodies (Q14h)					
-	N	106	5	11	491
	%	100.00%	100.00%	100.00%	65.11%
- No	N	--	--	--	245
	%	--	--	--	32.49%
- Yes	N	--	--	--	18
	%	--	--	--	2.38%
Frontal temporal lobe degeneration (Q14i)					
-	N	106	5	11	491
	%	100.00%	100.00%	100.00%	65.11%
- No	N	--	--	--	243
	%	--	--	--	32.22%
- Yes	N	--	--	--	20
	%	--	--	--	2.65%
Normal pressure hydrocephalus (Q14j)					
-	N	106	5	11	491
	%	100.00%	100.00%	100.00%	65.11%
- No	N	--	--	--	259
	%	--	--	--	34.35%
- Yes	N	--	--	--	4
	%	--	--	--	0.53%
Progressive supranuclear palsy (Q14k)					
-	N	106	5	11	491
	%	100.00%	100.00%	100.00%	65.11%
- No	N	--	--	--	260
	%	--	--	--	34.48%
- Yes	N	--	--	--	3
	%	--	--	--	0.39%
Depressive mood disorder (Q14l)					

(Continued)

Note: When multiple observations are taken for a patient, only latest visit is accounted for in summary.

Consensus Diagnosis (State)		Syndrome			
			No cognitive impairment	Questionable cognitive impairment	Dementia
Depressive mood disorder (Q14)					
-	N	38	251	80	--
	%	100.00%	100.00%	100.00%	--
- No	N	--	--	--	262
	%	--	--	--	99.61%
- Yes	N	--	--	--	1
	%	--	--	--	0.38%

Note: When multiple observations are taken for a patient, only latest visit is accounted for in summary.

Consensus Diagnosis (State)		Syndrome			All
		OCI: amnesic disorder	OCI: MCI based on Petersen Criteria	OCI: other	
Depressive mood disorder (Q14I)		106	5	11	754
-	N	106	5	11	491
	%	100.00%	100.00%	100.00%	65.11%
- No	N	--	--	--	262
	%	--	--	--	34.74%
- Yes	N	--	--	--	1
	%	--	--	--	0.13%

Consensus Diagnosis (State)		Syndrome				
			No cognitive impairment	Questionable cognitive impairment	Dementia	OCI: amnesic disorder
		38	251	80	263	106
Alcohol abuse or dependence (Q14m)						
	N	38	251	80	--	106
	%	100.00%	100.00%	100.00%	--	100.00%
	N	--	--	--	263	--
	%	--	--	--	100.00%	--
Drug abuse or dependence (Q14n)						
	N	38	251	80	--	106
	%	100.00%	100.00%	100.00%	--	100.00%
	N	--	--	--	263	--
	%	--	--	--	100.00%	--
Medication (Q14o)						
	N	38	251	80	--	106
	%	100.00%	100.00%	100.00%	--	100.00%
	N	--	--	--	263	--
	%	--	--	--	100.00%	--
Metabolic disorder (Q14p)						
	N	38	251	80	--	106
	%	100.00%	100.00%	100.00%	--	100.00%
	N	--	--	--	263	--
	%	--	--	--	100.00%	--
Toxin (Q14q)						
	N	38	251	80	--	106
	%	100.00%	100.00%	100.00%	--	100.00%
	N	--	--	--	263	--
	%	--	--	--	100.00%	--
Head trauma (Q14r)						
	N	38	251	80	--	106
	%	100.00%	100.00%	100.00%	--	100.00%

(Continued)

Consensus Diagnosis (State)		Syndrome		All
		OCI: MCI based on Petersen Criteria	OCI: other	
		5	11	754
Alcohol abuse or dependence (Q14m)				
- .	N	5	11	491
	%	100.00%	100.00%	65.11%
- No	N	--	--	263
	%	--	--	34.88%
Drug abuse or dependence (Q14n)				
- .	N	5	11	491
	%	100.00%	100.00%	65.11%
- No	N	--	--	263
	%	--	--	34.88%
Medication (Q14o)				
- .	N	5	11	491
	%	100.00%	100.00%	65.11%
- No	N	--	--	263
	%	--	--	34.88%
Metabolic disorder (Q14p)				
- .	N	5	11	491
	%	100.00%	100.00%	65.11%
- No	N	--	--	263
	%	--	--	34.88%
Toxin (Q14q)				
- .	N	5	11	491
	%	100.00%	100.00%	65.11%
- No	N	--	--	263
	%	--	--	34.88%
Head trauma (Q14r)				
- .	N	5	11	491
	%	100.00%	100.00%	65.11%

(Continued)

Consensus Diagnosis (State)		Syndrome				
		.	No cognitive impairment	Questionable cognitive impairment	Dementia	OCI: amnesic disorder
Head trauma (Q14r)						
- No	N	--	--	--	263	--
	%	--	--	--	100.00%	--

Consensus Diagnosis (State)		Syndrome		All
		OCI: MCI based on Petersen Criteria	OCI: other	
Head trauma (Q14r)		5	11	754
- No	N	--	--	263
	%	--	--	34.88%

Consensus Diagnosis (State)		Syndrome				
			No cognitive impairment	Questionable cognitive impairment	Dementia	OCI: amnesic disorder
		38	251	80	263	106
CNS Infection (Q14s)						
-	N	38	251	80	--	106
	%	100.00%	100.00%	100.00%	--	100.00%
- No	N	--	--	--	263	--
	%	--	--	--	100.00%	--
Space-occupying lesion (Q14t)						
-	N	38	251	80	--	106
	%	100.00%	100.00%	100.00%	--	100.00%
- No	N	--	--	--	263	--
	%	--	--	--	100.00%	--
Diagnosis undetermined (Q14v)						
-	N	38	251	80	--	106
	%	100.00%	100.00%	100.00%	--	100.00%
- No	N	--	--	--	263	--
	%	--	--	--	100.00%	--
Other (Q14w)						
-	N	38	251	80	--	106
	%	100.00%	100.00%	100.00%	--	100.00%
- No	N	--	--	--	251	--
	%	--	--	--	95.43%	--
- Yes	N	--	--	--	12	--
	%	--	--	--	4.56%	--

Consensus Diagnosis (State)		Syndrome		All
		OCI: MCI based on Petersen Criteria	OCI: other	
		5	11	754
CNS Infection (Q14s)				
- .	N	5	11	491
	%	100.00%	100.00%	65.11%
- No	N	--	--	263
	%	--	--	34.88%
Space-occupying lesion (Q14t)				
- .	N	5	11	491
	%	100.00%	100.00%	65.11%
- No	N	--	--	263
	%	--	--	34.88%
Diagnosis undetermined (Q14v)				
- .	N	5	11	491
	%	100.00%	100.00%	65.11%
- No	N	--	--	263
	%	--	--	34.88%
Other (Q14w)				
- .	N	5	11	491
	%	100.00%	100.00%	65.11%
- No	N	--	--	251
	%	--	--	33.28%
- Yes	N	--	--	12
	%	--	--	1.59%

Consensus Diagnosis (State)		Syndrome							All
			No cognitive impairment	Questionable cognitive impairment	Dementia	OCI: amnesic disorder	OCI: MCI based on Petersen Criteria	OCI: other	
		38	251	80	263	106	5	11	754
Memory (Q12a)									
	N	38	251	80	263	--	2	4	638
	%	100.00%	100.00%	100.00%	100.00%	--	40.00%	36.36%	84.61%
- No impairment	N	--	--	--	--	9	--	2	11
	%	--	--	--	--	8.49%	--	18.18%	1.45%
- Mild	N	--	--	--	--	69	3	5	77
	%	--	--	--	--	65.09%	60.00%	45.45%	10.21%
- Moderate	N	--	--	--	--	28	--	--	28
	%	--	--	--	--	26.41%	--	--	3.71%
Executive (Q12b)									
	N	38	251	80	263	--	2	4	638
	%	100.00%	100.00%	100.00%	100.00%	--	40.00%	36.36%	84.61%
- No impairment	N	--	--	--	--	56	3	3	62
	%	--	--	--	--	52.83%	60.00%	27.27%	8.22%
- Mild	N	--	--	--	--	50	--	3	53
	%	--	--	--	--	47.16%	--	27.27%	7.02%
- Moderate	N	--	--	--	--	--	--	1	1
	%	--	--	--	--	--	--	9.09%	0.13%
Language (Q12c)									
	N	38	251	80	263	--	2	4	638
	%	100.00%	100.00%	100.00%	100.00%	--	40.00%	36.36%	84.61%
- No impairment	N	--	--	--	--	38	3	1	42
	%	--	--	--	--	35.84%	60.00%	9.09%	5.57%
- Mild	N	--	--	--	--	60	--	5	65
	%	--	--	--	--	56.60%	--	45.45%	8.62%
- Moderate	N	--	--	--	--	8	--	1	9
	%	--	--	--	--	7.54%	--	9.09%	1.19%

Consensus Diagnosis (State)		Syndrome			
			No cognitive impairment	Questionable cognitive impairment	Dementia
		38	251	80	263
Visuospatial (Q12d)					
	N	38	251	80	263
	%	100.00%	100.00%	100.00%	100.00%
- No impairment	N	--	--	--	--
	%	--	--	--	--
- Mild	N	--	--	--	--
	%	--	--	--	--
- Moderate	N	--	--	--	--
	%	--	--	--	--
Family history of cognitive disorder or dementia (Q15)					
	N	38	251	80	129
	%	100.00%	100.00%	100.00%	49.04%
- Autosomal dominant inheritance	N	--	--	--	14
	%	--	--	--	5.32%
- Autosomal recessive inheritance	N	--	--	--	5
	%	--	--	--	1.90%
- Other inheritance pattern	N	--	--	--	22
	%	--	--	--	8.36%
- No family history	N	--	--	--	73
	%	--	--	--	27.75%
- Not determined	N	--	--	--	20
	%	--	--	--	7.60%

Consensus Diagnosis (State)		Syndrome			All
		OCI: amnesic disorder	OCI: MCI based on Petersen Criteria	OCI: other	
		106	5	11	754
Visuospatial (Q12d)					
- .	N	--	2	4	638
	%	--	40.00%	36.36%	84.61%
- No impairment	N	90	3	6	99
	%	84.90%	60.00%	54.54%	13.12%
- Mild	N	15	--	--	15
	%	14.15%	--	--	1.98%
- Moderate	N	1	--	1	2
	%	0.94%	--	9.09%	0.26%
Family history of cognitive disorder or dementia (Q15)					
- .	N	65	2	4	569
	%	61.32%	40.00%	36.36%	75.46%
- Autosomal dominant inheritance	N	1	--	2	17
	%	0.94%	--	18.18%	2.25%
- Autosomal recessive inheritance	N	--	--	--	5
	%	--	--	--	0.66%
- Other inheritance pattern	N	6	1	1	30
	%	5.66%	20.00%	9.09%	3.97%
- No family history	N	33	1	3	110
	%	31.13%	20.00%	27.27%	14.58%
- Not determined	N	1	1	1	23
	%	0.94%	20.00%	9.09%	3.05%