

Physical		Status				All
		Normal	MCI	QCI	Dementia	
		194	70	53	118	435
Sitting pulse (Q1a)	Min	40.00	42.00	45.00	51.00	40.00
	Mean	66.72	67.27	64.55	68.51	66.78
	Std	10.92	12.51	11.00	12.68	11.52
	Max	128.00	104.00	95.00	103.00	128.00
Sitting systolic blood pressure (Q1a1)	Min	56.00	94.00	9.00	106.00	9.00
	Mean	133.89	135.11	134.49	134.78	134.34
	Std	18.08	17.23	26.01	14.71	18.79
	Max	185.00	176.00	195.00	173.00	195.00
Sitting diastolic blood pressure (Q1a1)	Min	56.00	52.00	57.00	59.00	52.00
	Mean	76.78	76.26	76.70	73.89	76.23
	Std	9.08	9.26	9.17	6.79	8.84
	Max	108.00	93.00	96.00	87.00	108.00

Physical		Status				All
		Normal	MCI	QCI	Dementia	
		194	70	53	118	435
Visual acuity both eyes (Q2c)	Min	20.00	20.00	20.00	20.00	20.00
	Mean	31.89	34.02	27.17	41.18	33.01
	Std	57.56	16.94	8.29	27.72	43.55
	Max	800.00	100.00	50.00	200.00	800.00
Corrective lens used? (Q2d)						
-	N	8	4	--	63	75
	%	4.12%	5.71%	--	53.38%	17.24%
- No	N	46	29	17	18	110
	%	23.71%	41.42%	32.07%	15.25%	25.28%
- Yes	N	140	37	36	37	250
	%	72.16%	52.85%	67.92%	31.35%	57.47%

Physical		Status				All
		Normal	MCI	QCI	Dementia	
		194	70	53	118	435
Height in inches (Q3a)	Min	54.00	56.20	49.30	54.40	49.30
	Mean	64.60	65.47	64.53	64.78	64.78
	Std	3.69	4.09	4.75	4.24	4.02
	Max	72.60	76.00	73.80	75.50	76.00
Weight in pounds (Q3b)	Min	91.00	90.00	99.00	96.00	90.00
	Mean	153.63	155.37	157.04	156.47	154.89
	Std	34.04	37.46	41.44	30.22	35.21
	Max	306.00	269.00	288.00	242.00	306.00

Physical		Status				All
		Normal	MCI	QCI	Dementia	
		194	70	53	118	435
General appearance (Q4)						
-	N	7	3	--	63	73
	%	3.60%	4.28%	--	53.38%	16.78%
- Normal	N	186	66	53	54	359
	%	95.87%	94.28%	100.00%	45.76%	82.52%
- Abnormal	N	--	1	--	1	2
	%	--	1.42%	--	0.84%	0.45%
- Not determined	N	1	--	--	--	1
	%	0.51%	--	--	--	0.22%
Alert, NAD (Q5)						
-	N	7	3	--	63	73
	%	3.60%	4.28%	--	53.38%	16.78%
- Normal	N	186	67	53	55	361
	%	95.87%	95.71%	100.00%	46.61%	82.98%
- Not determined	N	1	--	--	--	1
	%	0.51%	--	--	--	0.22%
Well developed, nourished (Q6)						
-	N	7	3	--	63	73
	%	3.60%	4.28%	--	53.38%	16.78%

(Continued)

Physical		Status				All
		Normal	MCI	QCI	Dementia	
Well developed, nourished (Q6) - Normal	N	186	67	53	55	361
	%	95.87%	95.71%	100.00%	46.61%	82.98%
- Not determined	N	1	--	--	--	1
	%	0.51%	--	--	--	0.22%

Physical		Status				All
		Normal	MCI	QCI	Dementia	
		194	70	53	118	435
Personal hygiene (Q7)						
	N	7	3	--	63	73
	%	3.60%	4.28%	--	53.38%	16.78%
- Normal	N	186	67	53	53	359
	%	95.87%	95.71%	100.00%	44.91%	82.52%
- Abnormal	N	--	--	--	2	2
	%	--	--	--	1.69%	0.45%
- Not determined	N	1	--	--	--	1
	%	0.51%	--	--	--	0.22%
Hearing intact bilaterally (Q8)						
	N	7	3	--	63	73
	%	3.60%	4.28%	--	53.38%	16.78%
- Normal	N	127	41	34	29	231
	%	65.46%	58.57%	64.15%	24.57%	53.10%
- Abnormal	N	59	26	19	25	129
	%	30.41%	37.14%	35.84%	21.18%	29.65%
- Not determined	N	1	--	--	1	2
	%	0.51%	--	--	0.84%	0.45%

Physical		Status				All
		Normal	MCI	QCI	Dementia	
		194	70	53	118	435
Hearing impairment (Q8a)						
	N	135	44	34	93	306
	%	69.58%	62.85%	64.15%	78.81%	70.34%
- Mild	N	42	15	16	14	87
	%	21.64%	21.42%	30.18%	11.86%	20.00%
- Moderate	N	13	11	2	10	36
	%	6.70%	15.71%	3.77%	8.47%	8.27%
- Severe	N	4	--	1	1	6
	%	2.06%	--	1.88%	0.84%	1.37%

Physical		Status				All
		Normal	MCI	QCI	Dementia	
		194	70	53	118	435
External canal and TMs clear (Q9)						
- .	N	7	3	1	63	74
	%	3.60%	4.28%	1.88%	53.38%	17.01%
- Normal	N	2	2	3	1	8
	%	1.03%	2.85%	5.66%	0.84%	1.83%
- Not determined	N	185	65	49	54	353
	%	95.36%	92.85%	92.45%	45.76%	81.14%
Palate, uvula, oropharynx pink, no lesions (Q10)						
- .	N	7	3	1	63	74
	%	3.60%	4.28%	1.88%	53.38%	17.01%
- Normal	N	86	21	21	19	147
	%	44.32%	30.00%	39.62%	16.10%	33.79%
- Not determined	N	101	46	31	36	214
	%	52.06%	65.71%	58.49%	30.50%	49.19%
Nasal mucosa, septum, turbinate intact (Q11)						
- .	N	7	3	1	63	74
	%	3.60%	4.28%	1.88%	53.38%	17.01%
- Normal	N	1	1	3	1	6
	%	0.51%	1.42%	5.66%	0.84%	1.37%
- Not determined	N	186	66	49	54	355
	%	95.87%	94.28%	92.45%	45.76%	81.60%
ATNC, no scars, lesions (Q12)						
- .	N	7	3	1	63	74
	%	3.60%	4.28%	1.88%	53.38%	17.01%
- Normal	N	5	5	1	5	16
	%	2.57%	7.14%	1.88%	4.23%	3.67%
- Not determined	N	182	62	51	50	345
	%	93.81%	88.57%	96.22%	42.37%	79.31%

Physical		Status				All
		Normal	MCI	QCI	Dementia	
		194	70	53	118	435
No sinums tenderness (Q13)						
	N	7	3	1	63	74
	%	3.60%	4.28%	1.88%	53.38%	17.01%
- Normal	N	2	2	--	1	5
	%	1.03%	2.85%	--	0.84%	1.14%
- Not determined	N	185	65	52	54	356
	%	95.36%	92.85%	98.11%	45.76%	81.83%
PERLA, sclera, conjunctiva intact (Q14)						
	N	7	3	1	63	74
	%	3.60%	4.28%	1.88%	53.38%	17.01%
- Normal	N	114	25	27	23	189
	%	58.76%	35.71%	50.94%	19.49%	43.44%
- Not determined	N	73	42	25	32	172
	%	37.62%	60.00%	47.16%	27.11%	39.54%
Normal fundi, no exudates, hemorrhage, nicking (Q15)						
	N	7	3	1	63	74
	%	3.60%	4.28%	1.88%	53.38%	17.01%
- Normal	N	112	23	27	22	184
	%	57.73%	32.85%	50.94%	18.64%	42.29%
- Not determined	N	75	44	25	33	177
	%	38.65%	62.85%	47.16%	27.96%	40.68%
Supple, free ROM w/o pain (Q16)						
	N	7	3	1	63	74
	%	3.60%	4.28%	1.88%	53.38%	17.01%
- Normal	N	3	7	1	5	16
	%	1.54%	10.00%	1.88%	4.23%	3.67%
- Not determined	N	184	60	51	50	345
	%	94.84%	85.71%	96.22%	42.37%	79.31%

Physical		Status				All
		Normal	MCI	QCI	Dementia	
		194	70	53	118	435
No thyroidmegaly or masses (Q17)						
	N	7	3	1	63	74
	%	3.60%	4.28%	1.88%	53.38%	17.01%
- Normal	N	--	4	1	2	7
	%	--	5.71%	1.88%	1.69%	1.60%
- Not determined	N	187	63	51	53	354
	%	96.39%	90.00%	96.22%	44.91%	81.37%
No carotid bruits (Q18)						
	N	7	3	1	63	74
	%	3.60%	4.28%	1.88%	53.38%	17.01%
- Normal	N	83	29	21	24	157
	%	42.78%	41.42%	39.62%	20.33%	36.09%
- Not determined	N	104	38	31	31	204
	%	53.60%	54.28%	58.49%	26.27%	46.89%
No cervical lymphadenopathy (Q19)						
	N	7	3	1	63	74
	%	3.60%	4.28%	1.88%	53.38%	17.01%
- Normal	N	--	1	--	2	3
	%	--	1.42%	--	1.69%	0.68%
- Abnormal	N	--	1	--	--	1
	%	--	1.42%	--	--	0.22%
- Not determined	N	187	65	52	53	357
	%	96.39%	92.85%	98.11%	44.91%	82.06%
Other lymph nodes (Q20)						
	N	7	3	1	63	74
	%	3.60%	4.28%	1.88%	53.38%	17.01%
- Normal	N	--	--	--	1	1
	%	--	--	--	0.84%	0.22%
- Not determined	N	187	67	52	54	360
	%	96.39%	95.71%	98.11%	45.76%	82.75%

Note: When multiple observations are taken for a patient, only latest visit is accounted for in summary.

Physical		Status				All
		Normal	MCI	QCI	Dementia	
		194	70	53	118	435
Expansion symmetrical, clear to auscultation (Q21)						
- .	N	7	3	1	63	74
	%	3.60%	4.28%	1.88%	53.38%	17.01%
- Normal	N	46	10	10	8	74
	%	23.71%	14.28%	18.86%	6.77%	17.01%
- Abnormal	N	3	1	--	1	5
	%	1.54%	1.42%	--	0.84%	1.14%
- Not determined	N	138	56	42	46	282
	%	71.13%	80.00%	79.24%	38.98%	64.82%
RRR (Q22)						
- .	N	7	3	1	63	74
	%	3.60%	4.28%	1.88%	53.38%	17.01%
- Normal	N	128	33	33	29	223
	%	65.97%	47.14%	62.26%	24.57%	51.26%
- Abnormal	N	1	1	1	1	4
	%	0.51%	1.42%	1.88%	0.84%	0.91%
- Not determined	N	58	33	18	25	134
	%	29.89%	47.14%	33.96%	21.18%	30.80%
No murmurs, rubs, gallops (Q23)						
- .	N	7	3	1	63	74
	%	3.60%	4.28%	1.88%	53.38%	17.01%
- Normal	N	127	32	31	28	218
	%	65.46%	45.71%	58.49%	23.72%	50.11%
- Abnormal	N	3	3	1	1	8
	%	1.54%	4.28%	1.88%	0.84%	1.83%
- Not determined	N	57	32	20	26	135
	%	29.38%	45.71%	37.73%	22.03%	31.03%
Not distended, bowel sounds normal (Q24)						
- .	N	7	3	1	63	74
	%	3.60%	4.28%	1.88%	53.38%	17.01%

(Continued)

Physical		Status				All
		Normal	MCI	QCI	Dementia	
Not distended, bowel sounds normal (Q24) - Normal	N	--	2	--	1	3
	%	--	2.85%	--	0.84%	0.68%
- Abnormal	N	--	1	--	--	1
	%	--	1.42%	--	--	0.22%
- Not determined	N	187	64	52	54	357
	%	96.39%	91.42%	98.11%	45.76%	82.06%

Physical		Status				All
		Normal	MCI	QCI	Dementia	
		194	70	53	118	435
No masses, organomegaly (Q25)						
	N	7	3	1	63	74
	%	3.60%	4.28%	1.88%	53.38%	17.01%
- Normal	N	--	3	--	1	4
	%	--	4.28%	--	0.84%	0.91%
- Abnormal	N	--	--	--	1	1
	%	--	--	--	0.84%	0.22%
- Not determined	N	187	64	52	53	356
	%	96.39%	91.42%	98.11%	44.91%	81.83%
No deformities, lesions (Q26)						
	N	7	3	1	63	74
	%	3.60%	4.28%	1.88%	53.38%	17.01%
- Normal	N	82	22	22	18	144
	%	42.26%	31.42%	41.50%	15.25%	33.10%
- Abnormal	N	1	1	--	2	4
	%	0.51%	1.42%	--	1.69%	0.91%
- Not determined	N	104	44	30	35	213
	%	53.60%	62.85%	56.60%	29.66%	48.96%
No edema (Q27)						
	N	7	3	1	63	74
	%	3.60%	4.28%	1.88%	53.38%	17.01%
- Normal	N	80	23	22	18	143
	%	41.23%	32.85%	41.50%	15.25%	32.87%
- Abnormal	N	6	--	--	1	7
	%	3.09%	--	--	0.84%	1.60%
- Not determined	N	101	44	30	36	211
	%	52.06%	62.85%	56.60%	30.50%	48.50%
Varicosities (Q28)						
	N	7	3	1	63	74
	%	3.60%	4.28%	1.88%	53.38%	17.01%

(Continued)

Physical		Status				All
		Normal	MCI	QCI	Dementia	
Varicosities (Q28) - Normal	N	82	22	22	18	144
	%	42.26%	31.42%	41.50%	15.25%	33.10%
- Abnormal	N	3	1	--	1	5
	%	1.54%	1.42%	--	0.84%	1.14%
- Not determined	N	102	44	30	36	212
	%	52.57%	62.85%	56.60%	30.50%	48.73%

Physical		Status				All
		Normal	MCI	QCI	Dementia	
		194	70	53	118	435
Pulses +/- (Q29)						
-	N	7	3	1	63	74
	%	3.60%	4.28%	1.88%	53.38%	17.01%
- Normal	N	84	21	22	17	144
	%	43.29%	30.00%	41.50%	14.40%	33.10%
- Not determined	N	103	46	30	38	217
	%	53.09%	65.71%	56.60%	32.20%	49.88%
Dry, intact, no lesions (Q30)						
-	N	7	3	1	63	74
	%	3.60%	4.28%	1.88%	53.38%	17.01%
- Normal	N	100	23	24	18	165
	%	51.54%	32.85%	45.28%	15.25%	37.93%
- Abnormal	N	2	2	--	4	8
	%	1.03%	2.85%	--	3.38%	1.83%
- Not determined	N	85	42	28	33	188
	%	43.81%	60.00%	52.83%	27.96%	43.21%