

MMSE & Neuropsychological Battery		Status				All
		Normal	MCI	QCI	Dementia	
		194	70	53	118	435
<b>MMSE: administration of MMSE (Q1a)</b>						
	N	184	59	51	104	398
	%	94.84%	84.28%	96.22%	88.13%	91.49%
<b>- ADC/clinic</b>						
	N	9	11	2	12	34
	%	4.63%	15.71%	3.77%	10.16%	7.81%
<b>- Home</b>						
	N	--	--	--	1	1
	%	--	--	--	0.84%	0.22%
<b>- Other (in person)</b>						
	N	1	--	--	1	2
	%	0.51%	--	--	0.84%	0.45%
<b>MMSE: language of MMSE administration (Q1a1)</b>						
	N	184	59	51	104	398
	%	94.84%	84.28%	96.22%	88.13%	91.49%
<b>- English</b>						
	N	10	11	2	14	37
	%	5.15%	15.71%	3.77%	11.86%	8.50%
<b>MMSE: orientation subscale score: time (Q1b1)</b>						
	Min	5.00	4.00	5.00	0.00	0.00
	Mean	5.00	4.82	5.00	2.36	3.95
	Std	0.00	0.40	0.00	1.86	1.70
	Max	5.00	5.00	5.00	5.00	5.00
<b>MMSE: orientation subscale score: place (Q1b2)</b>						
	Min	4.00	4.00	5.00	2.00	2.00
	Mean	4.90	4.91	5.00	3.57	4.41
	Std	0.32	0.30	0.00	1.22	1.01
	Max	5.00	5.00	5.00	5.00	5.00
<b>MMSE: intersecting pentagon subscale score (Q1c)</b>						
	Min	1.00	0.00	1.00	0.00	0.00
	Mean	1.00	0.91	1.00	0.64	0.83
	Std	0.00	0.30	0.00	0.50	0.38
	Max	1.00	1.00	1.00	1.00	1.00
<b>MMSE: total MMSE score (Q1d)</b>						
	Min	29.00	25.00	27.00	7.00	7.00
	Mean	29.67	28.09	28.50	19.50	25.17
	Std	0.50	1.64	2.12	6.58	6.20
	Max	30.00	30.00	30.00	26.00	30.00

MMSE & Neuropsychological Battery		Status				All
		Normal	MCI	QCI	Dementia	
		194	70	53	118	435
<b>Remainder was administered (Q2)</b>						
-	N	184	59	51	104	398
	%	94.84%	84.28%	96.22%	88.13%	91.49%
- ADC/clinic	N	10	11	2	13	36
	%	5.15%	15.71%	3.77%	11.01%	8.27%
- Home	N	--	--	--	1	1
	%	--	--	--	0.84%	0.22%
<b>Language of test administration (Q2a)</b>						
-	N	184	59	51	104	398
	%	94.84%	84.28%	96.22%	88.13%	91.49%
- English	N	10	11	2	14	37
	%	5.15%	15.71%	3.77%	11.86%	8.50%
<b>Logical memory: total score from previous administration (Q3a1)</b>		Min	--	--	--	--
		Mean	--	--	--	--
		Std	--	--	--	--
		Max	--	--	--	--
<b>Logical memory: total number of story units recalled (Q3b)</b>		Min	12.00	3.00	13.00	0.00
		Mean	18.00	10.64	16.50	3.62
		Std	2.62	5.92	4.95	2.96
		Max	21.00	21.00	20.00	11.00

MMSE & Neuropsychological Battery		Status				All
		Normal	MCI	QCI	Dementia	
		194	70	53	118	435
<b>Digit span forward: # trials correct prior to 2 consecutive errors (Q4a)</b>	Min	4.00	4.00	7.00	1.00	1.00
	Mean	7.40	7.73	8.00	6.57	7.22
	Std	2.46	1.85	1.41	2.24	2.15
	Max	12.00	10.00	9.00	10.00	12.00
<b>Digit span forward: length (Q4b)</b>	Min	4.00	4.00	6.00	3.00	3.00
	Mean	6.20	6.09	6.50	5.79	6.03
	Std	1.23	1.38	0.71	1.19	1.21
	Max	8.00	8.00	7.00	8.00	8.00
<b>Digit span backward: # trials correct prior to 2 consecutive errors (Q5a)</b>	Min	4.00	4.00	5.00	0.00	0.00
	Mean	5.90	6.00	6.00	4.43	5.38
	Std	1.79	1.95	1.41	2.21	2.06
	Max	9.00	9.00	7.00	7.00	9.00
<b>Digit span backward: length (Q5b)</b>	Min	3.00	3.00	4.00	0.00	0.00
	Mean	4.50	4.36	4.50	3.50	4.08
	Std	0.97	1.03	0.71	1.45	1.23
	Max	6.00	6.00	5.00	6.00	6.00
<b>Category fluency: animals (Q6a)</b>	Min	15.00	8.00	10.00	4.00	4.00
	Mean	21.30	15.00	18.50	9.08	14.81
	Std	8.31	3.52	12.02	3.43	7.38
	Max	43.00	20.00	27.00	14.00	43.00
<b>Category fluency: vegetables (Q6b)</b>	Min	10.00	5.00	11.00	0.00	0.00
	Mean	17.00	10.55	16.50	4.77	10.58
	Std	7.80	3.53	7.78	2.62	7.04
	Max	35.00	16.00	22.00	9.00	35.00

MMSE & Neuropsychological Battery		Status				All
		Normal	MCI	QCI	Dementia	
		194	70	53	118	435
Trail making test: # of seconds to complete - part A (Q7a)	Min	19.00	20.00	22.00	42.00	19.00
	Mean	27.33	35.18	35.50	77.38	48.86
	Std	8.44	11.27	19.09	44.91	35.80
	Max	45.00	64.00	49.00	150.00	150.00
Trail making test: # of commission errors - part A (Q7a1)	Min	0.00	0.00	1.00	0.00	0.00
	Mean	0.00	0.09	1.00	0.38	0.23
	Std	0.00	0.30	0.00	0.65	0.49
	Max	0.00	1.00	1.00	2.00	2.00
Trail making test: # of correct lines - part A (Q7a2)	Min	24.00	24.00	24.00	8.00	8.00
	Mean	24.00	24.00	24.00	22.15	23.31
	Std	0.00	0.00	0.00	4.52	2.84
	Max	24.00	24.00	24.00	24.00	24.00
Trail making test: # of seconds to complete - part B (Q7b)	Min	37.00	59.00	58.00	60.00	37.00
	Mean	63.44	128.50	64.00	204.50	124.83
	Std	21.07	47.77	8.49	87.88	78.02
	Max	109.00	207.00	70.00	300.00	300.00
Trail making test: # of commission errors - part B (Q7b1)	Min	0.00	0.00	0.00	0.00	0.00
	Mean	0.56	1.10	0.00	1.00	0.83
	Std	1.13	1.10	0.00	1.20	1.10
	Max	3.00	3.00	0.00	3.00	3.00
Trail making test: # of correct lines - part B (Q7b2)	Min	24.00	24.00	24.00	17.00	17.00
	Mean	24.00	24.00	24.00	23.00	23.72
	Std	0.00	0.00	0.00	2.45	1.31
	Max	24.00	24.00	24.00	24.00	24.00

MMSE & Neuropsychological Battery		Status				All
		Normal	MCI	QCI	Dementia	
		194	70	53	118	435
<b>Logical memory IIA: # of story units recalled (Q9a)</b>	Min	12.00	0.00	14.00	0.00	0.00
	Mean	17.40	8.64	15.50	2.00	9.06
	Std	3.13	6.71	2.12	2.12	7.61
	Max	22.00	19.00	17.00	7.00	22.00
<b>Logical memory IIA: time elapsed since logical memory IA (Q9b)</b>	Min	13.00	17.00	20.00	19.00	13.00
	Mean	19.60	21.91	20.00	22.92	21.53
	Std	4.45	3.83	0.00	3.62	3.97
	Max	30.00	30.00	20.00	32.00	32.00
<b>Boston naming test: total score (Q10a)</b>	Min	11.00	21.00	9.00	3.00	3.00
	Mean	27.40	27.09	19.50	18.00	23.32
	Std	5.85	2.88	14.85	7.67	7.68
	Max	30.00	30.00	30.00	28.00	30.00
<b>Overall appraisal: cognitive status (Q11)</b>						
-	N	184	59	51	104	398
	%	94.84%	84.28%	96.22%	88.13%	91.49%
- Better than normal of age	N	3	--	--	--	3
	%	1.54%	--	--	--	0.68%
- Normal of age	N	7	--	--	--	7
	%	3.60%	--	--	--	1.60%
- 1 or 2 abnormal scores	N	--	9	2	1	12
	%	--	12.85%	3.77%	0.84%	2.75%
- 3 or more abnormal scores	N	--	2	--	13	15
	%	--	2.85%	--	11.01%	3.44%