

Neuropsychological Tests		Status				All
		Normal	MCI	QCI	Dementia	
		194	70	53	118	435
MMSE (Q1)	Min	27.00	20.00	26.00	7.00	7.00
	Mean	29.20	27.45	28.74	21.65	27.68
	Std	0.94	2.05	1.15	4.95	3.44
	Max	30.00	30.00	30.00	29.00	30.00
Geriatric depression rating scale (Q2)	Min	0.00	0.00	0.00	0.00	0.00
	Mean	0.87	2.29	2.11	2.40	1.54
	Std	1.31	2.60	2.34	3.06	2.18
	Max	7.00	12.00	9.00	11.00	12.00

Neuropsychological Tests		Status				All
		Normal	MCI	QCI	Dementia	
		194	70	53	118	435
WMS-III LM 1 - story A raw score (Q18)	Min	12.00	3.00	13.00	0.00	0.00
	Mean	18.00	10.64	16.50	3.62	10.47
	Std	2.62	5.92	4.95	2.96	7.16
	Max	21.00	21.00	20.00	11.00	21.00
WMS-III LM 1 - story A thematic score (Q19)	Min	5.00	2.00	6.00	0.00	0.00
	Mean	6.40	4.27	6.50	2.23	4.25
	Std	0.84	1.74	0.71	1.48	2.22
	Max	7.00	7.00	7.00	4.00	7.00
WMS-III LM 1 - story B 1st raw score (Q20)	Min	--	--	--	--	--
	Mean	--	--	--	--	--
	Std	--	--	--	--	--
	Max	--	--	--	--	--
WMS-III LM 1 - story B 1st thematic score (Q21)	Min	--	--	--	--	--
	Mean	--	--	--	--	--
	Std	--	--	--	--	--
	Max	--	--	--	--	--
WMS-III LM 1 - story B 2nd raw score (Q22)	Min	--	--	--	--	--
	Mean	--	--	--	--	--
	Std	--	--	--	--	--
	Max	--	--	--	--	--
WMS-III LM 1 - story B 2nd thematic score (Q23)	Min	--	--	--	--	--
	Mean	--	--	--	--	--
	Std	--	--	--	--	--
	Max	--	--	--	--	--
WMS-III LM 1 - total score	Min	--	--	--	--	--
	Mean	--	--	--	--	--
	Std	--	--	--	--	--
	Max	--	--	--	--	--

Neuropsychological Tests		Status				All
		Normal	MCI	QCI	Dementia	
		194	70	53	118	435
WMS-III LM 2 - Story A raw score (Q24)	Min	12.00	0.00	14.00	0.00	0.00
	Mean	17.40	8.64	15.50	2.00	9.06
	Std	3.13	6.71	2.12	2.12	7.61
	Max	22.00	19.00	17.00	7.00	22.00
WMS-III LM 2 - Story A thematic score (Q25)	Min	5.00	0.00	6.00	0.00	0.00
	Mean	6.30	3.73	6.00	1.62	3.81
	Std	0.82	2.45	0.00	1.50	2.55
	Max	7.00	6.00	6.00	4.00	7.00
WMS-III LM 2 - Story B raw score (Q26)	Min	--	--	--	--	--
	Mean	--	--	--	--	--
	Std	--	--	--	--	--
	Max	--	--	--	--	--
WMS-III LM 2 - Story B thematic score (Q27)	Min	--	--	--	--	--
	Mean	--	--	--	--	--
	Std	--	--	--	--	--
	Max	--	--	--	--	--
WMS-III LM 2 - total score	Min	--	--	--	--	--
	Mean	--	--	--	--	--
	Std	--	--	--	--	--
	Max	--	--	--	--	--
WMS-III Faces - faces 1 raw score (Q28)	Min	26.00	23.00	24.00	19.00	19.00
	Mean	40.10	35.56	38.28	30.29	37.61
	Std	4.41	5.43	5.42	5.42	5.96
	Max	48.00	45.00	48.00	43.00	48.00
WMS-III Faces - faces 2 raw score (Q29)	Min	26.00	24.00	28.00	22.00	22.00
	Mean	39.70	36.18	38.06	30.94	37.58
	Std	3.91	4.93	4.52	5.47	5.33
	Max	47.00	46.00	46.00	44.00	47.00

Neuropsychological Tests		Status				All
		Normal	MCI	QCI	Dementia	
		194	70	53	118	435
WAIS-R information raw score (Q30)	Min	9.00	11.00	9.00	1.00	1.00
	Mean	25.20	23.90	24.28	15.42	23.38
	Std	4.46	4.49	4.52	6.98	5.94
	Max	29.00	29.00	29.00	29.00	29.00

Neuropsychological Tests		Status				All
		Normal	MCI	QCI	Dementia	
		194	70	53	118	435
WAIS-III digit span forward (Q31)	Min	6.00	6.00	9.00	3.00	3.00
	Mean	9.50	9.55	10.00	8.57	9.19
	Std	2.68	2.11	1.41	2.24	2.27
	Max	15.00	12.00	11.00	12.00	15.00
WAIS-III digit span forward length (Q80)	Min	4.00	4.00	6.00	3.00	3.00
	Mean	6.30	6.09	6.50	5.79	6.05
	Std	1.42	1.38	0.71	1.19	1.27
	Max	9.00	8.00	7.00	8.00	9.00
WAIS-III digit span backward (Q32)	Min	4.00	4.00	5.00	0.00	0.00
	Mean	5.90	6.00	6.00	4.43	5.38
	Std	1.79	1.95	1.41	2.21	2.06
	Max	9.00	9.00	7.00	7.00	9.00
WAIS-III digit span backward length (Q81)	Min	3.00	3.00	4.00	0.00	0.00
	Mean	4.50	4.36	4.50	3.50	4.08
	Std	0.97	1.03	0.71	1.45	1.23
	Max	6.00	6.00	5.00	6.00	6.00
WAIS-III digit span total score	Min	11.00	10.00	16.00	3.00	3.00
	Mean	15.40	15.55	16.00	13.00	14.57
	Std	3.89	3.59	0.00	4.22	3.92
	Max	24.00	20.00	16.00	19.00	24.00

Neuropsychological Tests		Status				All
		Normal	MCI	QCI	Dementia	
		194	70	53	118	435
WAIS-R digit span forward (Q82)	Min	4.00	4.00	7.00	1.00	1.00
	Mean	7.40	7.55	8.00	6.57	7.16
	Std	2.46	2.11	1.41	2.24	2.20
	Max	12.00	10.00	9.00	10.00	12.00
WAIS-R digit span forward length(Q83)	Min	4.00	4.00	6.00	3.00	3.00
	Mean	6.20	6.09	6.50	5.79	6.03
	Std	1.23	1.38	0.71	1.19	1.21
	Max	8.00	8.00	7.00	8.00	8.00
WAIS-R digit span backward (Q84)	Min	4.00	4.00	5.00	0.00	0.00
	Mean	5.90	6.00	6.00	4.43	5.38
	Std	1.79	1.95	1.41	2.21	2.06
	Max	9.00	9.00	7.00	7.00	9.00
WAIS-R digit span backward length(Q85)	Min	3.00	3.00	4.00	0.00	0.00
	Mean	4.50	4.36	4.50	3.50	4.08
	Std	0.97	1.03	0.71	1.45	1.23
	Max	6.00	6.00	5.00	6.00	6.00
WAIS-R digit span total score	Min	9.00	8.00	14.00	1.00	1.00
	Mean	13.30	13.55	14.00	11.00	12.54
	Std	3.65	3.59	0.00	4.22	3.86
	Max	21.00	18.00	14.00	17.00	21.00

Neuropsychological Tests		Status				All
		Normal	MCI	QCI	Dementia	
		194	70	53	118	435
Symbol digits modality test # written (Q33)	Min	22.00	14.00	24.00	0.00	0.00
	Mean	48.90	33.81	43.02	22.54	41.57
	Std	11.33	9.10	10.11	11.01	14.25
	Max	91.00	57.00	68.00	44.00	91.00
WAIS-R digit symbol (Q77)	Min	--	--	--	--	--
	Mean	--	--	--	--	--
	Std	--	--	--	--	--
	Max	--	--	--	--	--

Neuropsychological Tests		Status				All
		Normal	MCI	QCI	Dementia	
		194	70	53	118	435
30-item BNT total # correct (Q34)	Min	11.00	21.00	9.00	3.00	3.00
	Mean	26.90	26.64	19.00	17.21	22.73
	Std	5.70	3.23	14.14	7.26	7.60
	Max	30.00	30.00	29.00	27.00	30.00
30-item BNT # semantic cues (Q35)	Min	0.00	0.00	0.00	0.00	0.00
	Mean	0.50	0.64	0.50	0.79	0.65
	Std	0.71	1.03	0.71	0.89	0.86
	Max	2.00	3.00	1.00	2.00	3.00
30-item BNT # phonemic cues (Q36)	Min	0.00	0.00	0.00	0.00	0.00
	Mean	0.90	1.45	1.00	4.29	2.35
	Std	1.10	1.29	1.41	3.02	2.55
	Max	3.00	4.00	2.00	11.00	11.00
30-item BNT # circumlocutions (Q37)	Min	0.00	0.00	0.00	0.00	0.00
	Mean	0.00	0.36	0.50	1.29	0.62
	Std	0.00	0.92	0.71	1.59	1.21
	Max	0.00	3.00	1.00	5.00	5.00
30-item BNT # semantic paraphasias (Q38)	Min	0.00	0.00	1.00	0.00	0.00
	Mean	0.90	2.18	1.50	3.43	2.27
	Std	0.99	1.99	0.71	2.06	2.00
	Max	2.00	7.00	2.00	6.00	7.00
30-item BNT # perseverations (Q89)	Min	0.00	0.00	0.00	0.00	0.00
	Mean	0.00	0.00	0.00	0.00	0.00
	Std	0.00	0.00	0.00	0.00	0.00
	Max	0.00	0.00	0.00	0.00	0.00
30-item BNT # visual misidentification (Q90)	Min	0.00	0.00	0.00	0.00	0.00
	Mean	0.00	0.00	0.00	0.14	0.05
	Std	0.00	0.00	0.00	0.53	0.33
	Max	0.00	0.00	0.00	2.00	2.00

Neuropsychological Tests		Status				All
		Normal	MCI	QCI	Dementia	
		194	70	53	118	435
CERAD animal naming # 0-15 sec (Q39)	Min	4.00	4.00	3.00	2.00	2.00
	Mean	8.98	7.56	8.47	5.64	8.15
	Std	2.04	1.99	1.93	2.08	2.33
	Max	15.00	13.00	12.00	11.00	15.00
CERAD animal naming # 16-30 sec (Q40)	Min	0.00	0.00	1.00	0.00	0.00
	Mean	4.81	3.34	4.11	1.79	3.99
	Std	1.86	1.58	2.02	1.45	2.07
	Max	11.00	7.00	10.00	5.00	11.00
CERAD animal naming # 31-45 sec (Q41)	Min	0.00	0.00	0.00	0.00	0.00
	Mean	3.70	2.71	3.11	1.47	3.10
	Std	2.03	1.66	1.94	1.42	2.02
	Max	10.00	7.00	8.00	5.00	10.00
CERAD animal naming # 46-60 sec (Q42)	Min	0.00	0.00	0.00	0.00	0.00
	Mean	3.26	1.96	2.92	1.21	2.66
	Std	2.02	1.59	2.07	1.61	2.04
	Max	9.00	6.00	8.00	6.00	9.00
CERAD animal naming # intrusions (Q43)	Min	0.00	0.00	0.00	0.00	0.00
	Mean	0.03	0.04	0.06	0.11	0.05
	Std	0.20	0.21	0.30	0.58	0.30
	Max	2.00	1.00	2.00	4.00	4.00
CERAD animal naming # repetitions (Q44)	Min	0.00	0.00	0.00	0.00	0.00
	Mean	0.50	0.94	0.75	1.32	0.74
	Std	0.84	1.16	1.19	1.49	1.11
	Max	5.00	5.00	6.00	6.00	6.00
CERAD animal naming total score	Min	8.00	6.00	10.00	2.00	2.00
	Mean	20.75	15.56	18.62	10.11	17.90
	Std	5.50	4.35	4.74	4.30	6.27
	Max	43.00	28.00	30.00	23.00	43.00

Neuropsychological Tests		Status				All
		Normal	MCI	QCI	Dementia	
		194	70	53	118	435
CERAD vegetable naming # 0-15 sec (Q71)	Min	2.00	0.00	2.00	0.00	0.00
	Mean	6.82	5.31	5.81	3.28	5.87
	Std	1.97	1.88	1.80	1.82	2.27
	Max	13.00	9.00	11.00	8.00	13.00
CERAD vegetable naming # 16-30 sec (Q72)	Min	0.00	0.00	0.00	0.00	0.00
	Mean	3.44	2.07	3.11	1.04	2.78
	Std	1.86	1.47	1.79	0.98	1.89
	Max	9.00	6.00	9.00	3.00	9.00
CERAD vegetable naming # 31-45 sec (Q73)	Min	0.00	0.00	0.00	0.00	0.00
	Mean	2.52	1.66	2.25	0.83	2.07
	Std	1.54	1.52	1.21	1.09	1.55
	Max	8.00	7.00	5.00	5.00	8.00
CERAD vegetable naming # 46-60 sec (Q74)	Min	0.00	0.00	0.00	0.00	0.00
	Mean	2.11	1.16	1.58	0.58	1.63
	Std	1.60	1.14	1.43	0.72	1.51
	Max	9.00	5.00	5.00	2.00	9.00
CERAD vegetable naming # intrusions (Q75)	Min	0.00	0.00	0.00	0.00	0.00
	Mean	0.15	0.40	0.40	0.87	0.34
	Std	0.54	0.95	0.84	1.33	0.86
	Max	4.00	5.00	3.00	4.00	5.00
CERAD vegetable naming # repetitions (Q76)	Min	0.00	0.00	0.00	0.00	0.00
	Mean	0.37	0.43	0.32	0.75	0.43
	Std	0.69	0.83	0.58	1.16	0.80
	Max	4.00	5.00	2.00	5.00	5.00
CERAD vegetable naming total score	Min	3.00	3.00	5.00	0.00	0.00
	Mean	14.90	10.21	12.75	5.74	12.35
	Std	4.68	3.92	4.07	3.05	5.35
	Max	35.00	19.00	22.00	17.00	35.00

Neuropsychological Tests		Status				All
		Normal	MCI	QCI	Dementia	
		194	70	53	118	435
letter fluency F or B # correct (Q45)	Min	7.00	3.00	6.00	3.00	3.00
	Mean	15.49	11.84	13.58	9.66	13.66
	Std	4.08	4.28	4.24	4.55	4.72
	Max	29.00	21.00	22.00	25.00	29.00
letter fluency F or B # repetitions (Q46)	Min	0.00	0.00	0.00	0.00	0.00
	Mean	0.73	1.01	0.96	1.23	0.89
	Std	1.15	1.11	1.37	1.51	1.24
	Max	7.00	4.00	5.00	7.00	7.00
letter fluency F or B # intrusions (Q47)	Min	0.00	0.00	0.00	0.00	0.00
	Mean	0.14	0.04	0.17	0.40	0.17
	Std	0.45	0.21	0.51	0.77	0.49
	Max	3.00	1.00	3.00	3.00	3.00
letter fluency A or H # correct (Q48)	Min	2.00	3.00	4.00	0.00	0.00
	Mean	14.11	11.49	11.75	9.83	12.64
	Std	4.38	4.28	4.22	4.77	4.68
	Max	24.00	21.00	20.00	20.00	24.00
letter fluency A or H # repetitions (Q49)	Min	0.00	0.00	0.00	0.00	0.00
	Mean	0.83	1.03	1.04	1.00	0.92
	Std	1.03	1.11	1.34	1.21	1.12
	Max	5.00	5.00	5.00	4.00	5.00
letter fluency A or H # intrusions (Q50)	Min	0.00	0.00	0.00	0.00	0.00
	Mean	0.11	0.18	0.17	0.21	0.14
	Std	0.37	0.67	0.61	0.45	0.49
	Max	2.00	5.00	4.00	2.00	5.00

Neuropsychological Tests		Status				All
		Normal	MCI	QCI	Dementia	
		194	70	53	118	435
letter fluency S or R # correct (Q51)	Min	3.00	3.00	1.00	1.00	1.00
	Mean	14.91	11.54	11.58	9.77	13.03
	Std	4.93	4.04	4.25	4.69	5.05
	Max	27.00	20.00	24.00	20.00	27.00
letter fluency S or R # repetitions (Q52)	Min	0.00	0.00	0.00	0.00	0.00
	Mean	0.57	0.76	0.47	0.68	0.61
	Std	0.90	0.82	0.64	0.73	0.83
	Max	5.00	3.00	3.00	2.00	5.00
letter fluency S or R # intrusions (Q53)	Min	0.00	0.00	0.00	0.00	0.00
	Mean	0.11	0.22	0.15	0.60	0.21
	Std	0.33	0.62	0.50	1.18	0.63
	Max	2.00	3.00	3.00	5.00	5.00
letter fluency total score	Min	13.00	9.00	13.00	4.00	4.00
	Mean	44.52	34.82	36.92	29.26	39.32
	Std	11.89	11.00	11.43	12.94	13.13
	Max	76.00	60.00	64.00	60.00	76.00
letter fluency total # repetitions	Min	0.00	0.00	0.00	0.00	0.00
	Mean	2.11	2.82	2.47	2.91	2.41
	Std	2.14	2.17	2.66	2.58	2.31
	Max	11.00	8.00	12.00	9.00	12.00
letter fluency total # intrusions	Min	0.00	0.00	0.00	0.00	0.00
	Mean	0.36	0.43	0.49	1.21	0.52
	Std	0.77	0.91	0.89	1.49	0.99
	Max	6.00	5.00	4.00	6.00	6.00

Neuropsychological Tests		Status				All
		Normal	MCI	QCI	Dementia	
		194	70	53	118	435
CERAD circle (Q55)	Min	1.00	2.00	2.00	2.00	1.00
	Mean	1.99	2.00	2.00	2.00	2.00
	Std	0.07	0.00	0.00	0.00	0.05
	Max	2.00	2.00	2.00	2.00	2.00
CERAD diamond (Q56)	Min	1.00	2.00	2.00	0.00	0.00
	Mean	2.97	2.99	2.98	2.85	2.96
	Std	0.19	0.12	0.14	0.60	0.28
	Max	3.00	3.00	3.00	3.00	3.00
CERAD rectangle (Q57)	Min	1.00	1.00	2.00	0.00	0.00
	Mean	1.99	1.99	2.00	1.81	1.96
	Std	0.10	0.12	0.00	0.59	0.25
	Max	2.00	2.00	2.00	2.00	2.00
CERAD cube (Q58)	Min	1.00	0.00	2.00	0.00	0.00
	Mean	3.53	2.94	3.19	2.49	3.21
	Std	0.61	0.90	0.68	1.27	0.88
	Max	4.00	4.00	4.00	4.00	4.00
CERAD total score	Min	8.00	7.00	9.00	2.00	2.00
	Mean	10.48	9.91	10.17	9.15	10.13
	Std	0.68	0.94	0.70	1.92	1.11
	Max	11.00	11.00	11.00	11.00	11.00

Neuropsychological Tests		Status				All
		Normal	MCI	QCI	Dementia	
		194	70	53	118	435
Clock read time (Q59)	Min	2.00	0.00	2.00	0.00	0.00
	Mean	2.98	2.88	2.85	2.63	2.89
	Std	0.13	0.47	0.36	0.74	0.40
	Max	3.00	3.00	3.00	3.00	3.00
Clock set time (Q60)	Min	1.00	0.00	0.00	0.00	0.00
	Mean	2.85	2.35	2.45	1.69	2.53
	Std	0.40	0.81	0.67	0.97	0.75
	Max	3.00	3.00	3.00	3.00	3.00
Clock total score	Min	4.00	0.00	3.00	0.00	0.00
	Mean	5.83	5.24	5.30	4.35	5.43
	Std	0.44	1.09	0.82	1.45	0.99
	Max	6.00	6.00	6.00	6.00	6.00

Neuropsychological Tests		Status				All
		Normal	MCI	QCI	Dementia	
		194	70	53	118	435
WAIS-III block design raw score (Q61)	Min	12.00	10.00	12.00	0.00	0.00
	Mean	39.58	29.25	35.11	21.17	34.31
	Std	10.11	10.00	11.14	11.55	12.37
	Max	62.00	50.00	66.00	46.00	66.00
WAIS-III block design # completed (Q91)	Min	6.00	5.00	6.00	1.00	1.00
	Mean	12.17	10.32	11.38	8.38	11.16
	Std	1.54	2.18	1.79	3.11	2.40
	Max	14.00	14.00	14.00	13.00	14.00

Neuropsychological Tests		Status				All
		Normal	MCI	QCI	Dementia	
		194	70	53	118	435
Trail making test A: seconds to complete (Q62)	Min	12.00	15.00	15.00	19.00	12.00
	Mean	26.34	35.57	28.42	67.40	34.44
	Std	8.80	11.99	7.97	46.17	24.18
	Max	70.00	78.00	53.00	150.00	150.00
Trail making test A: commission errors (Q63)	Min	0.00	0.00	0.00	0.00	0.00
	Mean	0.13	0.15	0.13	0.21	0.14
	Std	0.35	0.40	0.39	0.60	0.41
	Max	2.00	2.00	2.00	3.00	3.00
Trail making test A: correct lines (Q86)	Min	24.00	24.00	0.00	6.00	0.00
	Mean	24.00	24.00	23.55	22.70	23.74
	Std	0.00	0.00	3.30	3.67	1.93
	Max	24.00	24.00	24.00	24.00	24.00
Trail making test B: seconds to complete (Q64)	Min	24.00	37.00	33.00	60.00	24.00
	Mean	72.16	129.03	91.25	191.86	100.46
	Std	36.93	67.50	46.65	87.15	66.54
	Max	300.00	300.00	300.00	300.00	300.00
Trail making test B: commission errors (Q65)	Min	0.00	0.00	0.00	0.00	0.00
	Mean	0.41	1.01	0.83	1.74	0.75
	Std	0.83	1.43	1.28	2.11	1.31
	Max	6.00	7.00	7.00	8.00	8.00
Trail making test B: correct lines (Q87)	Min	0.00	8.00	13.00	0.00	0.00
	Mean	23.84	23.24	23.79	20.83	23.36
	Std	1.80	2.82	1.51	6.34	3.04
	Max	24.00	24.00	24.00	24.00	24.00

Neuropsychological Tests		Status				All
		Normal	MCI	QCI	Dementia	
		194	70	53	118	435
Trail making test C: seconds to complete (Q78)	Min	--	--	--	--	--
	Mean	--	--	--	--	--
	Std	--	--	--	--	--
	Max	--	--	--	--	--
Trail making test C: commission errors (Q79)	Min	--	--	--	--	--
	Mean	--	--	--	--	--
	Std	--	--	--	--	--
	Max	--	--	--	--	--

Neuropsychological Tests		Status				All
		Normal	MCI	QCI	Dementia	
		194	70	53	118	435
Social judgment (Q66)	Min	5.00	4.00	4.00	0.00	0.00
	Mean	5.91	5.79	5.85	4.84	5.73
	Std	0.28	0.44	0.46	1.33	0.70
	Max	6.00	6.00	6.00	6.00	6.00
Insight: memory (Q67)	Min	0.00	0.00	0.00	0.00	0.00
	Mean	0.00	0.32	0.11	0.94	0.22
	Std	0.00	0.56	0.32	0.74	0.51
	Max	0.00	2.00	1.00	2.00	2.00
Insight: non-memory (Q93)	Min	0.00	0.00	0.00	0.00	0.00
	Mean	0.01	0.24	0.06	1.00	0.20
	Std	0.07	0.55	0.23	0.89	0.55
	Max	1.00	2.00	1.00	2.00	2.00
WAIS-III similarities raw score (Q68)	Min	15.00	12.00	15.00	1.00	1.00
	Mean	27.99	24.31	26.89	18.88	25.86
	Std	3.42	4.79	3.45	6.72	5.30
	Max	33.00	32.00	32.00	30.00	33.00

Neuropsychological Tests		Status				All
		Normal	MCI	QCI	Dementia	
		194	70	53	118	435
Kendrick digit copy: seconds to complete (Q69)	Min	35.00	42.00	40.00	49.00	35.00
	Mean	59.06	75.26	62.34	91.55	67.25
	Std	14.56	20.21	14.51	21.60	20.44
	Max	120.00	120.00	120.00	120.00	120.00
Kendrick digit copy: # completed in 2 minutes (Q70)	Min	65.00	57.00	91.00	40.00	40.00
	Mean	99.78	99.24	99.83	93.14	98.74
	Std	2.57	5.31	1.24	16.21	7.14
	Max	100.00	100.00	100.00	100.00	100.00