

History of Present Condition		Status					All
		.	Normal	MCI	QCI	Dementia	
		235	193	66	53	118	665
Subject reports a decline in memory (HPC Q1)							
	N	54	7	2	--	63	126
	%	22.97%	3.62%	3.03%	--	53.38%	18.94%
- No							
	N	77	131	14	16	9	247
	%	32.76%	67.87%	21.21%	30.18%	7.62%	37.14%
- Yes							
	N	104	55	50	37	46	292
	%	44.25%	28.49%	75.75%	69.81%	38.98%	43.90%
Information report a decline in subject's memory (HPC Q2)							
	N	54	7	2	--	63	126
	%	22.97%	3.62%	3.03%	--	53.38%	18.94%
- No							
	N	51	154	13	27	3	248
	%	21.70%	79.79%	19.69%	50.94%	2.54%	37.29%
- Yes							
	N	130	32	51	26	52	291
	%	55.31%	16.58%	77.27%	49.05%	44.06%	43.75%
At what age cognitive declined (HPC Q3)							
	Min	42.00	45.00	52.00	42.00	50.00	42.00
	Mean	70.41	67.33	73.04	67.18	71.83	70.16
	Std	11.14	9.84	7.22	9.32	9.12	10.09
	Max	92.00	91.00	88.00	88.00	94.00	94.00

History of Present Condition		Status					All
		.	Normal	MCI	QCI	Dementia	
		235	193	66	53	118	665
Cognitive symptoms of memory - current (HPC Q4a)							
	N	54	7	2	--	63	126
	%	22.97%	3.62%	3.03%	--	53.38%	18.94%
- No	N	30	130	8	17	--	185
	%	12.76%	67.35%	12.12%	32.07%	--	27.81%
- Yes	N	151	56	56	36	55	354
	%	64.25%	29.01%	84.84%	67.92%	46.61%	53.23%
Cognitive symptoms of memory - has been present (HPC Q4a)							
	N	54	7	2	--	63	126
	%	22.97%	3.62%	3.03%	--	53.38%	18.94%
- No	N	37	112	11	16	2	178
	%	15.74%	58.03%	16.66%	30.18%	1.69%	26.76%
- Yes	N	142	71	53	37	53	356
	%	60.42%	36.78%	80.30%	69.81%	44.91%	53.53%
- N/A	N	2	--	--	--	--	2
	%	0.85%	--	--	--	--	0.30%
- Unknown	N	--	3	--	--	--	3
	%	--	1.55%	--	--	--	0.45%

History of Present Condition		Status					All
		.	Normal	MCI	QCI	Dementia	
		235	193	66	53	118	665
Cognitive symptoms of memory - onset (HPC Q4a)							
-	N	80	117	8	13	63	281
	%	34.04%	60.62%	12.12%	24.52%	53.38%	42.25%
- Gradually	N	149	67	55	36	50	357
	%	63.40%	34.71%	83.33%	67.92%	42.37%	53.68%
- Suddenly	N	4	1	--	1	5	11
	%	1.70%	0.51%	--	1.88%	4.23%	1.65%
- Unclear	N	1	3	1	2	--	7
	%	0.42%	1.55%	1.51%	3.77%	--	1.05%
- Undetermined	N	1	5	2	1	--	9
	%	0.42%	2.59%	3.03%	1.88%	--	1.35%
Cognitive symptoms of memory - course (HPC Q4a)							
-	N	80	117	8	13	63	281
	%	34.04%	60.62%	12.12%	24.52%	53.38%	42.25%
- Gradually	N	99	28	43	19	44	233
	%	42.12%	14.50%	65.15%	35.84%	37.28%	35.03%
- Stepwise/fluctuating	N	8	--	2	1	1	12
	%	3.40%	--	3.03%	1.88%	0.84%	1.80%
- Improved	N	3	6	2	1	1	13
	%	1.27%	3.10%	3.03%	1.88%	0.84%	1.95%
- No change	N	44	41	10	18	9	122
	%	18.72%	21.24%	15.15%	33.96%	7.62%	18.34%
- Undetermined	N	1	1	1	1	--	4
	%	0.42%	0.51%	1.51%	1.88%	--	0.60%

History of Present Condition		Status					All	
		.	Normal	MCI	QCI	Dementia		
		235	193	66	53	118	665	
Cognitive symptoms of judgment - current (HPC Q4 b)								
	N	54	7	2	--	63	126	
	%	22.97%	3.62%	3.03%	--	53.38%	18.94%	
- No		N	79	178	29	40	3	329
		%	33.61%	92.22%	43.93%	75.47%	2.54%	49.47%
- Yes		N	102	8	35	13	51	209
		%	43.40%	4.14%	53.03%	24.52%	43.22%	31.42%
- Unknown		N	--	--	--	--	1	1
		%	--	--	--	--	0.84%	0.15%
Cognitive symptoms of judgment - has been present (HPC Q4b)								
	N	54	7	2	--	63	126	
	%	22.97%	3.62%	3.03%	--	53.38%	18.94%	
- No		N	96	173	28	34	13	344
		%	40.85%	89.63%	42.42%	64.15%	11.01%	51.72%
- Yes		N	83	11	34	19	42	189
		%	35.31%	5.69%	51.51%	35.84%	35.59%	28.42%
- N/A		N	2	1	--	--	--	3
		%	0.85%	0.51%	--	--	--	0.45%
- Unknown		N	--	1	2	--	--	3
		%	--	0.51%	3.03%	--	--	0.45%

History of Present Condition		Status				
		.	Normal	MCI	QCI	Dementia
		235	193	66	53	118
Cognitive symptoms of judgment - onset (HPC Q4b)						
-	N	127	178	24	32	65
	%	54.04%	92.22%	36.36%	60.37%	55.08%
- Gradually	N	101	11	38	16	50
	%	42.97%	5.69%	57.57%	30.18%	42.37%
- Suddenly	N	4	2	2	4	3
	%	1.70%	1.03%	3.03%	7.54%	2.54%
- Unclear	N	2	2	2	--	--
	%	0.85%	1.03%	3.03%	--	--
- Undetermined	N	1	--	--	1	--
	%	0.42%	--	--	1.88%	--
Cognitive symptoms of judgment - course (HPC Q4b)						
-	N	127	178	24	32	65
	%	54.04%	92.22%	36.36%	60.37%	55.08%
- Gradually	N	78	3	15	8	37
	%	33.19%	1.55%	22.72%	15.09%	31.35%
- Stepwise/fluctuating	N	6	--	--	--	1
	%	2.55%	--	--	--	0.84%
- Improved	N	2	2	1	2	--
	%	0.85%	1.03%	1.51%	3.77%	--
- No change	N	22	10	24	7	13
	%	9.36%	5.18%	36.36%	13.20%	11.01%
- Undetermined	N	--	--	2	4	2
	%	--	--	3.03%	7.54%	1.69%

History of Present Condition		All
		665
Cognitive symptoms of judgment - onset (HPC Q4b)		
-	N	426
	%	64.06%
- Gradually	N	216
	%	32.48%
- Suddenly	N	15
	%	2.25%
- Unclear	N	6
	%	0.90%
- Undetermined	N	2
	%	0.30%
Cognitive symptoms of judgment - course (HPC Q4b)		
-	N	426
	%	64.06%
- Gradually	N	141
	%	21.20%
- Stepwise/fluctuating	N	7
	%	1.05%
- Improved	N	7
	%	1.05%
- No change	N	76
	%	11.42%
- Undetermined	N	8
	%	1.20%

History of Present Condition		Status					All	
		.	Normal	MCI	QCI	Dementia		
		235	193	66	53	118	665	
Cognitive symptoms of language - current (HPC Q4 c)								
	N	54	7	2	--	63	126	
	%	22.97%	3.62%	3.03%	--	53.38%	18.94%	
- No		N	66	135	26	28	14	269
		%	28.08%	69.94%	39.39%	52.83%	11.86%	40.45%
- Yes		N	115	50	38	25	41	269
		%	48.93%	25.90%	57.57%	47.16%	34.74%	40.45%
- Unknown		N	--	1	--	--	--	1
		%	--	0.51%	--	--	--	0.15%
Cognitive symptoms of language - has been present (HPC Q4c)								
	N	54	7	2	--	63	126	
	%	22.97%	3.62%	3.03%	--	53.38%	18.94%	
- No		N	77	131	25	19	13	265
		%	32.76%	67.87%	37.87%	35.84%	11.01%	39.84%
- Yes		N	102	54	38	34	41	269
		%	43.40%	27.97%	57.57%	64.15%	34.74%	40.45%
- N/A		N	2	--	--	--	1	3
		%	0.85%	--	--	--	0.84%	0.45%
- Unknown		N	--	1	1	--	--	2
		%	--	0.51%	1.51%	--	--	0.30%

History of Present Condition		Status				
		.	Normal	MCI	QCI	Dementia
		235	193	66	53	118
Cognitive symptoms of language - onset (HPC Q4c)						
-	N	111	131	23	19	71
	%	47.23%	67.87%	34.84%	35.84%	60.16%
- Gradually	N	117	55	40	33	43
	%	49.78%	28.49%	60.60%	62.26%	36.44%
- Suddenly	N	5	2	3	--	3
	%	2.12%	1.03%	4.54%	--	2.54%
- Unclear	N	2	2	--	--	--
	%	0.85%	1.03%	--	--	--
- Undetermined	N	--	3	--	1	1
	%	--	1.55%	--	1.88%	0.84%
Cognitive symptoms of language - course (HPC Q4c)						
-	N	111	131	23	19	71
	%	47.23%	67.87%	34.84%	35.84%	60.16%
- Gradually	N	73	27	19	10	27
	%	31.06%	13.98%	28.78%	18.86%	22.88%
- Stepwise/fluctuating	N	1	--	2	--	1
	%	0.42%	--	3.03%	--	0.84%
- Improved	N	7	5	1	1	1
	%	2.97%	2.59%	1.51%	1.88%	0.84%
- No change	N	43	29	20	22	17
	%	18.29%	15.02%	30.30%	41.50%	14.40%
- Undetermined	N	--	1	1	1	1
	%	--	0.51%	1.51%	1.88%	0.84%

History of Present Condition		All
		665
Cognitive symptoms of language - onset (HPC Q4c)		
-	N	355
	%	53.38%
- Gradually	N	288
	%	43.30%
- Suddenly	N	13
	%	1.95%
- Unclear	N	4
	%	0.60%
- Undetermined	N	5
	%	0.75%
Cognitive symptoms of language - course (HPC Q4c)		
-	N	355
	%	53.38%
- Gradually	N	156
	%	23.45%
- Stepwise/fluctuating	N	4
	%	0.60%
- Improved	N	15
	%	2.25%
- No change	N	131
	%	19.69%
- Undetermined	N	4
	%	0.60%

History of Present Condition		Status					All
		.	Normal	MCI	QCI	Dementia	
		235	193	66	53	118	665
Cognitive symptoms of visuospatial - current (HPC Q4d)							
	N	54	7	2	--	63	126
	%	22.97%	3.62%	3.03%	--	53.38%	18.94%
- No							
	N	142	182	54	49	45	472
	%	60.42%	94.30%	81.81%	92.45%	38.13%	70.97%
- Yes							
	N	37	4	8	4	10	63
	%	15.74%	2.07%	12.12%	7.54%	8.47%	9.47%
- Unknown							
	N	2	--	2	--	--	4
	%	0.85%	--	3.03%	--	--	0.60%
Cognitive symptoms of visuospatial - has been present (HPC Q4d)							
	N	54	7	2	--	63	126
	%	22.97%	3.62%	3.03%	--	53.38%	18.94%
- No							
	N	146	181	52	49	39	467
	%	62.12%	93.78%	78.78%	92.45%	33.05%	70.22%
- Yes							
	N	32	4	11	4	15	66
	%	13.61%	2.07%	16.66%	7.54%	12.71%	9.92%
- N/A							
	N	3	1	--	--	1	5
	%	1.27%	0.51%	--	--	0.84%	0.75%
- Unknown							
	N	--	--	1	--	--	1
	%	--	--	1.51%	--	--	0.15%

History of Present Condition		Status					All
		.	Normal	MCI	QCI	Dementia	
		235	193	66	53	118	665
Cognitive symptoms of visuospatial - onset (HPC Q4 d)							
-	N	192	187	53	49	102	583
	%	81.70%	96.89%	80.30%	92.45%	86.44%	87.66%
- Gradually	N	38	3	10	3	13	67
	%	16.17%	1.55%	15.15%	5.66%	11.01%	10.07%
- Suddenly	N	2	2	2	1	2	9
	%	0.85%	1.03%	3.03%	1.88%	1.69%	1.35%
- Unclear	N	1	--	1	--	1	3
	%	0.42%	--	1.51%	--	0.84%	0.45%
- Undetermined	N	2	1	--	--	--	3
	%	0.85%	0.51%	--	--	--	0.45%
Cognitive symptoms of visuospatial - course (HPC Q4d)							
-	N	192	187	53	49	102	583
	%	81.70%	96.89%	80.30%	92.45%	86.44%	87.66%
- Gradually	N	22	2	5	2	4	35
	%	9.36%	1.03%	7.57%	3.77%	3.38%	5.26%
- Stepwise/fluctuating	N	4	--	1	--	1	6
	%	1.70%	--	1.51%	--	0.84%	0.90%
- Improved	N	2	--	1	--	1	4
	%	0.85%	--	1.51%	--	0.84%	0.60%
- No change	N	11	3	3	2	8	27
	%	4.68%	1.55%	4.54%	3.77%	6.77%	4.06%
- Undetermined	N	4	1	3	--	2	10
	%	1.70%	0.51%	4.54%	--	1.69%	1.50%

History of Present Condition		Status					All	
		.	Normal	MCI	QCI	Dementia		
		235	193	66	53	118	665	
Cognitive symptoms of getting lost - current (HPC Q 4e)								
	N	54	7	2	--	63	126	
	%	22.97%	3.62%	3.03%	--	53.38%	18.94%	
- No		N	142	183	49	51	26	451
		%	60.42%	94.81%	74.24%	96.22%	22.03%	67.81%
- Yes		N	35	3	13	2	26	79
		%	14.89%	1.55%	19.69%	3.77%	22.03%	11.87%
- Unknown		N	4	--	2	--	3	9
		%	1.70%	--	3.03%	--	2.54%	1.35%
Cognitive symptoms of getting lost - has been present (HPC Q4e)								
	N	54	7	2	--	63	126	
	%	22.97%	3.62%	3.03%	--	53.38%	18.94%	
- No		N	137	180	47	47	20	431
		%	58.29%	93.26%	71.21%	88.67%	16.94%	64.81%
- Yes		N	41	5	16	6	35	103
		%	17.44%	2.59%	24.24%	11.32%	29.66%	15.48%
- N/A		N	2	1	--	--	--	3
		%	0.85%	0.51%	--	--	--	0.45%
- Unknown		N	1	--	1	--	--	2
		%	0.42%	--	1.51%	--	--	0.30%

History of Present Condition		Status					All
		.	Normal	MCI	QCI	Dementia	
		235	193	66	53	118	665
Cognitive symptoms of getting lost - onset (HPC Q4 e)							
-	N	186	188	50	46	79	549
	%	79.14%	97.40%	75.75%	86.79%	66.94%	82.55%
- Gradually	N	44	4	14	5	31	98
	%	18.72%	2.07%	21.21%	9.43%	26.27%	14.73%
- Suddenly	N	3	--	--	--	3	6
	%	1.27%	--	--	--	2.54%	0.90%
- Unclear	N	1	1	2	1	2	7
	%	0.42%	0.51%	3.03%	1.88%	1.69%	1.05%
- Undetermined	N	1	--	--	1	3	5
	%	0.42%	--	--	1.88%	2.54%	0.75%
Cognitive symptoms of getting lost - course (HPC Q4e)							
-	N	186	188	50	46	79	549
	%	79.14%	97.40%	75.75%	86.79%	66.94%	82.55%
- Gradually	N	25	2	8	1	17	53
	%	10.63%	1.03%	12.12%	1.88%	14.40%	7.96%
- Stepwise/fluctuating	N	3	--	1	--	--	4
	%	1.27%	--	1.51%	--	--	0.60%
- Improved	N	4	--	1	3	--	8
	%	1.70%	--	1.51%	5.66%	--	1.20%
- No change	N	15	3	5	2	20	45
	%	6.38%	1.55%	7.57%	3.77%	16.94%	6.76%
- Undetermined	N	2	--	1	1	2	6
	%	0.85%	--	1.51%	1.88%	1.69%	0.90%

History of Present Condition		Status					All
		.	Normal	MCI	QCI	Dementia	
		235	193	66	53	118	665
Cognitive symptoms of attention - current (HPC Q4f)							
-	N	54	7	2	--	63	126
	%	22.97%	3.62%	3.03%	--	53.38%	18.94%
- No	N	96	168	41	42	19	366
	%	40.85%	87.04%	62.12%	79.24%	16.10%	55.03%
- Yes	N	83	18	23	11	36	171
	%	35.31%	9.32%	34.84%	20.75%	30.50%	25.71%
- Unknown	N	2	--	--	--	--	2
	%	0.85%	--	--	--	--	0.30%
Cognitive symptoms of attention - has been present (HPC Q4f)							
-	N	54	7	2	--	63	126
	%	22.97%	3.62%	3.03%	--	53.38%	18.94%
- No	N	102	163	42	38	22	367
	%	43.40%	84.45%	63.63%	71.69%	18.64%	55.18%
- Yes	N	75	22	22	15	33	167
	%	31.91%	11.39%	33.33%	28.30%	27.96%	25.11%
- N/A	N	2	--	--	--	--	2
	%	0.85%	--	--	--	--	0.30%
- Unknown	N	2	1	--	--	--	3
	%	0.85%	0.51%	--	--	--	0.45%

History of Present Condition		Status					All
		.	Normal	MCI	QCI	Dementia	
		235	193	66	53	118	665
Cognitive symptoms of attention - onset (HPC Q4f)							
	N	138	163	36	35	76	448
	%	58.72%	84.45%	54.54%	66.03%	64.40%	67.36%
- Gradually	N	90	22	26	16	39	193
	%	38.29%	11.39%	39.39%	30.18%	33.05%	29.02%
- Suddenly	N	3	3	3	1	2	12
	%	1.27%	1.55%	4.54%	1.88%	1.69%	1.80%
- Unclear	N	2	3	--	--	--	5
	%	0.85%	1.55%	--	--	--	0.75%
- Undetermined	N	2	2	1	1	1	7
	%	0.85%	1.03%	1.51%	1.88%	0.84%	1.05%
Cognitive symptoms of attention - course (HPC Q4f)							
	N	138	163	36	35	76	448
	%	58.72%	84.45%	54.54%	66.03%	64.40%	67.36%
- Gradually	N	63	9	13	8	25	118
	%	26.80%	4.66%	19.69%	15.09%	21.18%	17.74%
- Stepwise/fluctuating	N	3	--	1	1	--	5
	%	1.27%	--	1.51%	1.88%	--	0.75%
- Improved	N	6	1	2	1	--	10
	%	2.55%	0.51%	3.03%	1.88%	--	1.50%
- No change	N	21	20	13	7	17	78
	%	8.93%	10.36%	19.69%	13.20%	14.40%	11.72%
- Undetermined	N	4	--	1	1	--	6
	%	1.70%	--	1.51%	1.88%	--	0.90%

History of Present Condition		Status					All	
		.	Normal	MCI	QCI	Dementia		
		235	193	66	53	118	665	
Cognitive symptoms of fluctuating - current (HPC Q4g)								
	N	54	7	2	--	63	126	
	%	22.97%	3.62%	3.03%	--	53.38%	18.94%	
- No		N	155	183	62	52	53	505
		%	65.95%	94.81%	93.93%	98.11%	44.91%	75.93%
- Yes		N	25	3	2	1	2	33
		%	10.63%	1.55%	3.03%	1.88%	1.69%	4.96%
- Unknown		N	1	--	--	--	--	1
		%	0.42%	--	--	--	--	0.15%
Cognitive symptoms of fluctuating - has been present (HPC Q4g)								
	N	54	7	2	--	63	126	
	%	22.97%	3.62%	3.03%	--	53.38%	18.94%	
- No		N	156	185	58	51	45	495
		%	66.38%	95.85%	87.87%	96.22%	38.13%	74.43%
- Yes		N	18	--	5	2	9	34
		%	7.65%	--	7.57%	3.77%	7.62%	5.11%
- N/A		N	2	1	--	--	1	4
		%	0.85%	0.51%	--	--	0.84%	0.60%
- Unknown		N	5	--	1	--	--	6
		%	2.12%	--	1.51%	--	--	0.90%

History of Present Condition		Status					All
		.	Normal	MCI	QCI	Dementia	
		235	193	66	53	118	665
Cognitive symptoms of fluctuating - onset (HPC Q4g)							
-	N	207	190	61	50	108	616
	%	88.08%	98.44%	92.42%	94.33%	91.52%	92.63%
- Gradually	N	16	3	2	1	4	26
	%	6.80%	1.55%	3.03%	1.88%	3.38%	3.90%
- Suddenly	N	3	--	--	--	2	5
	%	1.27%	--	--	--	1.69%	0.75%
- Unclear	N	3	--	2	--	1	6
	%	1.27%	--	3.03%	--	0.84%	0.90%
- Undetermined	N	6	--	1	2	3	12
	%	2.55%	--	1.51%	3.77%	2.54%	1.80%
Cognitive symptoms of fluctuating - course (HPC Q4 g)							
-	N	207	190	61	50	108	616
	%	88.08%	98.44%	92.42%	94.33%	91.52%	92.63%
- Gradually	N	11	3	--	1	2	17
	%	4.68%	1.55%	--	1.88%	1.69%	2.55%
- Stepwise/fluctuating	N	6	--	1	1	1	9
	%	2.55%	--	1.51%	1.88%	0.84%	1.35%
- Improved	N	3	--	1	1	2	7
	%	1.27%	--	1.51%	1.88%	1.69%	1.05%
- No change	N	6	--	2	--	3	11
	%	2.55%	--	3.03%	--	2.54%	1.65%
- Undetermined	N	2	--	1	--	2	5
	%	0.85%	--	1.51%	--	1.69%	0.75%

History of Present Condition		Status					All	
		.	Normal	MCI	QCI	Dementia		
		235	193	66	53	118	665	
Cognitive symptoms of disorientation - current (HPC Q4h)								
	N	54	7	2	--	63	126	
	%	22.97%	3.62%	3.03%	--	53.38%	18.94%	
- No		N	90	184	54	51	11	390
		%	38.29%	95.33%	81.81%	96.22%	9.32%	58.64%
- Yes		N	91	2	10	2	44	149
		%	38.72%	1.03%	15.15%	3.77%	37.28%	22.40%
Cognitive symptoms of disorientation - has been present (HPC Q4h)								
	N	54	7	2	--	63	126	
	%	22.97%	3.62%	3.03%	--	53.38%	18.94%	
- No		N	103	183	53	49	17	405
		%	43.82%	94.81%	80.30%	92.45%	14.40%	60.90%
- Yes		N	75	2	11	4	36	128
		%	31.91%	1.03%	16.66%	7.54%	30.50%	19.24%
- N/A		N	3	1	--	--	--	4
		%	1.27%	0.51%	--	--	--	0.60%
- Unknown		N	--	--	--	--	2	2
		%	--	--	--	--	1.69%	0.30%

History of Present Condition		Status					All
		.	Normal	MCI	QCI	Dementia	
		235	193	66	53	118	665
Cognitive symptoms of disorientation - onset (HPC Q4h)							
-	N	136	190	53	49	71	499
	%	57.87%	98.44%	80.30%	92.45%	60.16%	75.03%
- Gradually	N	90	1	11	1	37	140
	%	38.29%	0.51%	16.66%	1.88%	31.35%	21.05%
- Suddenly	N	5	1	2	1	6	15
	%	2.12%	0.51%	3.03%	1.88%	5.08%	2.25%
- Unclear	N	3	1	--	2	2	8
	%	1.27%	0.51%	--	3.77%	1.69%	1.20%
- Undetermined	N	1	--	--	--	2	3
	%	0.42%	--	--	--	1.69%	0.45%
Cognitive symptoms of disorientation - course (HPC Q4h)							
-	N	136	190	53	49	71	499
	%	57.87%	98.44%	80.30%	92.45%	60.16%	75.03%
- Gradually	N	58	--	6	1	30	95
	%	24.68%	--	9.09%	1.88%	25.42%	14.28%
- Stepwise/fluctuating	N	3	--	--	--	2	5
	%	1.27%	--	--	--	1.69%	0.75%
- Improved	N	2	--	2	1	--	5
	%	0.85%	--	3.03%	1.88%	--	0.75%
- No change	N	34	2	5	1	15	57
	%	14.46%	1.03%	7.57%	1.88%	12.71%	8.57%
- Undetermined	N	2	1	--	1	--	4
	%	0.85%	0.51%	--	1.88%	--	0.60%

History of Present Condition		Status					All
		.	Normal	MCI	QCI	Dementia	
		235	193	66	53	118	665
Cognitive symptoms of other - current (HPC Q4i)							
	N	54	7	2	--	63	126
	%	22.97%	3.62%	3.03%	--	53.38%	18.94%
- No	N	177	185	63	53	53	531
	%	75.31%	95.85%	95.45%	100.00%	44.91%	79.84%
- Yes	N	4	1	1	--	1	7
	%	1.70%	0.51%	1.51%	--	0.84%	1.05%
- Unknown	N	--	--	--	--	1	1
	%	--	--	--	--	0.84%	0.15%
Cognitive symptoms of other - has been present (HPC Q4i)							
	N	54	7	2	--	63	126
	%	22.97%	3.62%	3.03%	--	53.38%	18.94%
- No	N	175	185	64	52	53	529
	%	74.46%	95.85%	96.96%	98.11%	44.91%	79.54%
- Yes	N	4	--	--	1	1	6
	%	1.70%	--	--	1.88%	0.84%	0.90%
- N/A	N	2	1	--	--	1	4
	%	0.85%	0.51%	--	--	0.84%	0.60%

History of Present Condition		Status					All
		.	Normal	MCI	QCI	Dementia	
		235	193	66	53	118	665
Cognitive symptoms of other - onset (HPC Q4i)							
	N	231	192	65	52	117	657
	%	98.29%	99.48%	98.48%	98.11%	99.15%	98.79%
- Gradually	N	4	1	1	1	1	8
	%	1.70%	0.51%	1.51%	1.88%	0.84%	1.20%
Cognitive symptoms of other - course (HPC Q4i)							
	N	231	192	65	52	117	657
	%	98.29%	99.48%	98.48%	98.11%	99.15%	98.79%
- Gradually	N	1	1	1	--	1	4
	%	0.42%	0.51%	1.51%	--	0.84%	0.60%
- No change	N	2	--	--	--	--	2
	%	0.85%	--	--	--	--	0.30%
- Undetermined	N	1	--	--	1	--	2
	%	0.42%	--	--	1.88%	--	0.30%

History of Present Condition		Status					All
		.	Normal	MCI	QCI	Dementia	
		235	193	66	53	118	665
First recognized symptom as a decline in cognition (HPCQ5)							
-	N	54	7	2	--	63	126
	%	22.97%	3.62%	3.03%	--	53.38%	18.94%
- Memory	N	124	52	38	30	45	289
	%	52.76%	26.94%	57.57%	56.60%	38.13%	43.45%
- Judgement and problem solving	N	4	1	5	3	3	16
	%	1.70%	0.51%	7.57%	5.66%	2.54%	2.40%
- Language	N	24	28	11	6	3	72
	%	10.21%	14.50%	16.66%	11.32%	2.54%	10.82%
- Visuospatial function	N	3	1	1	--	1	6
	%	1.27%	0.51%	1.51%	--	0.84%	0.90%
- Attention and concentration	N	3	8	2	2	2	17
	%	1.27%	4.14%	3.03%	3.77%	1.69%	2.55%
- Other	N	--	1	--	--	1	2
	%	--	0.51%	--	--	0.84%	0.30%
- Fluctuating cognition	N	--	--	1	--	--	1
	%	--	--	1.51%	--	--	0.15%
- N/A	N	22	93	5	11	--	131
	%	9.36%	48.18%	7.57%	20.75%	--	19.69%
- Unknown	N	1	2	1	1	--	5
	%	0.42%	1.03%	1.51%	1.88%	--	0.75%
Mode of onset of cognitive symptoms (HPC Q6)							
-	N	54	7	2	--	63	126
	%	22.97%	3.62%	3.03%	--	53.38%	18.94%
- Gradual (> 6 months)	N	153	78	57	38	53	379
	%	65.10%	40.41%	86.36%	71.69%	44.91%	56.99%
- Subacute (=< 6 months)	N	1	6	1	2	2	12
	%	0.42%	3.10%	1.51%	3.77%	1.69%	1.80%
- Abrupt (within days)	N	4	2	--	--	--	6
	%	1.70%	1.03%	--	--	--	0.90%
- N/A	N	22	93	5	12	--	132

(Continued)

Note: When multiple observations are taken for a patient, only latest visit is accounted for in summary.

History of Present Condition		Status					All
		.	Normal	MCI	QCI	Dementia	
Mode of onset of cognitive symptoms (HPC Q6)							
- N/A	%	9.36%	48.18%	7.57%	22.64%	--	19.84%
- Unknown	N	1	7	1	1	--	10
	%	0.42%	3.62%	1.51%	1.88%	--	1.50%

History of Present Condition		Status					All
		.	Normal	MCI	QCI	Dementia	
		235	193	66	53	118	665
Behavior symptoms of apathy - current (HPC Q7a)							
	N	54	7	2	--	63	126
	%	22.97%	3.62%	3.03%	--	53.38%	18.94%
- No	N	118	177	54	43	24	416
	%	50.21%	91.70%	81.81%	81.13%	20.33%	62.55%
- Yes	N	62	9	10	10	31	122
	%	26.38%	4.66%	15.15%	18.86%	26.27%	18.34%
- Unknown	N	1	--	--	--	--	1
	%	0.42%	--	--	--	--	0.15%
Behavior symptoms of apathy - has been present (HPC Q7a)							
	N	54	7	2	--	63	126
	%	22.97%	3.62%	3.03%	--	53.38%	18.94%
- No	N	114	177	42	45	18	396
	%	48.51%	91.70%	63.63%	84.90%	15.25%	59.54%
- Yes	N	64	8	22	8	35	137
	%	27.23%	4.14%	33.33%	15.09%	29.66%	20.60%
- N/A	N	3	1	--	--	1	5
	%	1.27%	0.51%	--	--	0.84%	0.75%
- Unknown	N	--	--	--	--	1	1
	%	--	--	--	--	0.84%	0.15%

History of Present Condition		Status					All
		.	Normal	MCI	QCI	Dementia	
		235	193	66	53	118	665
Behavior symptoms of apathy - onset (HPC Q7a)							
	N	159	183	44	41	79	506
	%	67.65%	94.81%	66.66%	77.35%	66.94%	76.09%
- Gradually	N	73	9	19	9	35	145
	%	31.06%	4.66%	28.78%	16.98%	29.66%	21.80%
- Suddenly	N	1	1	2	1	3	8
	%	0.42%	0.51%	3.03%	1.88%	2.54%	1.20%
- Unclear	N	--	--	--	2	--	2
	%	--	--	--	3.77%	--	0.30%
- Undetermined	N	2	--	1	--	1	4
	%	0.85%	--	1.51%	--	0.84%	0.60%
Behavior symptoms of apathy - course (HPC Q7a)							
	N	159	183	44	41	79	506
	%	67.65%	94.81%	66.66%	77.35%	66.94%	76.09%
- Gradually	N	48	1	7	8	22	86
	%	20.42%	0.51%	10.60%	15.09%	18.64%	12.93%
- Stepwise/fluctuating	N	2	--	--	--	--	2
	%	0.85%	--	--	--	--	0.30%
- Improved	N	6	2	1	1	2	12
	%	2.55%	1.03%	1.51%	1.88%	1.69%	1.80%
- No change	N	19	7	11	1	14	52
	%	8.08%	3.62%	16.66%	1.88%	11.86%	7.81%
- Undetermined	N	1	--	3	2	1	7
	%	0.42%	--	4.54%	3.77%	0.84%	1.05%

History of Present Condition		Status					All	
		.	Normal	MCI	QCI	Dementia		
		235	193	66	53	118	665	
Behavior symptoms of depression - current (HPC Q 7b)								
	N	54	7	2	--	63	126	
	%	22.97%	3.62%	3.03%	--	53.38%	18.94%	
- No		N	119	167	44	42	37	409
		%	50.63%	86.52%	66.66%	79.24%	31.35%	61.50%
- Yes		N	60	19	20	11	18	128
		%	25.53%	9.84%	30.30%	20.75%	15.25%	19.24%
- Unknown		N	2	--	--	--	--	2
		%	0.85%	--	--	--	--	0.30%
Behavior symptoms of depression - has been present (HPC Q7b)								
	N	54	7	2	--	63	126	
	%	22.97%	3.62%	3.03%	--	53.38%	18.94%	
- No		N	91	154	39	44	23	351
		%	38.72%	79.79%	59.09%	83.01%	19.49%	52.78%
- Yes		N	86	30	24	9	31	180
		%	36.59%	15.54%	36.36%	16.98%	26.27%	27.06%
- N/A		N	2	1	--	--	1	4
		%	0.85%	0.51%	--	--	0.84%	0.60%
- Unknown		N	2	1	1	--	--	4
		%	0.85%	0.51%	1.51%	--	--	0.60%

History of Present Condition		Status					All
		.	Normal	MCI	QCI	Dementia	
		235	193	66	53	118	665
Behavior symptoms of depression - onset (HPC Q7b)							
-	N	141	163	38	38	86	466
	%	60.00%	84.45%	57.57%	71.69%	72.88%	70.07%
- Gradually	N	78	23	20	12	25	158
	%	33.19%	11.91%	30.30%	22.64%	21.18%	23.75%
- Suddenly	N	5	4	3	1	3	16
	%	2.12%	2.07%	4.54%	1.88%	2.54%	2.40%
- Unclear	N	7	--	2	--	2	11
	%	2.97%	--	3.03%	--	1.69%	1.65%
- Undetermined	N	4	3	3	2	2	14
	%	1.70%	1.55%	4.54%	3.77%	1.69%	2.10%
Behavior symptoms of depression - course (HPC Q7 b)							
-	N	141	163	38	38	86	466
	%	60.00%	84.45%	57.57%	71.69%	72.88%	70.07%
- Gradually	N	27	5	9	2	9	52
	%	11.48%	2.59%	13.63%	3.77%	7.62%	7.81%
- Stepwise/fluctuating	N	6	1	2	1	1	11
	%	2.55%	0.51%	3.03%	1.88%	0.84%	1.65%
- Improved	N	27	13	5	6	9	60
	%	11.48%	6.73%	7.57%	11.32%	7.62%	9.02%
- No change	N	29	11	9	4	12	65
	%	12.34%	5.69%	13.63%	7.54%	10.16%	9.77%
- Undetermined	N	5	--	3	2	1	11
	%	2.12%	--	4.54%	3.77%	0.84%	1.65%

History of Present Condition		Status					All
		.	Normal	MCI	QCI	Dementia	
		235	193	66	53	118	665
Behavior symptoms of visual hallucination - current (HPC Q7c1)							
-	N	54	7	2	--	63	126
	%	22.97%	3.62%	3.03%	--	53.38%	18.94%
- No	N	173	186	63	53	50	525
	%	73.61%	96.37%	95.45%	100.00%	42.37%	78.94%
- Yes	N	8	--	1	--	5	14
	%	3.40%	--	1.51%	--	4.23%	2.10%
Behavior symptoms of visual hallucination - has been present (HPC Q7c1)							
-	N	54	7	2	--	63	126
	%	22.97%	3.62%	3.03%	--	53.38%	18.94%
- No	N	165	185	61	52	48	511
	%	70.21%	95.85%	92.42%	98.11%	40.67%	76.84%
- Yes	N	13	--	3	1	6	23
	%	5.53%	--	4.54%	1.88%	5.08%	3.45%
- N/A	N	3	1	--	--	1	5
	%	1.27%	0.51%	--	--	0.84%	0.75%

History of Present Condition		Status					All
		.	Normal	MCI	QCI	Dementia	
		235	193	66	53	118	665
Behavior symptoms of visual hallucination - onset (HPC Q7c1)							
	N	222	193	62	52	109	638
	%	94.46%	100.00%	93.93%	98.11%	92.37%	95.93%
- Gradually	N	9	--	--	--	5	14
	%	3.82%	--	--	--	4.23%	2.10%
- Suddenly	N	3	--	3	1	3	10
	%	1.27%	--	4.54%	1.88%	2.54%	1.50%
- Unclear	N	1	--	--	--	1	2
	%	0.42%	--	--	--	0.84%	0.30%
- Undetermined	N	--	--	1	--	--	1
	%	--	--	1.51%	--	--	0.15%
Behavior symptoms of visual hallucination - course (HPC Q7c1)							
	N	222	193	62	52	109	638
	%	94.46%	100.00%	93.93%	98.11%	92.37%	95.93%
- Gradually	N	4	--	1	--	2	7
	%	1.70%	--	1.51%	--	1.69%	1.05%
- Stepwise/fluctuating	N	1	--	1	--	--	2
	%	0.42%	--	1.51%	--	--	0.30%
- Improved	N	2	--	--	1	3	6
	%	0.85%	--	--	1.88%	2.54%	0.90%
- No change	N	5	--	2	--	3	10
	%	2.12%	--	3.03%	--	2.54%	1.50%
- Undetermined	N	1	--	--	--	1	2
	%	0.42%	--	--	--	0.84%	0.30%

History of Present Condition		Status					All
		.	Normal	MCI	QCI	Dementia	
		235	193	66	53	118	665
Behavior symptoms of auditory hallucination - current (HPC Q7c2)							
	N	54	7	2	--	63	126
	%	22.97%	3.62%	3.03%	--	53.38%	18.94%
- No	N	179	186	64	52	52	533
	%	76.17%	96.37%	96.96%	98.11%	44.06%	80.15%
- Yes	N	2	--	--	1	3	6
	%	0.85%	--	--	1.88%	2.54%	0.90%
Behavior symptoms of auditory hallucination - has been present (HPC Q7c2)							
	N	54	7	2	--	63	126
	%	22.97%	3.62%	3.03%	--	53.38%	18.94%
- No	N	176	185	62	53	51	527
	%	74.89%	95.85%	93.93%	100.00%	43.22%	79.24%
- Yes	N	2	--	2	--	3	7
	%	0.85%	--	3.03%	--	2.54%	1.05%
- N/A	N	3	1	--	--	1	5
	%	1.27%	0.51%	--	--	0.84%	0.75%

History of Present Condition		Status					All
		.	Normal	MCI	QCI	Dementia	
		235	193	66	53	118	665
Behavior symptoms of auditory hallucination - onset (HPC Q7c2)							
	N	233	193	64	52	113	655
	%	99.14%	100.00%	96.96%	98.11%	95.76%	98.49%
- Gradually	N	2	--	1	--	2	5
	%	0.85%	--	1.51%	--	1.69%	0.75%
- Suddenly	N	--	--	1	1	2	4
	%	--	--	1.51%	1.88%	1.69%	0.60%
- Unclear	N	--	--	--	--	1	1
	%	--	--	--	--	0.84%	0.15%
Behavior symptoms of auditory hallucination - course (HPC Q7c2)							
	N	233	193	64	52	113	655
	%	99.14%	100.00%	96.96%	98.11%	95.76%	98.49%
- Gradually	N	1	--	--	--	1	2
	%	0.42%	--	--	--	0.84%	0.30%
- Improved	N	--	--	1	--	--	1
	%	--	--	1.51%	--	--	0.15%
- No change	N	1	--	--	1	4	6
	%	0.42%	--	--	1.88%	3.38%	0.90%
- Undetermined	N	--	--	1	--	--	1
	%	--	--	1.51%	--	--	0.15%

History of Present Condition		Status					All
		.	Normal	MCI	QCI	Dementia	
		235	193	66	53	118	665
Behavior symptoms of delusional beliefs - current (HPC Q7c3)							
-	N	54	7	2	--	63	126
	%	22.97%	3.62%	3.03%	--	53.38%	18.94%
- No	N	161	184	64	52	45	506
	%	68.51%	95.33%	96.96%	98.11%	38.13%	76.09%
- Yes	N	19	2	--	1	10	32
	%	8.08%	1.03%	--	1.88%	8.47%	4.81%
- Unknown	N	1	--	--	--	--	1
	%	0.42%	--	--	--	--	0.15%
Behavior symptoms of delusional beliefs - has been present (HPC Q7c3)							
-	N	54	7	2	--	63	126
	%	22.97%	3.62%	3.03%	--	53.38%	18.94%
- No	N	160	183	62	51	38	494
	%	68.08%	94.81%	93.93%	96.22%	32.20%	74.28%
- Yes	N	18	2	2	2	16	40
	%	7.65%	1.03%	3.03%	3.77%	13.55%	6.01%
- N/A	N	3	1	--	--	1	5
	%	1.27%	0.51%	--	--	0.84%	0.75%

History of Present Condition		Status					All
		.	Normal	MCI	QCI	Dementia	
		235	193	66	53	118	665
Behavior symptoms of delusional beliefs - onset (HP C Q7c3)							
-	N	212	190	64	51	101	618
	%	90.21%	98.44%	96.96%	96.22%	85.59%	92.93%
- Gradually	N	19	2	1	1	10	33
	%	8.08%	1.03%	1.51%	1.88%	8.47%	4.96%
- Suddenly	N	1	1	1	1	7	11
	%	0.42%	0.51%	1.51%	1.88%	5.93%	1.65%
- Unclear	N	2	--	--	--	--	2
	%	0.85%	--	--	--	--	0.30%
- Undetermined	N	1	--	--	--	--	1
	%	0.42%	--	--	--	--	0.15%
Behavior symptoms of delusional beliefs - course (H PC Q7c3)							
-	N	212	190	64	51	101	618
	%	90.21%	98.44%	96.96%	96.22%	85.59%	92.93%
- Gradually	N	9	--	--	1	6	16
	%	3.82%	--	--	1.88%	5.08%	2.40%
- Stepwise/fluctuating	N	--	--	--	--	1	1
	%	--	--	--	--	0.84%	0.15%
- Improved	N	5	1	1	--	4	11
	%	2.12%	0.51%	1.51%	--	3.38%	1.65%
- No change	N	8	2	1	--	6	17
	%	3.40%	1.03%	1.51%	--	5.08%	2.55%
- Undetermined	N	1	--	--	1	--	2
	%	0.42%	--	--	1.88%	--	0.30%

History of Present Condition		Status					All	
		.	Normal	MCI	QCI	Dementia		
		235	193	66	53	118	665	
Behavior symptoms of disinhibition - current (HPC Q7d)								
	N	54	7	2	--	63	126	
	%	22.97%	3.62%	3.03%	--	53.38%	18.94%	
- No		N	147	184	60	51	39	481
		%	62.55%	95.33%	90.90%	96.22%	33.05%	72.33%
- Yes		N	33	2	4	1	16	56
		%	14.04%	1.03%	6.06%	1.88%	13.55%	8.42%
- Unknown		N	1	--	--	1	--	2
		%	0.42%	--	--	1.88%	--	0.30%
Behavior symptoms of disinhibition - has been present (HPC Q7d)								
	N	54	7	2	--	63	126	
	%	22.97%	3.62%	3.03%	--	53.38%	18.94%	
- No		N	144	183	57	48	36	468
		%	61.27%	94.81%	86.36%	90.56%	30.50%	70.37%
- Yes		N	34	1	7	4	19	65
		%	14.46%	0.51%	10.60%	7.54%	16.10%	9.77%
- N/A		N	3	1	--	--	--	4
		%	1.27%	0.51%	--	--	--	0.60%
- Unknown		N	--	1	--	1	--	2
		%	--	0.51%	--	1.88%	--	0.30%

History of Present Condition		Status					All
		.	Normal	MCI	QCI	Dementia	
		235	193	66	53	118	665
Behavior symptoms of disinhibition - onset (HPC Q7 d)							
-	N	192	190	59	48	96	585
	%	81.70%	98.44%	89.39%	90.56%	81.35%	87.96%
- Gradually	N	38	2	6	4	17	67
	%	16.17%	1.03%	9.09%	7.54%	14.40%	10.07%
- Suddenly	N	4	1	1	--	3	9
	%	1.70%	0.51%	1.51%	--	2.54%	1.35%
- Unclear	N	1	--	--	1	1	3
	%	0.42%	--	--	1.88%	0.84%	0.45%
- Undetermined	N	--	--	--	--	1	1
	%	--	--	--	--	0.84%	0.15%
Behavior symptoms of disinhibition - course (HPC Q7d)							
-	N	192	190	59	48	96	585
	%	81.70%	98.44%	89.39%	90.56%	81.35%	87.96%
- Gradually	N	28	1	2	--	7	38
	%	11.91%	0.51%	3.03%	--	5.93%	5.71%
- Stepwise/fluctuating	N	1	--	--	--	2	3
	%	0.42%	--	--	--	1.69%	0.45%
- Improved	N	6	1	2	3	4	16
	%	2.55%	0.51%	3.03%	5.66%	3.38%	2.40%
- No change	N	4	1	2	1	8	16
	%	1.70%	0.51%	3.03%	1.88%	6.77%	2.40%
- Undetermined	N	4	--	1	1	1	7
	%	1.70%	--	1.51%	1.88%	0.84%	1.05%

History of Present Condition		Status					All	
		.	Normal	MCI	QCI	Dementia		
		235	193	66	53	118	665	
Behavior symptoms of irritability - current (HPC Q7e)								
	N	54	7	2	--	63	126	
	%	22.97%	3.62%	3.03%	--	53.38%	18.94%	
- No		N	127	175	42	43	34	421
		%	54.04%	90.67%	63.63%	81.13%	28.81%	63.30%
- Yes		N	53	11	22	10	21	117
		%	22.55%	5.69%	33.33%	18.86%	17.79%	17.59%
- Unknown		N	1	--	--	--	--	1
		%	0.42%	--	--	--	--	0.15%
Behavior symptoms of irritability - has been present (HPC Q7e)								
	N	54	7	2	--	63	126	
	%	22.97%	3.62%	3.03%	--	53.38%	18.94%	
- No		N	115	170	37	39	23	384
		%	48.93%	88.08%	56.06%	73.58%	19.49%	57.74%
- Yes		N	63	15	26	14	32	150
		%	26.80%	7.77%	39.39%	26.41%	27.11%	22.55%
- N/A		N	3	1	--	--	--	4
		%	1.27%	0.51%	--	--	--	0.60%
- Unknown		N	--	--	1	--	--	1
		%	--	--	1.51%	--	--	0.15%

History of Present Condition		Status				
		.	Normal	MCI	QCI	Dementia
		235	193	66	53	118
Behavior symptoms of irritability - onset (HPC Q7e)						
	N	160	175	37	38	83
	%	68.08%	90.67%	56.06%	71.69%	70.33%
- Gradually	N	67	15	26	12	29
	%	28.51%	7.77%	39.39%	22.64%	24.57%
- Suddenly	N	7	1	2	2	4
	%	2.97%	0.51%	3.03%	3.77%	3.38%
- Unclear	N	1	1	1	--	1
	%	0.42%	0.51%	1.51%	--	0.84%
- Undetermined	N	--	1	--	1	1
	%	--	0.51%	--	1.88%	0.84%
Behavior symptoms of irritability - course (HPC Q7e)						
	N	160	175	37	38	83
	%	68.08%	90.67%	56.06%	71.69%	70.33%
- Gradually	N	37	9	14	7	9
	%	15.74%	4.66%	21.21%	13.20%	7.62%
- Stepwise/fluctuating	N	4	--	1	--	--
	%	1.70%	--	1.51%	--	--
- Improved	N	14	4	3	1	10
	%	5.95%	2.07%	4.54%	1.88%	8.47%
- No change	N	18	5	10	6	16
	%	7.65%	2.59%	15.15%	11.32%	13.55%
- Undetermined	N	2	--	1	1	--
	%	0.85%	--	1.51%	1.88%	--

History of Present Condition		All
		665
Behavior symptoms of irritability - onset (HPC Q7e)		
- .	N	493
	%	74.13%
- Gradually	N	149
	%	22.40%
- Suddenly	N	16
	%	2.40%
- Unclear	N	4
	%	0.60%
- Undetermined	N	3
	%	0.45%
Behavior symptoms of irritability - course (HPC Q7e)		
- .	N	493
	%	74.13%
- Gradually	N	76
	%	11.42%
- Stepwise/fluctuating	N	5
	%	0.75%
- Improved	N	32
	%	4.81%
- No change	N	55
	%	8.27%
- Undetermined	N	4
	%	0.60%

History of Present Condition		Status					All
		.	Normal	MCI	QCI	Dementia	
		235	193	66	53	118	665
Behavior symptoms of agitation - current (HPC Q7f)							
	N	54	7	2	--	63	126
	%	22.97%	3.62%	3.03%	--	53.38%	18.94%
- No							
	N	131	183	53	50	37	454
	%	55.74%	94.81%	80.30%	94.33%	31.35%	68.27%
- Yes							
	N	50	3	11	3	18	85
	%	21.27%	1.55%	16.66%	5.66%	15.25%	12.78%
Behavior symptoms of agitation - has been present (HPC Q7f)							
	N	54	7	2	--	63	126
	%	22.97%	3.62%	3.03%	--	53.38%	18.94%
- No							
	N	126	181	44	46	31	428
	%	53.61%	93.78%	66.66%	86.79%	26.27%	64.36%
- Yes							
	N	51	4	19	7	24	105
	%	21.70%	2.07%	28.78%	13.20%	20.33%	15.78%
- N/A							
	N	3	1	--	--	--	4
	%	1.27%	0.51%	--	--	--	0.60%
- Unknown							
	N	1	--	1	--	--	2
	%	0.42%	--	1.51%	--	--	0.30%

History of Present Condition		Status					All
		.	Normal	MCI	QCI	Dementia	
		235	193	66	53	118	665
Behavior symptoms of agitation - onset (HPC Q7f)							
	N	171	187	44	46	89	537
	%	72.76%	96.89%	66.66%	86.79%	75.42%	80.75%
- Gradually	N	57	4	19	6	26	112
	%	24.25%	2.07%	28.78%	11.32%	22.03%	16.84%
- Suddenly	N	6	1	2	1	2	12
	%	2.55%	0.51%	3.03%	1.88%	1.69%	1.80%
- Unclear	N	1	--	--	--	--	1
	%	0.42%	--	--	--	--	0.15%
- Undetermined	N	--	1	1	--	1	3
	%	--	0.51%	1.51%	--	0.84%	0.45%
Behavior symptoms of agitation - course (HPC Q7f)							
	N	171	187	44	46	89	537
	%	72.76%	96.89%	66.66%	86.79%	75.42%	80.75%
- Gradually	N	33	2	6	3	13	57
	%	14.04%	1.03%	9.09%	5.66%	11.01%	8.57%
- Stepwise/fluctuating	N	5	--	1	--	--	6
	%	2.12%	--	1.51%	--	--	0.90%
- Improved	N	14	1	4	1	8	28
	%	5.95%	0.51%	6.06%	1.88%	6.77%	4.21%
- No change	N	12	3	9	3	7	34
	%	5.10%	1.55%	13.63%	5.66%	5.93%	5.11%
- Undetermined	N	--	--	2	--	1	3
	%	--	--	3.03%	--	0.84%	0.45%

History of Present Condition		Status					All	
		.	Normal	MCI	QCI	Dementia		
		235	193	66	53	118	665	
Behavior symptoms of personality change - current (HPC Q7g)								
	N	54	7	2	--	63	126	
	%	22.97%	3.62%	3.03%	--	53.38%	18.94%	
- No		N	146	182	59	47	26	460
		%	62.12%	94.30%	89.39%	88.67%	22.03%	69.17%
- Yes		N	35	4	5	6	29	79
		%	14.89%	2.07%	7.57%	11.32%	24.57%	11.87%
Behavior symptoms of personality change - has been present (HPC Q7g)								
	N	54	7	2	--	63	126	
	%	22.97%	3.62%	3.03%	--	53.38%	18.94%	
- No		N	148	179	53	46	26	452
		%	62.97%	92.74%	80.30%	86.79%	22.03%	67.96%
- Yes		N	30	6	11	7	29	83
		%	12.76%	3.10%	16.66%	13.20%	24.57%	12.48%
- N/A		N	3	1	--	--	--	4
		%	1.27%	0.51%	--	--	--	0.60%

History of Present Condition		Status					All
		.	Normal	MCI	QCI	Dementia	
		235	193	66	53	118	665
Behavior symptoms of personality change - onset (HPC Q7g)							
-	N	196	186	55	44	84	565
	%	83.40%	96.37%	83.33%	83.01%	71.18%	84.96%
- Gradually	N	38	5	10	8	26	87
	%	16.17%	2.59%	15.15%	15.09%	22.03%	13.08%
- Suddenly	N	1	2	1	1	4	9
	%	0.42%	1.03%	1.51%	1.88%	3.38%	1.35%
- Unclear	N	--	--	--	--	1	1
	%	--	--	--	--	0.84%	0.15%
- Undetermined	N	--	--	--	--	3	3
	%	--	--	--	--	2.54%	0.45%
Behavior symptoms of personality change - course (HPC Q7g)							
-	N	196	186	55	44	84	565
	%	83.40%	96.37%	83.33%	83.01%	71.18%	84.96%
- Gradually	N	19	2	4	3	15	43
	%	8.08%	1.03%	6.06%	5.66%	12.71%	6.46%
- Stepwise/fluctuating	N	3	--	--	--	--	3
	%	1.27%	--	--	--	--	0.45%
- Improved	N	6	1	2	3	3	15
	%	2.55%	0.51%	3.03%	5.66%	2.54%	2.25%
- No change	N	11	4	3	1	15	34
	%	4.68%	2.07%	4.54%	1.88%	12.71%	5.11%
- Undetermined	N	--	--	2	2	1	5
	%	--	--	3.03%	3.77%	0.84%	0.75%

History of Present Condition		Status					All
		.	Normal	MCI	QCI	Dementia	
		235	193	66	53	118	665
Behavior symptoms of REM sleep behavior disorder - current (HPC Q7h)							
	N	54	7	2	--	63	126
	%	22.97%	3.62%	3.03%	--	53.38%	18.94%
- No	N	166	175	57	52	51	501
	%	70.63%	90.67%	86.36%	98.11%	43.22%	75.33%
- Yes	N	7	8	7	1	2	25
	%	2.97%	4.14%	10.60%	1.88%	1.69%	3.75%
- Unknown	N	8	3	--	--	2	13
	%	3.40%	1.55%	--	--	1.69%	1.95%
Behavior symptoms of REM sleep behavior disorder - has been present (HPC Q7h)							
	N	54	7	2	--	63	126
	%	22.97%	3.62%	3.03%	--	53.38%	18.94%
- No	N	161	176	54	52	49	492
	%	68.51%	91.19%	81.81%	98.11%	41.52%	73.98%
- Yes	N	11	7	10	1	2	31
	%	4.68%	3.62%	15.15%	1.88%	1.69%	4.66%
- N/A	N	3	2	--	--	1	6
	%	1.27%	1.03%	--	--	0.84%	0.90%
- Unknown	N	6	1	--	--	3	10
	%	2.55%	0.51%	--	--	2.54%	1.50%

History of Present Condition		Status					All
		.	Normal	MCI	QCI	Dementia	
		235	193	66	53	118	665
Behavior symptoms of REM sleep behavior disorder - onset (HPC Q7h)							
	N	222	182	54	51	115	624
	%	94.46%	94.30%	81.81%	96.22%	97.45%	93.83%
- Gradually	N	10	4	7	1	2	24
	%	4.25%	2.07%	10.60%	1.88%	1.69%	3.60%
- Suddenly	N	2	3	1	1	1	8
	%	0.85%	1.55%	1.51%	1.88%	0.84%	1.20%
- Unclear	N	--	2	2	--	--	4
	%	--	1.03%	3.03%	--	--	0.60%
- Undetermined	N	1	2	2	--	--	5
	%	0.42%	1.03%	3.03%	--	--	0.75%
Behavior symptoms of REM sleep behavior disorder - course (HPC Q7h)							
	N	222	182	54	51	115	624
	%	94.46%	94.30%	81.81%	96.22%	97.45%	93.83%
- Gradually	N	3	2	3	--	1	9
	%	1.27%	1.03%	4.54%	--	0.84%	1.35%
- Improved	N	4	2	3	1	1	11
	%	1.70%	1.03%	4.54%	1.88%	0.84%	1.65%
- No change	N	4	5	4	--	1	14
	%	1.70%	2.59%	6.06%	--	0.84%	2.10%
- Undetermined	N	2	2	2	1	--	7
	%	0.85%	1.03%	3.03%	1.88%	--	1.05%

History of Present Condition		Status					All
		.	Normal	MCI	QCI	Dementia	
		235	193	66	53	118	665
Behavior symptoms of anxiety - current (HPC Q7i)							
	N	54	7	2	--	63	126
	%	22.97%	3.62%	3.03%	--	53.38%	18.94%
- No	N	142	176	50	44	32	444
	%	60.42%	91.19%	75.75%	83.01%	27.11%	66.76%
- Yes	N	38	10	14	9	23	94
	%	16.17%	5.18%	21.21%	16.98%	19.49%	14.13%
- Unknown	N	1	--	--	--	--	1
	%	0.42%	--	--	--	--	0.15%
Behavior symptoms of anxiety - has been present (HPC Q7i)							
	N	54	7	2	--	63	126
	%	22.97%	3.62%	3.03%	--	53.38%	18.94%
- No	N	143	169	47	41	26	426
	%	60.85%	87.56%	71.21%	77.35%	22.03%	64.06%
- Yes	N	35	16	15	11	29	106
	%	14.89%	8.29%	22.72%	20.75%	24.57%	15.93%
- N/A	N	2	1	--	--	--	3
	%	0.85%	0.51%	--	--	--	0.45%
- Unknown	N	1	--	2	1	--	4
	%	0.42%	--	3.03%	1.88%	--	0.60%

History of Present Condition		Status					All
		.	Normal	MCI	QCI	Dementia	
		235	193	66	53	118	665
Behavior symptoms of anxiety - onset (HPC Q7i)							
	N	182	174	46	39	84	525
	%	77.44%	90.15%	69.69%	73.58%	71.18%	78.94%
- Gradually	N	47	13	16	9	29	114
	%	20.00%	6.73%	24.24%	16.98%	24.57%	17.14%
- Suddenly	N	4	4	3	--	3	14
	%	1.70%	2.07%	4.54%	--	2.54%	2.10%
- Unclear	N	1	--	1	--	1	3
	%	0.42%	--	1.51%	--	0.84%	0.45%
- Undetermined	N	1	2	--	5	1	9
	%	0.42%	1.03%	--	9.43%	0.84%	1.35%
Behavior symptoms of anxiety - course (HPC Q7i)							
	N	182	174	46	39	84	525
	%	77.44%	90.15%	69.69%	73.58%	71.18%	78.94%
- Gradually	N	26	4	8	2	12	52
	%	11.06%	2.07%	12.12%	3.77%	10.16%	7.81%
- Stepwise/fluctuating	N	3	2	--	--	--	5
	%	1.27%	1.03%	--	--	--	0.75%
- Improved	N	10	3	4	4	4	25
	%	4.25%	1.55%	6.06%	7.54%	3.38%	3.75%
- No change	N	12	9	5	7	17	50
	%	5.10%	4.66%	7.57%	13.20%	14.40%	7.51%
- Undetermined	N	2	1	3	1	1	8
	%	0.85%	0.51%	4.54%	1.88%	0.84%	1.20%

History of Present Condition		Status					All
		.	Normal	MCI	QCI	Dementia	
		235	193	66	53	118	665
Behavior symptoms of other - current (HPC Q7j)							
	N	54	7	2	--	63	126
	%	22.97%	3.62%	3.03%	--	53.38%	18.94%
- No	N	144	176	57	49	44	470
	%	61.27%	91.19%	86.36%	92.45%	37.28%	70.67%
- Yes	N	36	10	7	4	11	68
	%	15.31%	5.18%	10.60%	7.54%	9.32%	10.22%
- Unknown	N	1	--	--	--	--	1
	%	0.42%	--	--	--	--	0.15%
Behavior symptoms of other - has been present (HPC Q7j)							
	N	54	7	2	--	63	126
	%	22.97%	3.62%	3.03%	--	53.38%	18.94%
- No	N	155	174	54	47	37	467
	%	65.95%	90.15%	81.81%	88.67%	31.35%	70.22%
- Yes	N	23	11	9	6	17	66
	%	9.78%	5.69%	13.63%	11.32%	14.40%	9.92%
- N/A	N	3	1	--	--	1	5
	%	1.27%	0.51%	--	--	0.84%	0.75%
- Unknown	N	--	--	1	--	--	1
	%	--	--	1.51%	--	--	0.15%

History of Present Condition		Status					All
		.	Normal	MCI	QCI	Dementia	
		235	193	66	53	118	665
Behavior symptoms of other - onset (HPC Q7j)							
	N	194	181	57	45	99	576
	%	82.55%	93.78%	86.36%	84.90%	83.89%	86.61%
- Gradually	N	34	7	6	8	17	72
	%	14.46%	3.62%	9.09%	15.09%	14.40%	10.82%
- Suddenly	N	5	1	--	--	1	7
	%	2.12%	0.51%	--	--	0.84%	1.05%
- Unclear	N	--	2	1	--	--	3
	%	--	1.03%	1.51%	--	--	0.45%
- Undetermined	N	2	2	2	--	1	7
	%	0.85%	1.03%	3.03%	--	0.84%	1.05%
Behavior symptoms of other - course (HPC Q7j)							
	N	194	181	57	45	99	576
	%	82.55%	93.78%	86.36%	84.90%	83.89%	86.61%
- Gradually	N	17	4	3	--	5	29
	%	7.23%	2.07%	4.54%	--	4.23%	4.36%
- Stepwise/fluctuating	N	2	--	--	--	--	2
	%	0.85%	--	--	--	--	0.30%
- Improved	N	6	2	--	5	6	19
	%	2.55%	1.03%	--	9.43%	5.08%	2.85%
- No change	N	14	6	6	3	8	37
	%	5.95%	3.10%	9.09%	5.66%	6.77%	5.56%
- Undetermined	N	2	--	--	--	--	2
	%	0.85%	--	--	--	--	0.30%

History of Present Condition		Status					All
		.	Normal	MCI	QCI	Dementia	
		235	193	66	53	118	665
First recognized symptom as a decline in behavior (HPCQ8)							
-	N	54	7	2	--	63	126
	%	22.97%	3.62%	3.03%	--	53.38%	18.94%
- Apathy/withdrawal	N	24	4	1	6	11	46
	%	10.21%	2.07%	1.51%	11.32%	9.32%	6.91%
- Depression	N	44	21	14	9	10	98
	%	18.72%	10.88%	21.21%	16.98%	8.47%	14.73%
- Psychosis	N	3	1	1	--	2	7
	%	1.27%	0.51%	1.51%	--	1.69%	1.05%
- Disinhibition	N	4	--	--	--	2	6
	%	1.70%	--	--	--	1.69%	0.90%
- Irritability	N	28	10	6	8	7	59
	%	11.91%	5.18%	9.09%	15.09%	5.93%	8.87%
- Agitation	N	3	1	7	1	5	17
	%	1.27%	0.51%	10.60%	1.88%	4.23%	2.55%
- Personality change	N	13	4	6	5	7	35
	%	5.53%	2.07%	9.09%	9.43%	5.93%	5.26%
- Other	N	7	11	7	4	7	36
	%	2.97%	5.69%	10.60%	7.54%	5.93%	5.41%
- REM sleep behavior disorder	N	2	4	2	--	--	8
	%	0.85%	2.07%	3.03%	--	--	1.20%
- N/A	N	49	129	20	18	3	219
	%	20.85%	66.83%	30.30%	33.96%	2.54%	32.93%
- Unknown	N	4	1	--	2	1	8
	%	1.70%	0.51%	--	3.77%	0.84%	1.20%

History of Present Condition		Status					All
		.	Normal	MCI	QCI	Dementia	
		235	193	66	53	118	665
Mode of onset of behavioral symptoms (HPC Q9)							
	N	54	7	2	--	63	126
	%	22.97%	3.62%	3.03%	--	53.38%	18.94%
- Gradual (> 6 months)	N	119	40	37	30	47	273
	%	50.63%	20.72%	56.06%	56.60%	39.83%	41.05%
- Subacute (=< 6 months)	N	6	5	3	2	4	20
	%	2.55%	2.59%	4.54%	3.77%	3.38%	3.00%
- Abrupt (within days)	N	2	4	--	2	--	8
	%	0.85%	2.07%	--	3.77%	--	1.20%
- Other	N	1	--	--	--	--	1
	%	0.42%	--	--	--	--	0.15%
- N/A	N	49	129	21	18	3	220
	%	20.85%	66.83%	31.81%	33.96%	2.54%	33.08%
- Unknown	N	4	8	3	1	1	17
	%	1.70%	4.14%	4.54%	1.88%	0.84%	2.55%

History of Present Condition		Status					All
		.	Normal	MCI	QCI	Dementia	
		235	193	66	53	118	665
Motor symptoms of gait disorder - current (HPC Q1 0a)							
	N	54	7	2	--	63	126
	%	22.97%	3.62%	3.03%	--	53.38%	18.94%
- No	N	102	166	38	45	24	375
	%	43.40%	86.01%	57.57%	84.90%	20.33%	56.39%
- Yes	N	77	20	26	8	31	162
	%	32.76%	10.36%	39.39%	15.09%	26.27%	24.36%
- Unknown	N	2	--	--	--	--	2
	%	0.85%	--	--	--	--	0.30%
Motor symptoms of gait disorder - has been present (HPC Q10a)							
	N	54	7	2	--	63	126
	%	22.97%	3.62%	3.03%	--	53.38%	18.94%
- No	N	110	167	36	43	27	383
	%	46.80%	86.52%	54.54%	81.13%	22.88%	57.59%
- Yes	N	66	18	26	10	27	147
	%	28.08%	9.32%	39.39%	18.86%	22.88%	22.10%
- N/A	N	1	--	--	--	--	1
	%	0.42%	--	--	--	--	0.15%
- Unknown	N	4	1	2	--	1	8
	%	1.70%	0.51%	3.03%	--	0.84%	1.20%

History of Present Condition		Status				
		.	Normal	MCI	QCI	Dementia
		235	193	66	53	118
Motor symptoms of gait disorder - onset (HPC Q10a)						
-	N	150	168	37	40	83
	%	63.82%	87.04%	56.06%	75.47%	70.33%
- Gradually	N	78	23	26	12	31
	%	33.19%	11.91%	39.39%	22.64%	26.27%
- Suddenly	N	2	2	2	1	3
	%	0.85%	1.03%	3.03%	1.88%	2.54%
- Unclear	N	4	--	1	--	--
	%	1.70%	--	1.51%	--	--
- Undetermined	N	1	--	--	--	1
	%	0.42%	--	--	--	0.84%
Motor symptoms of gait disorder - course (HPC Q10a)						
-	N	150	168	37	40	83
	%	63.82%	87.04%	56.06%	75.47%	70.33%
- Gradually	N	57	11	15	7	23
	%	24.25%	5.69%	22.72%	13.20%	19.49%
- Stepwise/fluctuating	N	6	--	--	--	2
	%	2.55%	--	--	--	1.69%
- Improved	N	1	4	1	2	2
	%	0.42%	2.07%	1.51%	3.77%	1.69%
- No change	N	21	10	10	4	8
	%	8.93%	5.18%	15.15%	7.54%	6.77%
- Undetermined	N	--	--	3	--	--
	%	--	--	4.54%	--	--

History of Present Condition		All
		665
Motor symptoms of gait disorder - onset (HPC Q10a)		
-	N	478
	%	71.87%
- Gradually	N	170
	%	25.56%
- Suddenly	N	10
	%	1.50%
- Unclear	N	5
	%	0.75%
- Undetermined	N	2
	%	0.30%
Motor symptoms of gait disorder - course (HPC Q10a)		
-	N	478
	%	71.87%
- Gradually	N	113
	%	16.99%
- Stepwise/fluctuating	N	8
	%	1.20%
- Improved	N	10
	%	1.50%
- No change	N	53
	%	7.96%
- Undetermined	N	3
	%	0.45%

History of Present Condition		Status					All
		.	Normal	MCI	QCI	Dementia	
		235	193	66	53	118	665
Motor symptoms of falls - current (HPC Q10b)							
	N	54	7	2	--	63	126
	%	22.97%	3.62%	3.03%	--	53.38%	18.94%
- No	N	152	181	59	50	49	491
	%	64.68%	93.78%	89.39%	94.33%	41.52%	73.83%
- Yes	N	27	5	5	3	6	46
	%	11.48%	2.59%	7.57%	5.66%	5.08%	6.91%
- Unknown	N	2	--	--	--	--	2
	%	0.85%	--	--	--	--	0.30%
Motor symptoms of falls - has been present (HPC Q10b)							
	N	54	7	2	--	63	126
	%	22.97%	3.62%	3.03%	--	53.38%	18.94%
- No	N	137	179	51	49	40	456
	%	58.29%	92.74%	77.27%	92.45%	33.89%	68.57%
- Yes	N	39	6	12	4	13	74
	%	16.59%	3.10%	18.18%	7.54%	11.01%	11.12%
- N/A	N	3	1	--	--	1	5
	%	1.27%	0.51%	--	--	0.84%	0.75%
- Unknown	N	2	--	1	--	1	4
	%	0.85%	--	1.51%	--	0.84%	0.60%

History of Present Condition		Status					All
		.	Normal	MCI	QCI	Dementia	
		235	193	66	53	118	665
Motor symptoms of falls - onset (HPC Q10b)							
-	N	191	185	53	48	104	581
	%	81.27%	95.85%	80.30%	90.56%	88.13%	87.36%
- Gradually	N	31	5	10	4	7	57
	%	13.19%	2.59%	15.15%	7.54%	5.93%	8.57%
- Suddenly	N	7	3	1	1	5	17
	%	2.97%	1.55%	1.51%	1.88%	4.23%	2.55%
- Unclear	N	2	--	1	--	1	4
	%	0.85%	--	1.51%	--	0.84%	0.60%
- Undetermined	N	4	--	1	--	1	6
	%	1.70%	--	1.51%	--	0.84%	0.90%
Motor symptoms of falls - course (HPC Q10b)							
-	N	191	185	53	48	104	581
	%	81.27%	95.85%	80.30%	90.56%	88.13%	87.36%
- Gradually	N	20	2	4	1	3	30
	%	8.51%	1.03%	6.06%	1.88%	2.54%	4.51%
- Stepwise/fluctuating	N	1	--	--	--	1	2
	%	0.42%	--	--	--	0.84%	0.30%
- Improved	N	12	--	3	--	5	20
	%	5.10%	--	4.54%	--	4.23%	3.00%
- No change	N	6	5	3	4	4	22
	%	2.55%	2.59%	4.54%	7.54%	3.38%	3.30%
- Undetermined	N	5	1	3	--	1	10
	%	2.12%	0.51%	4.54%	--	0.84%	1.50%

History of Present Condition		Status					All
		.	Normal	MCI	QCI	Dementia	
		235	193	66	53	118	665
Motor symptoms of tremor - current (HPC Q10c)							
	N	54	7	2	--	63	126
	%	22.97%	3.62%	3.03%	--	53.38%	18.94%
- No	N	151	167	47	45	43	453
	%	64.25%	86.52%	71.21%	84.90%	36.44%	68.12%
- Yes	N	28	19	17	8	12	84
	%	11.91%	9.84%	25.75%	15.09%	10.16%	12.63%
- Unknown	N	2	--	--	--	--	2
	%	0.85%	--	--	--	--	0.30%
Motor symptoms of tremor - has been present (HPC Q10c)							
	N	54	7	2	--	63	126
	%	22.97%	3.62%	3.03%	--	53.38%	18.94%
- No	N	157	170	49	46	45	467
	%	66.80%	88.08%	74.24%	86.79%	38.13%	70.22%
- Yes	N	21	15	15	7	10	68
	%	8.93%	7.77%	22.72%	13.20%	8.47%	10.22%
- N/A	N	2	1	--	--	--	3
	%	0.85%	0.51%	--	--	--	0.45%
- Unknown	N	1	--	--	--	--	1
	%	0.42%	--	--	--	--	0.15%

History of Present Condition		Status					All
		.	Normal	MCI	QCI	Dementia	
		235	193	66	53	118	665
Motor symptoms of tremor - onset (HPC Q10c)							
	N	204	173	48	45	104	574
	%	86.80%	89.63%	72.72%	84.90%	88.13%	86.31%
- Gradually	N	27	17	14	6	12	76
	%	11.48%	8.80%	21.21%	11.32%	10.16%	11.42%
- Suddenly	N	1	--	2	1	1	5
	%	0.42%	--	3.03%	1.88%	0.84%	0.75%
- Unclear	N	1	--	1	1	--	3
	%	0.42%	--	1.51%	1.88%	--	0.45%
- Undetermined	N	2	3	1	--	1	7
	%	0.85%	1.55%	1.51%	--	0.84%	1.05%
Motor symptoms of tremor - course (HPC Q10c)							
	N	204	173	48	45	104	574
	%	86.80%	89.63%	72.72%	84.90%	88.13%	86.31%
- Gradually	N	18	5	8	3	6	40
	%	7.65%	2.59%	12.12%	5.66%	5.08%	6.01%
- Stepwise/fluctuating	N	3	--	--	1	--	4
	%	1.27%	--	--	1.88%	--	0.60%
- Improved	N	2	1	1	--	1	5
	%	0.85%	0.51%	1.51%	--	0.84%	0.75%
- No change	N	8	12	7	4	6	37
	%	3.40%	6.21%	10.60%	7.54%	5.08%	5.56%
- Undetermined	N	--	2	2	--	1	5
	%	--	1.03%	3.03%	--	0.84%	0.75%

History of Present Condition		Status					All
		.	Normal	MCI	QCI	Dementia	
		235	193	66	53	118	665
Motor symptoms of slowness - current (HPC Q10d)							
	N	54	7	2	--	63	126
	%	22.97%	3.62%	3.03%	--	53.38%	18.94%
- No	N	111	172	45	44	22	394
	%	47.23%	89.11%	68.18%	83.01%	18.64%	59.24%
- Yes	N	68	14	19	9	33	143
	%	28.93%	7.25%	28.78%	16.98%	27.96%	21.50%
- Unknown	N	2	--	--	--	--	2
	%	0.85%	--	--	--	--	0.30%
Motor symptoms of slowness - has been present (HPC Q10d)							
	N	54	7	2	--	63	126
	%	22.97%	3.62%	3.03%	--	53.38%	18.94%
- No	N	127	174	46	45	27	419
	%	54.04%	90.15%	69.69%	84.90%	22.88%	63.00%
- Yes	N	50	11	17	8	26	112
	%	21.27%	5.69%	25.75%	15.09%	22.03%	16.84%
- N/A	N	3	--	--	--	1	4
	%	1.27%	--	--	--	0.84%	0.60%
- Unknown	N	1	1	1	--	1	4
	%	0.42%	0.51%	1.51%	--	0.84%	0.60%

History of Present Condition		Status					All
		.	Normal	MCI	QCI	Dementia	
		235	193	66	53	118	665
Motor symptoms of slowness - onset (HPC Q10d)							
	N	164	177	43	42	83	509
	%	69.78%	91.70%	65.15%	79.24%	70.33%	76.54%
- Gradually	N	66	14	21	10	34	145
	%	28.08%	7.25%	31.81%	18.86%	28.81%	21.80%
- Suddenly	N	1	1	1	1	1	5
	%	0.42%	0.51%	1.51%	1.88%	0.84%	0.75%
- Unclear	N	--	--	1	--	--	1
	%	--	--	1.51%	--	--	0.15%
- Undetermined	N	4	1	--	--	--	5
	%	1.70%	0.51%	--	--	--	0.75%
Motor symptoms of slowness - course (HPC Q10d)							
	N	164	177	43	42	83	509
	%	69.78%	91.70%	65.15%	79.24%	70.33%	76.54%
- Gradually	N	53	8	13	9	24	107
	%	22.55%	4.14%	19.69%	16.98%	20.33%	16.09%
- Stepwise/fluctuating	N	1	--	--	--	1	2
	%	0.42%	--	--	--	0.84%	0.30%
- Improved	N	2	2	--	--	1	5
	%	0.85%	1.03%	--	--	0.84%	0.75%
- No change	N	13	6	9	2	9	39
	%	5.53%	3.10%	13.63%	3.77%	7.62%	5.86%
- Undetermined	N	2	--	1	--	--	3
	%	0.85%	--	1.51%	--	--	0.45%

History of Present Condition		Status					All
		.	Normal	MCI	QCI	Dementia	
		235	193	66	53	118	665
First recognized symptom as a decline in motor symptoms (HPCQ11)							
-	N	54	7	2	--	63	126
	%	22.97%	3.62%	3.03%	--	53.38%	18.94%
- Gait disorder	N	50	19	11	8	17	105
	%	21.27%	9.84%	16.66%	15.09%	14.40%	15.78%
- Falls	N	9	3	2	2	2	18
	%	3.82%	1.55%	3.03%	3.77%	1.69%	2.70%
- Tremor	N	13	19	10	6	8	56
	%	5.53%	9.84%	15.15%	11.32%	6.77%	8.42%
- Slowness	N	27	6	11	4	17	65
	%	11.48%	3.10%	16.66%	7.54%	14.40%	9.77%
- N/A	N	79	139	30	33	10	291
	%	33.61%	72.02%	45.45%	62.26%	8.47%	43.75%
- Unknown	N	3	--	--	--	1	4
	%	1.27%	--	--	--	0.84%	0.60%
Mode of onset of motor symptoms (HPC Q12)							
-	N	54	7	2	--	63	126
	%	22.97%	3.62%	3.03%	--	53.38%	18.94%
- Gradual (> 6 months)	N	91	41	30	16	34	212
	%	38.72%	21.24%	45.45%	30.18%	28.81%	31.87%
- Subacute (=< 6 months)	N	6	1	--	2	6	15
	%	2.55%	0.51%	--	3.77%	5.08%	2.25%
- Abrupt (within days)	N	2	2	--	1	2	7
	%	0.85%	1.03%	--	1.88%	1.69%	1.05%
- N/A	N	78	138	32	33	10	291
	%	33.19%	71.50%	48.48%	62.26%	8.47%	43.75%
- Unknown	N	4	4	2	1	3	14
	%	1.70%	2.07%	3.03%	1.88%	2.54%	2.10%

History of Present Condition		Status					All
		.	Normal	MCI	QCI	Dementia	
		235	193	66	53	118	665
course of overall cognitive/behavioral/motor syndrome (HPCQ13)							
.	N	54	7	2	--	63	126
	%	22.97%	3.62%	3.03%	--	53.38%	18.94%
- Gradually progressive	N	147	70	50	41	54	362
	%	62.55%	36.26%	75.75%	77.35%	45.76%	54.43%
- Stepwise	N	2	--	1	--	--	3
	%	0.85%	--	1.51%	--	--	0.45%
- Static/unchanging	N	6	23	4	4	--	37
	%	2.55%	11.91%	6.06%	7.54%	--	5.56%
- Fluctuating	N	2	--	--	1	--	3
	%	0.85%	--	--	1.88%	--	0.45%
- Improved	N	--	5	1	--	--	6
	%	--	2.59%	1.51%	--	--	0.90%
- Unknown	N	6	12	2	2	1	23
	%	2.55%	6.21%	3.03%	3.77%	0.84%	3.45%
- N/A	N	18	76	6	5	--	105
	%	7.65%	39.37%	9.09%	9.43%	--	15.78%
First recognized change in subject (HPC Q14)							
.	N	54	7	2	--	63	126
	%	22.97%	3.62%	3.03%	--	53.38%	18.94%
- Cognition	N	136	67	41	31	49	324
	%	57.87%	34.71%	62.12%	58.49%	41.52%	48.72%
- Behavior	N	14	23	10	12	5	64
	%	5.95%	11.91%	15.15%	22.64%	4.23%	9.62%
- Motor function	N	9	14	6	4	1	34
	%	3.82%	7.25%	9.09%	7.54%	0.84%	5.11%
- Unknown	N	6	6	1	1	--	14
	%	2.55%	3.10%	1.51%	1.88%	--	2.10%
- N/A	N	16	76	6	5	--	103
	%	6.80%	39.37%	9.09%	9.43%	--	15.48%
Diagnosed with dementia (HPC Q15)							

(Continued)

Note: When multiple observations are taken for a patient, only latest visit is accounted for in summary.

History of Present Condition		Status					All
		.	Normal	MCI	QCI	Dementia	
Diagnosed with dementia (HPC Q15)							
-	N	54	7	2	--	63	126
	%	22.97%	3.62%	3.03%	--	53.38%	18.94%
- No	N	110	186	57	53	25	431
	%	46.80%	96.37%	86.36%	100.00%	21.18%	64.81%
- Yes	N	71	--	7	--	30	108
	%	30.21%	--	10.60%	--	25.42%	16.24%

History of Present Condition		Status					All
		.	Normal	MCI	QCI	Dementia	
		235	193	66	53	118	665
Months from initial symptom of onset to diagnosis	Min	2.00	--	2.00	--	5.00	2.00
	Mean	1619.16	--	23.50	--	76.79	1053.51
	Std	12266.42	--	20.82	--	56.77	9777.28
	Max	95852.00	--	57.00	--	257.00	95852.00

Note: When multiple observations are taken for a patient, only latest visit is accounted for in summary.