

Obs	FMTNAME	START	LABEL
1	ACT4_B3F	0	Absent
2	ACT4_B3F	1	Slight
3	ACT4_B3F	2	Moderate, with action
4	ACT4_B3F	3	Moderate, with posture holding
5	ACT4_B3F	4	Marked
6	ACT4_B3F	8	Untestable
7	AHNHCN_NEF	0	Absent
8	AHNHCN_NEF	1	Hypo
9	AHNHCN_NEF	2	Normal
10	AHNHCN_NEF	3	Hyper
11	AHNHCN_NEF	4	Clonus
12	AHNHCN_NEF	5	Not done
13	ALCFREQ_A5F	0	Less than once a month
14	ALCFREQ_A5F	1	About once a month
15	ALCFREQ_A5F	2	About once a week
16	ALCFREQ_A5F	3	A few times a week
17	ALCFREQ_A5F	4	Daily or almost daily
18	ALCFREQ_A5F	9	Unknown
19	ALLERGY_MAF	0	No
20	ALLERGY_MAF	1	Yes
21	AMMSN_NEF	1	Absent
22	AMMSN_NEF	2	Mild
23	AMMSN_NEF	3	Moderate
24	AMMSN_NEF	4	Severe
25	AMMSN_NEF	5	Not done
26	AMOUNT_MHF	1	0-7 drinks per week
27	AMOUNT_MHF	2	8-14 drinks per week
28	AMOUNT_MHF	3	15-21 drinks per week
29	AMOUNT_MHF	4	22-28 drinks per week
30	AMOUNT_MHF	5	> 30 drinks per week
31	ARTHLO_A5F	0	Blank
32	ARTHLO_A5F	1	Lower Extremity
33	ARTHSPIN_A5F	0	Blank
34	ARTHSPIN_A5F	1	Spine
35	ARTHTYPE_A5F	1	Rheumatoid
36	ARTHTYPE_A5F	2	Osteoarthritis
37	ARTHTYPE_A5F	3	Other
38	ARTHTYPE_A5F	9	Unknown

Obs	FMTNAME	START	LABEL
39	ARTHUNK_A5F	0	Blank
40	ARTHUNK_A5F	1	Unknown
41	ARTHUP_A5F	0	Blank
42	ARTHUP_A5F	1	Upper Extremity
43	BATHF	1	Bathes regularly and independently
44	BATHF	2	Needs bath to be drawn or shower turned on but washes self independently
45	BATHF	3	Needs supervision and prompting to wash
46	BATHF	4	Totally dependent, needs full assistance
47	BATHF	5	Not applicable
48	BESYMPF	1	Apathy/withdrawal
49	BESYMPF	2	Depression
50	BESYMPF	3	Psychosis
51	BESYMPF	4	Disinhibition
52	BESYMPF	5	Irritability
53	BESYMPF	6	Agitation
54	BESYMPF	7	Personality change
55	BESYMPF	8	Other
56	BESYMPF	9	REM sleep behavior disorder
57	BESYMPF	88	N/A
58	BESYMPF	99	Unknown
59	BESYMP_B9F	1	Apathy/withdrawal
60	BESYMP_B9F	2	Depression
61	BESYMP_B9F	3	Psychosis
62	BESYMP_B9F	4	Disinhibition
63	BESYMP_B9F	5	Irritability
64	BESYMP_B9F	6	Agitation
65	BESYMP_B9F	7	Personality change
66	BESYMP_B9F	8	Other
67	BESYMP_B9F	9	REM sleep behavior disorder
68	BESYMP_B9F	88	N/A
69	BESYMP_B9F	99	Unknown
70	BLADDERF	1	Complete control
71	BLADDERF	2	Occasionally wets bed
72	BLADDERF	3	Frequently wets bed
73	BLADDERF	4	Incontinent of urine and stool
74	BLADDERF	5	Not determined
75	BODY14_B3F	0	None
76	BODY14_B3F	1	Minimal slowness

Obs	FMTNAME	START	LABEL
77	BODY14_B3F	2	Mild degree of slowness
78	BODY14_B3F	3	Moderate slowness
79	BODY14_B3F	4	Marked slowness
80	BODY14_B3F	8	Untestable
81	BRSCALEF	1	Normal
82	BRSCALEF	2	Some trouble
83	BRSCALEF	3	Unable
84	BRSCALEF	4	Not determined
85	CERAD_NTF	0	Unknown
86	CERAD_NTF	1	STD
87	CERAD_NTF	2	ALT1
88	CERAD_NTF	3	ALT2
89	CHR10_B3F	0	Normal
90	CHR10_B3F	1	Slow
91	CHR10_B3F	2	Pushes self up
92	CHR10_B3F	3	Tends to fall back
93	CHR10_B3F	4	Unable to arise
94	CHR10_B3F	8	Untestable
95	COGDIS_SDF	1	Autosomal dominant inheritance
96	COGDIS_SDF	2	Autosomal recessive inheritance
97	COGDIS_SDF	3	Other inheritance pattern
98	COGDIS_SDF	4	No family history
99	COGDIS_SDF	5	Not determined
100	COGSTAT_CDF	0	Clinician unable to render opinion
101	COGSTAT_CDF	1	Better than normal for age
102	COGSTAT_CDF	2	Normal for age
103	COGSTAT_CDF	3	One or two test scores abnormal
104	COGSTAT_CDF	4	Three or more scores are abnormal or lower than expected
105	COGSYMPF	1	Memory
106	COGSYMPF	2	Judgement and problem solving
107	COGSYMPF	3	Language
108	COGSYMPF	4	Visuospatial function
109	COGSYMPF	5	Attention and concentration
110	COGSYMPF	6	Other
111	COGSYMPF	7	Fluctuating cognition
112	COGSYMPF	88	N/A
113	COGSYMPF	99	Unknown
114	COGSYMP_B9F	1	Memory

Obs	FMTNAME	START	LABEL
115	COGSYMP_B9F	2	Judgement and problem solving
116	COGSYMP_B9F	3	Language
117	COGSYMP_B9F	4	Visuospatial function
118	COGSYMP_B9F	5	Attention and concentration
119	COGSYMP_B9F	6	Other
120	COGSYMP_B9F	7	Fluctuating cognition
121	COGSYMP_B9F	88	N/A
122	COGSYMP_B9F	99	Unknown
123	COG_C1F	0	Unable to render opinion
124	COG_C1F	1	Better than normal of age
125	COG_C1F	2	Normal of age
126	COG_C1F	3	1 or 2 abnormal scores
127	COG_C1F	4	3 or more abnormal scores
128	COMMUNICF	1	Able to hold appropriate conversation
129	COMMUNICF	2	Shows understanding and attempts to respond verbally with gestures
130	COMMUNICF	3	Can make himself or herself understood but has difficulty understanding others
131	COMMUNICF	4	Does not respond to or communicate with others
132	COMMUNICF	5	Not applicable
133	COURSEF	1	Gradually
134	COURSEF	2	Stepwise/fluctuating
135	COURSEF	3	Improved
136	COURSEF	4	No change
137	COURSEF	5	Undetermined
138	COURSE_B9F	1	Gradually
139	COURSE_B9F	2	Stepwise
140	COURSE_B9F	3	Static
141	COURSE_B9F	4	Fluctuating
142	COURSE_B9F	5	Improved
143	COURSE_B9F	9	Unknown
144	DIABTYPE_A5F	1	Type 1
145	DIABTYPE_A5F	2	Type 2
146	DIABTYPE_A5F	3	Other type
147	DIABTYPE_A5F	9	Unknown
148	DIAG_D1F	1	Diagnosis from single clinician
149	DIAG_D1F	2	Consensus diagnosis
150	DRESSF	1	Unaided
151	DRESSF	2	Occasionally misplaced buttons
152	DRESSF	3	Wrong sequence/forgetting items

Obs	FMTNAME	START	LABEL
153	DRESSF	4	Unable to dress
154	DRESSF	5	Not determined
155	DRIVEF	1	Able to drive, cycle, or use public transport independently
156	DRIVEF	2	Unable to drive, but uses private and public transport or bike independently
157	DRIVEF	3	Can travel with others by car but unable to use public transport on his/her own
158	DRIVEF	4	Unable/unwilling to use private or public transport even when accompanied
159	DRIVEF	5	Not applicable
160	DRNKINGF	1	Drinks appropriately
161	DRNKINGF	2	Drinks appropriately with aids (e.g., beakers, straw)
162	DRNKINGF	3	Does not drink appropriately even with aids but attempts to
163	DRNKINGF	4	Has to have drinks administered (fed) by others
164	DRNKINGF	5	Not applicable
165	DRNKPRPF	1	Selects and prepares drinks (e.g., coffee, tea, lemonade) as required
166	DRNKPRPF	2	Can prepare drinks if ingredients left available
167	DRNKPRPF	3	Can prepare drinks if prompted step-by-step
168	DRNKPRPF	4	Unable to make a drink even with prompting and supervision
169	DRNKPRPF	5	Not applicable - performed by others / this service is provided
170	DURMTHF	1	< 1 Month
171	DURMTHF	2	1-2 Months
172	DURMTHF	3	3-6 Months
173	DURMTHF	4	7-12 Months
174	DURMTHF	5	> 12 Months
175	EATF	1	Cleanly with proper utensils
176	EATF	2	Messily with spoon only
177	EATF	3	Simple solids
178	EATF	4	Has to be fed
179	EATF	5	Not determined
180	EATINGF	1	Eats appropriately using correct utensils
181	EATINGF	2	Eats appropriately if food is made manageable and/or uses a spoon
182	EATINGF	3	Uses fingers to eat food
183	EATINGF	4	Needs to be fed
184	EATINGF	5	Not applicable
185	FADMUT_A3F	1	No
186	FADMUT_A3F	2	Yes, APP
187	FADMUT_A3F	3	Yes, PS-1 (PSEN-1)
188	FADMUT_A3F	4	Yes, PS-2 (PSEN-2)
189	FADMUT_A3F	8	Yes, other
190	FADMUT_A3F	9	Unknown

Obs	FMTNAME	START	LABEL
191	FCEX2_B3F	0	Normal
192	FCEX2_B3F	1	Minimal hypomimia
193	FCEX2_B3F	2	Slightly but abnormal
194	FCEX2_B3F	3	Moderate hypomimia
195	FCEX2_B3F	4	Masked or fixed
196	FCEX2_B3F	8	Untestable
197	FFDMUT_A3F	0	No
198	FFDMUT_A3F	1	Yes, MAPT
199	FFDMUT_A3F	2	Yes, PGRN
200	FFDMUT_A3F	3	Yes, C9orf72
201	FFDMUT_A3F	4	Yes, FUS
202	FFDMUT_A3F	8	Yes, other
203	FFDMUT_A3F	9	Unknown
204	FINANCEF	1	Responsible for own finances at previous level
205	FINANCEF	2	Unable to write check but can sign name and recognizes money values
206	FINANCEF	3	Can sign name but unable to recognize money values
207	FINANCEF	4	Unable to sign name or recognize money values
208	FINANCEF	5	Not applicable - never did
209	FINANCEF	6	Not applicable - performed by others / this service is provided
210	FORMAT_B7F	0	Normal
211	FORMAT_B7F	1	Has difficulty but does by self
212	FORMAT_B7F	2	Requires assistance
213	FORMAT_B7F	3	Dependent
214	FORMAT_B7F	8	Never applicable
215	FREQ_MHF	1	Daily
216	FREQ_MHF	2	Weekly
217	FREQ_MHF	3	Monthly
218	FREQ_MHF	4	Less than monthly
219	FRSTCHGF	1	Cognition
220	FRSTCHGF	2	Behavior
221	FRSTCHGF	3	Motor function
222	FRSTCHGF	4	Unknown
223	FRSTCHGF	88	N/A
224	FRSTCHG_B9F	1	Cognition
225	FRSTCHG_B9F	2	Behavior
226	FRSTCHG_B9F	3	Motor function
227	FRSTCHG_B9F	9	Unknown
228	GAIT12_B3F	0	Normal

Obs	FMTNAME	START	LABEL
229	GAIT12_B3F	1	Walks slowly
230	GAIT12_B3F	2	Walks with difficulty
231	GAIT12_B3F	3	Severe disturbance
232	GAIT12_B3F	4	Cannot walk at all
233	GAIT12_B3F	8	Untestable
234	GENE_SDF	1	Similar
235	GENE_SDF	2	Other
236	GENE_SDF	3	No family history
237	GENE_SDF	4	Both similar and dissimilar
238	GENE_SDF	9	Unknown/NA/missing
239	GROOMF	1	Washes regularly and independently
240	GROOMF	2	Can wash self if given soap, washcloth, and towel
241	GROOMF	3	Can wash if prompted and supervised
242	GROOMF	4	Unable to wash self and needs full assistance
243	GROOMF	5	Not applicable
244	HANDED_A1F	1	Left-handed
245	HANDED_A1F	2	Right-handed
246	HANDED_A1F	3	Ambidextrous
247	HANDED_A1F	9	Unknown
248	HEARIMP_GPF	1	Mild
249	HEARIMP_GPF	2	Moderate
250	HEARIMP_GPF	3	Severe
251	HISPANIC_A1F	0	No
252	HISPANIC_A1F	1	Yes
253	HISPANIC_A1F	9	Unknown
254	HISPOR_A1F	1	Mexican/Chicano/Mexican-American
255	HISPOR_A1F	2	Puerto Rican
256	HISPOR_A1F	3	Cuban
257	HISPOR_A1F	4	Dominican
258	HISPOR_A1F	5	Central American
259	HISPOR_A1F	6	South American
260	HISPOR_A1F	50	Other
261	HISPOR_A1F	99	Unknown
262	HIST0129_A5F	0	Absent
263	HIST0129_A5F	1	Recent/active
264	HIST0129_A5F	2	Remote/inactive
265	HIST0129_A5F	9	Unknown
266	HIST019_A5F	0	Absent

Obs	FMTNAME	START	LABEL
267	HIST019_A5F	1	Recent/active
268	HIST019_A5F	9	Unknown
269	HIST_MHF	0	Absent
270	HIST_MHF	1	Recent/active
271	HIST_MHF	2	Remote/inactive
272	HIST_MHF	9	Not determined
273	HOBBIESF	1	Participates in pastimes/activities to previous standard
274	HOBBIESF	2	Participates but needs instruction/supervision
275	HOBBIESF	3	Reluctant to join in, very slow, needs coaxing
276	HOBBIESF	4	No longer able or willing to join in, hobbies abandoned
277	HOBBIESF	5	Not applicable
278	HOUSEWRKF	1	Able to do housework/gardening to previous standard
279	HOUSEWRKF	2	Able to do housework/gardening but not to previous standard
280	HOUSEWRKF	3	Limited participation in these activities even with a lot of supervision
281	HOUSEWRKF	4	Unwilling/unable to participate in previous housework/gardening activities
282	HOUSEWRKF	5	Not applicable - never did
283	HOUSEWRKF	6	Not applicable - performed by others / this service is provided
284	IMPAIR_B4F	0	None
285	IMPAIR_B4F	0.5	Questionable
286	IMPAIR_B4F	1	Mild
287	IMPAIR_B4F	2	Moderate
288	IMPAIR_B4F	3	Severe
289	INCALLS_A2F	1	Daily
290	INCALLS_A2F	2	At least 3 times/week
291	INCALLS_A2F	3	Weekly
292	INCALLS_A2F	4	At least 3 times/month
293	INCALLS_A2F	5	Monthly
294	INCALLS_A2F	6	Less than once a month
295	INDEPEND_A1F	1	Able to live independently
296	INDEPEND_A1F	2	Requires some assistance with complex activities
297	INDEPEND_A1F	3	Requires some assistance with basic activities
298	INDEPEND_A1F	4	Completely dependent
299	INDEPEND_A1F	9	Unknown
300	INEDUC_A2F	1	Less than High school/GED
301	INEDUC_A2F	12	High school/GED
302	INEDUC_A2F	13	High school/GED plus 1 year
303	INEDUC_A2F	14	High school/GED plus 2 years
304	INEDUC_A2F	15	High school/GED plus 3 years

Obs	FMTNAME	START	LABEL
305	INEDUC_A2F	16	Bachelors degree
306	INEDUC_A2F	17	Bachelors degree plus 1 year
307	INEDUC_A2F	18	Master's degree
308	INEDUC_A2F	19	Master's degree plus 1 year
309	INEDUC_A2F	20	Doctorate
310	INEDUC_A2F	21	Doctorate plus
311	INEDUC_A2F	99	Unknown
312	INHISPOR_A2F	1	Mexican/Chicano/Mexican-American
313	INHISPOR_A2F	2	Puerto Rican
314	INHISPOR_A2F	3	Cuban
315	INHISPOR_A2F	4	Dominican
316	INHISPOR_A2F	5	Central American
317	INHISPOR_A2F	6	South American
318	INHISPOR_A2F	50	Other
319	INHISPOR_A2F	99	Unknown
320	INHISP_A2F	0	No
321	INHISP_A2F	1	Yes
322	INHISP_A2F	9	Unknown
323	INLIVWTH_A2F	0	No
324	INLIVWTH_A2F	1	Yes
325	INMDS_A1F	0	No
326	INMDS_A1F	1	Yes
327	INRACE_A2F	1	White
328	INRACE_A2F	2	Black or African American
329	INRACE_A2F	3	American Indian or Alaska Native
330	INRACE_A2F	4	Native Hawaiian or other Pacific Islander
331	INRACE_A2F	5	Asian
332	INRACE_A2F	50	Other
333	INRACE_A2F	99	Unknown
334	INRASEC_A2F	1	White
335	INRASEC_A2F	2	Black or African American
336	INRASEC_A2F	3	American Indian or Alaska Native
337	INRASEC_A2F	4	Native Hawaiian or other Pacific Islander
338	INRASEC_A2F	5	Asian
339	INRASEC_A2F	50	Other
340	INRASEC_A2F	88	None reported
341	INRASEC_A2F	99	Unknown
342	INRATER_A2F	1	White

Obs	FMTNAME	START	LABEL
343	INRATER_A2F	2	Black or African American
344	INRATER_A2F	3	American Indian or Alaska Native
345	INRATER_A2F	4	Native Hawaiian or other Pacific Islander
346	INRATER_A2F	5	Asian
347	INRATER_A2F	50	Other
348	INRATER_A2F	88	None reported
349	INRATER_A2F	99	Unknown
350	INRELTO_A2F	1	Spouse/partner
351	INRELTO_A2F	2	Child
352	INRELTO_A2F	3	Sibling
353	INRELTO_A2F	4	Other relative
354	INRELTO_A2F	5	Friend/neighbor
355	INRELTO_A2F	6	Paid caregiver/provider
356	INRELTO_A2F	7	Other
357	INRELY_A2F	0	No
358	INRELY_A2F	1	Yes
359	INSEX_A2F	1	Male
360	INSEX_A2F	2	Female
361	INVISITS_A2F	1	Daily
362	INVISITS_A2F	2	At least 3 times/week
363	INVISITS_A2F	3	Weekly
364	INVISITS_A2F	4	At least 3 times/month
365	INVISITS_A2F	5	Monthly
366	INVISITS_A2F	6	Less than once a month
367	LANG_C1F	1	English
368	LANG_C1F	2	Spanish
369	LANG_C1F	3	Other
370	LEARNED_A1F	1	ADC advertisement
371	LEARNED_A1F	2	News article/TV
372	LEARNED_A1F	3	Conference/Community Event
373	LEARNED_A1F	4	Another organization's media appeal/website
374	LEARNED_A1F	8	Other
375	LEARNED_A1F	9	Unknown
376	LETTER_NTF	0	Unknown
377	LETTER_NTF	1	FAS
378	LETTER_NTF	2	BHR
379	LIVSITUA_A1F	1	Lives alone
380	LIVSITUA_A1F	2	Lives with spouse or partner

Obs	FMTNAME	START	LABEL
381	LIVSITUA_A1F	3	Lives with relative, friend, or roommate
382	LIVSITUA_A1F	4	Lives with caregiver, not spouse, partner, relative, or friend
383	LIVSITUA_A1F	5	Lives with group
384	LIVSITUA_A1F	6	Lives with group
385	LIVSITUA_A1F	9	Unknown
386	LOC_C1F	1	ADC/clinic
387	LOC_C1F	2	Home
388	LOC_C1F	3	Other (in person)
389	LOC_MHF	1	LOC < 5 minutes
390	LOC_MHF	2	LOC > 5 minutes
391	LOC_MHF	9	Not determined
392	LR_CDF	1	Left
393	LR_CDF	2	Right
394	LR_CDF	3	Either
395	MARISTAT_A1F	1	Married
396	MARISTAT_A1F	2	Widowed
397	MARISTAT_A1F	3	Divorced
398	MARISTAT_A1F	4	Separated
399	MARISTAT_A1F	5	Never married
400	MARISTAT_A1F	6	Living as married/domestic partner
401	MARISTAT_A1F	9	Unknown
402	MEALPRPF	1	Selects and prepares food as required
403	MEALPRPF	2	Able to prepare food if ingredients are set out for him/her
404	MEALPRPF	3	Can prepare food if prompted step-by-step
405	MEALPRPF	4	Unable to prepare food even with prompting and supervision
406	MEALPRPF	5	Not applicable - never did
407	MEALPRPF	6	Not applicable - performed by others / this service is provided
408	METHODEVAL_A3F	1	Autopsy
409	METHODEVAL_A3F	2	Examination
410	METHODEVAL_A3F	3	Medical record
411	METHODEVAL_A3F	4	General Medical record/co-participant/subject telephone interview
412	METHODEVAL_A3F	5	General Medical records only
413	METHODEVAL_A3F	6	Subject/co-participant telephone interview
414	METHODEVAL_A3F	7	Family report
415	MOBILTYF	1	Walks independently
416	MOBILTYF	2	Walks with assistance
417	MOBILTYF	3	Uses physical aids to walk
418	MOBILTYF	4	Unable to walk

Obs	FMTNAME	START	LABEL
419	MOBILTYF	5	Not applicable
420	MODEF	1	Gradual (> 6 months)
421	MODEF	2	Subacute (=< 6 months)
422	MODEF	3	Abrupt (within days)
423	MODEF	4	Other
424	MODEF	88	N/A
425	MODEF	99	Unknown
426	MODE_B9F	1	Gradual (> 6 months)
427	MODE_B9F	2	Subacute (=< 6 months)
428	MODE_B9F	3	Abrupt (within days)
429	MODE_B9F	4	Other
430	MODE_B9F	88	N/A
431	MODE_B9F	99	Unknown
432	MOSYMPF	1	Gait disorder
433	MOSYMPF	2	Falls
434	MOSYMPF	3	Tremor
435	MOSYMPF	4	Slowness
436	MOSYMPF	88	N/A
437	MOSYMPF	99	Unknown
438	MOSYMP_B9F	1	Gait disorder
439	MOSYMP_B9F	2	Falls
440	MOSYMP_B9F	3	Tremor
441	MOSYMP_B9F	4	Slowness
442	MOSYMP_B9F	88	N/A
443	MOSYMP_B9F	99	Unknown
444	NEUR_A3F	1	Cognitive impairment/behavior change
445	NEUR_A3F	2	Parkinsonian
446	NEUR_A3F	3	ALS
447	NEUR_A3F	4	Other neurological condition
448	NEUR_A3F	5	Psychiatric condition
449	NEUR_A3F	8	N/A, no neurologic or psychiatric condition
450	NEUR_A3F	9	Unknown
451	NEWINF_A2F	0	No
452	NEWINF_A2F	1	Yes
453	NMMSN_NEF	1	Normal
454	NMMSN_NEF	2	Mild
455	NMMSN_NEF	3	Moderate
456	NMMSN_NEF	4	Severe

Obs	FMTNAME	START	LABEL
457	NMMSN_NEF	5	Not done
458	NOGDS30_B6F	0	Able to complete
459	NOGDS30_B6F	1	Not able to complete
460	NOGDS_B6F	-21	Not attempted
461	NOGDS_B6F	0	Attempted
462	NORMEXAM_B8F	0	No
463	NORMEXAM_B8F	1	Yes (consistent Q2-Q8)
464	NORMEXAM_B8F	2	Yes (age-associated, non-dementia)
465	NPIQINF_B5F	1	Spouse
466	NPIQINF_B5F	2	Child
467	NPIQINF_B5F	3	Other
468	OACOURSEF	1	Gradually progressive
469	OACOURSEF	2	Stepwise
470	OACOURSEF	3	Static/unchanging
471	OACOURSEF	4	Fluctuating
472	OACOURSEF	5	Improved
473	OACOURSEF	9	Unknown
474	OACOURSEF	88	N/A
475	ONEYES_B6F	0	No
476	ONEYES_B6F	1	Yes
477	ONEYES_B6F	9	Did not answer
478	ONSETF	1	Gradually
479	ONSETF	2	Suddenly
480	ONSETF	3	Unclear
481	ONSETF	4	Undetermined
482	ORIENTPF	1	Fully oriented to surroundings
483	ORIENTPF	2	Oriented to familiar surroundings only
484	ORIENTPF	3	Gets lost in home, needs reminding where bathroom is, etc.
485	ORIENTPF	4	Does not recognize home as own and attempts to leave
486	ORIENTPF	5	Not applicable
487	ORIENTTF	1	Fully oriented to time/day/date etc.
488	ORIENTTF	2	Unaware of time/day/date etc. but seems unconcerned
489	ORIENTTF	3	Repeatedly asks the time/day/date
490	ORIENTTF	4	Mixes up night and day
491	ORIENTTF	5	Not applicable
492	PA01_D1F	0	Absent
493	PA01_D1F	1	Present
494	PACK_A5F	1	one cigarette to less than half pack

Obs	FMTNAME	START	LABEL
495	PACK_A5F	2	half pack to less than one pack
496	PACK_A5F	3	one pack to less than one and half pack
497	PACK_A5F	4	one and half pack to less than two packs
498	PACK_A5F	5	two or more packs
499	PACK_A5F	9	Unknown
500	PACK_MHF	1	one cigarette to less than half pack
501	PACK_MHF	2	half pack to one and half pack
502	PACK_MHF	3	one and half pack to two packs
503	PACK_MHF	4	more than two packs
504	PACK_MHF	9	Unable to remember / not determined
505	PASTF	0	No
506	PASTF	1	Yes
507	PASTF	8	N/A
508	PASTF	9	Unknown
509	PHONEF	1	Uses telephone appropriately, including obtaining correct number
510	PHONEF	2	Uses telephone if number given verbally/visually or pre-dialed
511	PHONEF	3	Answers telephone but does not make outgoing calls
512	PHONEF	4	Unable/unwilling to use telephone at all
513	PHONEF	5	Not applicable
514	POST11_B3F	0	Normal
515	POST11_B3F	1	Not quite erect
516	POST11_B3F	2	Moderately stooped
517	POST11_B3F	3	Severely stooped
518	POST11_B3F	4	Marked flexion
519	POST11_B3F	8	Untestable
520	POST13_B3F	0	Normal erect
521	POST13_B3F	1	Retropulsion
522	POST13_B3F	2	Absence of response
523	POST13_B3F	3	Very unstable
524	POST13_B3F	4	Unable to stand
525	POST13_B3F	8	Untestable
526	PRESPART_A1F	1	Initial evaluation only
527	PRESPART_A1F	2	Longitudinal follow-up planned
528	PRESTAT_A1F	1	Case/patient/proband
529	PRESTAT_A1F	2	Control/normal
530	PRESTAT_A1F	3	No presumed disease status
531	PRIMLANG_A1F	1	English
532	PRIMLANG_A1F	2	Spanish

Obs	FMTNAME	START	LABEL
533	PRIMLANG_A1F	3	Mandarin
534	PRIMLANG_A1F	4	Cantonese
535	PRIMLANG_A1F	5	Russian
536	PRIMLANG_A1F	6	Japanese
537	PRIMLANG_A1F	8	Other
538	PRIMLANG_A1F	9	Unknown
539	Q6789_B3F	0	Normal
540	Q6789_B3F	1	Mild slowing
541	Q6789_B3F	2	Moderately impaired
542	Q6789_B3F	3	Severely impaired
543	Q6789_B3F	4	Barely perform task
544	Q6789_B3F	8	Untestable
545	RACESEC_A1F	1	White
546	RACESEC_A1F	2	Black or African American
547	RACESEC_A1F	3	American Indian or Alaska Native
548	RACESEC_A1F	4	Native Hawaiian or other Pacific Islander
549	RACESEC_A1F	5	Asian
550	RACESEC_A1F	50	Other
551	RACESEC_A1F	88	None reported
552	RACESEC_A1F	99	Unknown
553	RACETER_A1F	1	White
554	RACETER_A1F	2	Black or African American
555	RACETER_A1F	3	American Indian or Alaska Native
556	RACETER_A1F	4	Native Hawaiian or other Pacific Islander
557	RACETER_A1F	5	Asian
558	RACETER_A1F	50	Other
559	RACETER_A1F	88	None reported
560	RACETER_A1F	99	Unknown
561	RACE_A1F	1	White
562	RACE_A1F	2	Black or African American
563	RACE_A1F	3	American Indian or Alaska Native
564	RACE_A1F	4	Native Hawaiian or other Pacific Islander
565	RACE_A1F	5	Asian
566	RACE_A1F	50	Other
567	RACE_A1F	99	Unknown
568	REASON_A1F	1	Participate in research study
569	REASON_A1F	2	Clinician evaluation
570	REASON_A1F	4	Both

Obs	FMTNAME	START	LABEL
571	REASON_A1F	9	Unknown
572	REFER_A1F	1	Self referral
573	REFER_A1F	2	Non-professional contact
574	REFER_A1F	3	ADC participant referral
575	REFER_A1F	4	ADC clinician/staff/investigator
576	REFER_A1F	5	Nurse/doctor/health-care provider
577	REFER_A1F	6	Other research study
578	REFER_A1F	8	Other
579	REFER_A1F	9	Unknown
580	RESIDENC_A1F	1	Single/multi-family private residence
581	RESIDENC_A1F	2	Retirement community or independent group living
582	RESIDENC_A1F	3	Assisted living/boarding home/adult family home
583	RESIDENC_A1F	4	Skilled nursing facility/nursing home/hospital/hospice
584	RESIDENC_A1F	9	Unknown
585	RIG5_B3F	0	Absent
586	RIG5_B3F	1	Slight or moderate
587	RIG5_B3F	2	Mild or moderate
588	RIG5_B3F	3	Marked
589	RIG5_B3F	4	Severe
590	RIG5_B3F	8	Untestable
591	SEVERITY_B5F	1	Mild
592	SEVERITY_B5F	2	Moderate
593	SEVERITY_B5F	3	Severe
594	SEVERITY_B5F	9	Unknown
595	SEX_A1F	1	Male
596	SEX_A1F	2	Female
597	SHOPF	1	Shops to previous standard
598	SHOPF	2	Only able to shop for 1 or 2 items with or without a list
599	SHOPF	3	Unable to shop alone, but participates when accompanied
600	SHOPF	4	Unable to participate in shopping even when accompanied
601	SHOPF	5	Not applicable - never did
602	SHOPF	6	Not applicable - performed by others / this service is provided
603	SLEEPF	1	Insomnia nearly every day
604	SLEEPF	2	Hypersomnia nearly every day
605	SLEEPF	3	Normal
606	SOURCENW_A1F	1	Primarily ADC-funded/Clinical/Satellite/Other core
607	SOURCENW_A1F	2	Primarily non-ADC study/RO1/Other grants
608	SOURCE_A1F	1	Clinical core

Obs	FMTNAME	START	LABEL
609	SOURCE_A1F	2	Satellite core
610	SOURCE_A1F	3	Other ADC core/project
611	SOURCE_A1F	4	Center-affiliated/non-ADC
612	SOURCE_A3F	1	Family report
613	SOURCE_A3F	2	Commercial test
614	SOURCE_A3F	3	Research lab
615	SOURCE_A3F	8	Other
616	SOURCE_A3F	9	Unknown
617	SPCH1_B3F	0	Normal
618	SPCH1_B3F	1	Slight loss
619	SPCH1_B3F	2	Moderately impaired
620	SPCH1_B3F	3	Marked impairment
621	SPCH1_B3F	4	Unintelligible
622	SPCH1_B3F	8	Untestable
623	STATUS_D1F	1	Primary
624	STATUS_D1F	2	Contributing
625	STATUS_D1F	3	Non-contributing
626	STATUS_ND	1	Primary
627	STATUS_ND	2	Contributing
628	STATUS_ND	3	Non-contributing
629	STCF_SDF	1	Very likely
630	STCF_SDF	2	Somewhat likely
631	STCF_SDF	3	No
632	STDY_SDF	0	No
633	STDY_SDF	1	Yes
634	ST_SDF	1	No impairment
635	ST_SDF	2	Mild
636	ST_SDF	3	Moderate
637	ST_SDF	4	Severe
638	ST_SDF	8	Not assessed
639	SYNDF	1	Normal
640	SYNDF	2	MCI
641	SYNDF	3	QCI
642	SYNDF	4	Dementia
643	SYND_ND	1	Deferred
644	SYND_ND	2	Normal
645	SYND_ND	3	QCI
646	SYND_ND	4	MCI

Obs	FMTNAME	START	LABEL
647	SYND_ND	5	Delirium
648	SYND_ND	6	Dementia
649	SYND_SDF	1	Diagnosis deferred
650	SYND_SDF	2	No cognitive impairment
651	SYND_SDF	3	Questionable cognitive impairment
652	SYND_SDF	4	Delirium
653	SYND_SDF	5	Dementia
654	SYND_SDF	6	OCI: amnesic disorder
655	SYND_SDF	7	OCI: single non-memory cognitive impairment
656	SYND_SDF	8	OCI: mild neurocognitive disorder
657	SYND_SDF	9	OCI: MCI based on Petersen Criteria
658	SYND_SDF	10	OCI: MCI based on MCI Criteria
659	SYND_SDF	11	OCI: other
660	TBILOC_A5F	0	No
661	TBILOC_A5F	1	Single
662	TBILOC_A5F	2	Repeated/multiple
663	TBILOC_A5F	3	Unknown
664	TEETHF	1	Cleans own teeth/dentures regularly and independently
665	TEETHF	2	Cleans teeth/dentures if given appropriate items
666	TEETHF	3	Requires some assistance, toothpaste on brush, brush to mouth, etc.
667	TEETHF	4	Full assistance given
668	TEETHF	5	Not applicable
669	TOILETF	1	Uses toilet appropriately when required
670	TOILETF	2	Needs to be taken to the toilet and given assistance
671	TOILETF	3	Incontinent of urine or feces
672	TOILETF	4	Incontinent of urine and feces
673	TOILETF	5	Not applicable
674	TRANS_CDF	1	Control cohort to control + MD
675	TRANS_CDF	2	Control + MD to patient cohort
676	TRANS_CDF	3	Control cohort to patient visit cohort
677	TRANS_CDF	4	Patient cohort to home visit cohort
678	TRANS_CDF	5	Home visit cohort to telephone / mailer only cohort
679	TRANS_CDF	6	Patient cohort to control cohort
680	TREM3_B3F	0	Absent
681	TREM3_B3F	1	Slight
682	TREM3_B3F	2	Mild
683	TREM3_B3F	3	Moderate
684	TREM3_B3F	4	Marked

Obs	FMTNAME	START	LABEL
685	TREM3_B3F	8	Untestable
686	TRNSFRF	1	Can get in/out of a chair unaided
687	TRNSFRF	2	Can get into a chair but needs help to get out
688	TRNSFRF	3	Needs help getting in and out of chair
689	TRNSFRF	4	Totally dependent on being put into and lifted from chair
690	TRNSFRF	5	Not applicable
691	TWINTYPE_A3F	1	Monozygotic (i.e., identical)
692	TWINTYPE_A3F	2	Dizygotic (i.e., fraternal)
693	TWINTYPE_A3F	9	Unknown
694	USEF	1	Chronic
695	USEF	2	Acute
696	WAIS_NTF	0	Unknown
697	WAIS_NTF	1	STD
698	WAIS_NTF	2	ALT1
699	WALKENDF	1	Normal
700	WALKENDF	2	Only able to walk short distances
701	WALKENDF	3	Signs of endurance when walking short distances
702	WALKENDF	4	Unable to walk more than a few steps
703	WALKINDF	1	Normal
704	WALKINDF	2	Walks slowly w/o support
705	WALKINDF	3	Frequently uses supportive device
706	WALKINDF	4	Requires physical support from others
707	WALKINDF	5	Generally confined to bed/wheelchair
708	WAN_GPF	1	Normal
709	WAN_GPF	2	Abnormal
710	WAN_GPF	3	Not determined
711	WAN_NEF	1	Normal
712	WAN_NEF	2	Abnormal
713	WAN_NEF	3	Not done
714	WHYNOT_Z1F	95	Physical problem
715	WHYNOT_Z1F	96	Cognitive/behavior problem
716	WHYNOT_Z1F	97	Other problem
717	WHYNOT_Z1F	98	Verbal refusal
718	WMSN_NEF	1	Normal
719	WMSN_NEF	2	Abnormal (mild)
720	WMSN_NEF	3	Abnormal (severe)
721	WMSN_NEF	4	Not done
722	WRLN_NEF	1	Normal

Obs	FMTNAME	START	LABEL
723	WRLN_NEF	2	Abnormal (right)
724	WRLN_NEF	3	Abnormal (left)
725	WRLN_NEF	4	Not done
726	YN0188F	0	No
727	YN0188F	1	Yes
728	YN0188F	88	N/A
729	YN018_B2F	0	No
730	YN018_B2F	1	Yes
731	YN018_B2F	8	NA
732	YN018_B8F	0	No
733	YN018_B8F	1	Yes
734	YN018_B8F	8	Not assessed
735	YN019_A5F	0	No
736	YN019_A5F	1	Yes
737	YN019_A5F	9	Unknown
738	YN019_B1F	0	No
739	YN019_B1F	1	Yes
740	YN019_B1F	9	Unknown
741	YN019_B8F	0	No
742	YN019_B8F	1	Yes
743	YN019_B8F	9	Unknown
744	YN019_B9F	0	No
745	YN019_B9F	1	Yes
746	YN019_B9F	9	Unknown
747	YN019_NEF	0	No
748	YN019_NEF	1	Yes
749	YN019_NEF	9	Not done
750	YN01F	0	No
751	YN01F	1	Yes
752	YN01F	3	Unknown
753	YN01F	9	Unknown
754	YN01F	99	Unknown
755	YN01_B2F	0	No
756	YN01_B2F	1	Yes
757	YN01_B9F	0	No
758	YN01_B9F	1	Yes
759	YN01_CDF	0	No
760	YN01_CDF	1	Yes

Obs	FMTNAME	START	LABEL
761	YN01_D1F	0	No
762	YN01_D1F	1	Yes
763	YN01_E1F	0	No
764	YN01_E1F	1	Yes
765	YN01_GPF	0	No
766	YN01_GPF	1	Yes
767	YN01_GPF	2	No
768	YN01_ND	0	No
769	YN01_ND	1	Yes
770	YN01_Z1F	0	No
771	YN01_Z1F	1	Yes
772	YN109_A3F	0	No
773	YN109_A3F	1	Yes
774	YN109_A3F	9	Unknown
775	YN10_B5F	0	No
776	YN10_B5F	1	Yes
777	YN10_B5F	9	Unknown
778	YNCRRNTF	0	No
779	YNCRRNTF	1	Yes
780	YNCRRNTF	9	Unknown
781	YNF	1	Yes
782	YNF	2	No
783	YNF	99	Unknown
784	YN_B8F	0	No
785	YN_B8F	1	Yes
786	YN_MHF	0	No
787	YN_MHF	1	Yes
788	YN_MHF	9	Not determined
789	ZEROYES_B6F	0	Yes
790	ZEROYES_B6F	1	No
791	ZEROYES_B6F	9	Did not answer